

## nania NINO

# Nania Migo NINO 360° Swivel R129 i-Size Car Seat Instruction Manual

Model: NINO (0070340A) | Brand: Nania

## 1. INTRODUCTION

This manual provides essential information for the correct installation, safe use, and maintenance of your Nania Migo NINO 360° Swivel R129 i-Size Car Seat. Please read these instructions carefully before using the car seat and keep them in a safe place for future reference. Incorrect installation or use can compromise your child's safety.

The Nania Migo NINO car seat is designed to provide optimal safety and comfort for children from birth up to approximately 12 years old, covering a height range of 40 to 150 cm. It complies with the latest European safety standard R129 (i-Size).

## 2. SAFETY INFORMATION

- Always ensure the car seat is correctly installed according to the instructions provided.
- The car seat is approved under the R129 i-Size standard, mandatory since September 1, 2023.
- Utilize the Isofix connectors and Top Tether for secure installation to minimize installation errors.
- Always secure your child with the integrated 5-point harness system for children up to 105 cm. For children 100-150 cm, use the vehicle's 3-point seat belt.
- Ensure the headrest is adjusted to the correct height, providing adequate support for your child's head and neck.
- Never leave your child unattended in the car seat.
- Do not use the car seat if it has been involved in an accident, even if there is no visible damage. Internal damage may compromise its safety.
- Refer to your vehicle's owner's manual for information on child restraint system compatibility and Isofix anchor points.

## 3. PRODUCT OVERVIEW

The Nania Migo NINO car seat features a robust design with multiple functionalities to adapt to your child's growth and ensure maximum safety.



Image 3.1: Front view of the Nania Migo NINO car seat with infant insert.



Image 3.2: Side view of the Nania Migo NINO car seat, highlighting the base and Isofix connectors.

### Key Features:

- **360° Swivel Function:** Allows the seat to rotate for easy child placement and transition between rear-facing and forward-facing positions.
- **i-Size R129 Compliance:** Meets the latest European safety standards for enhanced protection.
- **Isofix + Top Tether Installation:** Provides a secure and stable connection to the vehicle's chassis.
- **Adjustable Headrest:** Features 13 height positions to accommodate your child's growth.
- **Multiple Recline Positions:** Ensures comfort during travel and naps.
- **Side Impact Protection:** Integrated side protections for enhanced safety.
- **Removable Cushions:** For easy cleaning and adaptability as your child grows.

## 4. SETUP AND INSTALLATION

The Nania Migo NINO car seat offers versatile installation options to suit different age and height groups.

### 4.1. Installation with Isofix and Top Tether

This car seat must be installed using the Isofix connectors and the Top Tether strap for maximum safety and stability.

1. Locate the Isofix anchor points in your vehicle. These are usually found between the backrest and the seat cushion.
2. Extend the Isofix connectors from the car seat base by pressing the release buttons (refer to Image 3.2).
3. Align the Isofix connectors with the vehicle's anchor points and push firmly until you hear a click and the indicators turn green.
4. Push the car seat firmly against the vehicle's backrest to ensure a tight fit.
5. Locate the Top Tether anchor point in your vehicle (usually on the back of the seat, parcel shelf, or boot floor).
6. Attach the Top Tether hook to the anchor point and tighten the strap until the indicator on the strap turns green (if applicable) and the strap is taut.



Image 4.1: Illustration of Isofix connectors and Top Tether strap for secure installation.

#### 4.2. Orientation based on Child's Height

# NINO



UN  
R129



isofix



360°



**40-105 cm**

Dos route  
Back road  
Rücken Straße  
Carretera trasera  
Strada posteriore



**76-150 cm**

Face route  
Front road  
Vorderseite Straße  
Carretera delantera  
Strada anteriore

Image 4.2: Car seat orientation guidelines based on child's height.

- **Rear-Facing (40-105 cm, approximately birth to 4 years):** The car seat must be installed in a rear-facing position. This provides superior protection for infants and toddlers.
- **Forward-Facing (76-150 cm, approximately 15 months to 12 years):** Once your child reaches 76 cm and is at least 15 months old, the car seat can be used in a forward-facing position.

## 5. OPERATING INSTRUCTIONS

### 5.1. 360° Swivel Function

The 360° swivel function allows you to rotate the car seat for easier access when placing or removing your child, especially in rear-facing mode.

# NINO



Pivotant à 360° pour une installation rapide  
360° swivel for quick installation  
Um 360° drehbar für eine schnelle Installation  
Giro de 360° para una instalación rápida  
Girevole a 360° per una rapida installazione



Image 5.1: The 360° swivel feature for convenient child placement.

1. Ensure the vehicle is stationary and safe before attempting to swivel the seat.
2. Locate the swivel release lever or button, usually at the front of the base.
3. Press the release and rotate the seat to the desired position (e.g., facing the car door for child access).
4. Always ensure the seat is locked securely in either the rear-facing or forward-facing position before driving.

## 5.2. Adjusting the Headrest and Harness

The headrest and harness system adjust simultaneously to ensure a proper fit as your child grows.

# NINO



Tête réglable en hauteur  
Height-adjustable headrest  
Höhenverstellbare Kopfstütze  
Poggiatesta regolabile in altezza  
Reposacabezas regulable en altura



Image 5.2: Headrest adjustment mechanism.

1. To adjust the headrest, locate the adjustment lever at the top of the headrest.
2. Squeeze the lever and move the headrest up or down until it is positioned correctly. The shoulder straps should be at or just below your child's shoulders when rear-facing, and at or just above when forward-facing.
3. Release the lever to lock the headrest in place.

### 5.3. Adjusting Recline Positions

The car seat offers multiple recline positions for your child's comfort.

# NINO



Inclinable en plusieurs positions  
Tilttable in several positions  
In verschiedenen Positionen neigbar  
Inclinazione in diverse posizioni  
Inclinación en varias posiciones



*Image descriptive - Coloris non contractuel*

*Descriptive image - non-contractual colour*

Image 5.3: Demonstration of the car seat's recline functionality.

1. Locate the recline adjustment lever, typically found at the front or side of the seat base.
2. Press the lever and adjust the seat to the desired recline angle.
3. Ensure the seat locks securely into the chosen recline position before placing your child in it.

#### 5.4. Securing Your Child

- **For 40-105 cm (using 5-point harness):** Place your child in the seat. Bring the shoulder straps over their shoulders and connect the two buckle tongues into the central buckle until you hear a click. Pull the harness adjustment strap to tighten the harness snugly against your child's body, ensuring no slack.
- **For 100-150 cm (using vehicle's 3-point seat belt):** Stow the 5-point harness according to the instructions (usually by detaching and storing them in designated compartments). Position your child in the seat. Guide the vehicle's 3-point seat belt through the designated belt guides on the car seat and buckle it. Ensure the lap belt is low over the hips and the shoulder belt rests across the center of your child's shoulder and chest, not on the neck.

## 6. MAINTENANCE

## 6.1. Cleaning the Fabric Covers

The fabric covers of the Nania Migo NINO car seat are removable for cleaning.

1. Carefully remove the fabric covers from the car seat frame. Refer to the labels on the covers for specific washing instructions.
2. Typically, covers can be hand-washed or machine-washed on a delicate cycle with mild detergent at 30°C. Do not tumble dry, bleach, or iron.
3. Allow the covers to air dry completely before reattaching them to the car seat.

## 6.2. Cleaning the Harness and Plastic Parts

- Wipe plastic parts with a damp cloth and mild soap. Do not use abrasive cleaners or solvents.
- Clean the harness straps with a damp cloth and mild soap. Do not immerse the buckle in water or use lubricants, as this may affect its performance.

## 7. TROUBLESHOOTING

- **Car seat feels loose after installation:** Recheck that the Isofix connectors are fully engaged (green indicators visible) and the Top Tether is taut. Ensure the car seat is pushed firmly against the vehicle's backrest.
- **Harness is difficult to tighten/loosen:** Check for any twists in the harness straps. Ensure the harness adjustment strap is pulled straight and not obstructed.
- **Child's head slumps forward:** Ensure the headrest is adjusted to the correct height for your child. For younger children, ensure the recline position is appropriate for their age and provides adequate head support.
- **Seat does not swivel:** Ensure the swivel release lever/button is fully engaged and there are no obstructions preventing rotation. The seat must be in an upright position to swivel.
- **Car door interferes with swivel:** In some vehicle models, the car door may obstruct the full 360° swivel. This is a vehicle-specific limitation. Ensure sufficient space before attempting to swivel.

## 8. SPECIFICATIONS

Feature	Specification
Model Name	NINO
Model Number	0070340A
Brand	Nania
Standard	UN R129 (i-Size)
Child Height Range	40 - 150 cm
Approximate Age Range	Birth to 12 years
Installation Method	Isofix + Top Tether
Dimensions (L x W x H)	49 x 54 x 57 cm
Product Weight	1 kg
Maximum Recommended Weight	40 kg
Manufacturer	Teamtex

## 9. WARRANTY AND SUPPORT

For warranty information, product registration, or customer support, please refer to the documentation included with your purchase or visit the official Nania website. Keep your proof of purchase for any warranty claims.

---

© 2024 Nania. All rights reserved.