Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- CODi /
- > CODi 7-Port Mini USB-C Docking Station User Manual (Model A01058)

CODi A01058

CODi 7-Port Mini USB-C Docking Station

MODEL: A01058

Introduction

The CODi 7-Port Mini USB-C Docking Station (Model A01058) is designed to expand the connectivity of your USB-C enabled laptop, tablet, or desktop PC. This compact and versatile docking station allows you to connect multiple peripherals, external displays, and network connections through a single USB-C port, enhancing your productivity and streamlining your workspace.

This manual provides detailed instructions for setting up, operating, and maintaining your docking station, along with troubleshooting tips and product specifications. Please read this manual thoroughly before using the device.

Safety Information

- Keep the device away from water, fire, high temperatures, and corrosive substances.
- Do not attempt to disassemble, repair, or modify the device. This may void the warranty and pose safety risks.
- Avoid dropping or subjecting the device to strong impacts.
- · Use only compatible power adapters and cables.
- Ensure proper ventilation around the device during operation.

Package Contents

Please check the package for the following items:

- CODi 7-Port Mini USB-C Docking Station (A01058)
- User Manual (this document)

Product Overview

The CODi 7-Port Mini USB-C Docking Station features a compact design with multiple ports to enhance your

connectivity. Refer to the diagram below for a visual representation of the ports.




Image: Overview of the CODi 7-Port Mini USB-C Docking Station, highlighting its various ports including USB 3.0, TF Card Slot, USB-C Connectivity, USB-C PD Charging, HDMI, and Network Port, along with their respective specifications.

The docking station includes the following ports:

- 1x USB-C PD Charging Port: Up to 100W power delivery for charging your host device.
- 2x HDMI Ports: Supports resolutions up to 4K@30Hz or 1920x1080@60Hz for external displays.
- 1x 10/100/1000Mbps Ethernet Port: Provides a stable wired network connection.
- 2x USB 3.2 Gen 1 Ports: Data transfer speed up to 5 Gbps for connecting USB peripherals.
- 1x Micro-SD Slot: Supports Micro-SD cards up to 512GB for data transfer.

Setup

Follow these steps to set up your CODi 7-Port Mini USB-C Docking Station:

- 1. **Connect to Host Device:** Plug the integrated USB-C cable from the docking station into an available USB-C port on your laptop, tablet, or desktop PC. Ensure the USB-C port on your host device supports video output (DisplayPort Alternate Mode) and power delivery for full functionality.
- Connect Power (Optional but Recommended): For optimal performance and to charge your host device, connect your original USB-C power adapter to the USB-C PD charging port on the docking station.
- 3. **Connect Peripherals:** Connect your desired peripherals (e.g., monitor, keyboard, mouse, Ethernet cable, Micro-SD card) to the corresponding ports on the docking station.



Image: The CODi 7-Port Mini USB-C Docking Station connected to a laptop, demonstrating a typical setup for expanded connectivity.

Operating Instructions

Once connected, the docking station operates automatically. Below are details on using each port:

- **USB-C PD Charging Port:** Connect your laptop's USB-C power adapter to this port to provide up to 100W of power to your host device through the docking station. This port is for power input only, not data transfer.
- **HDMI Ports:** Connect external monitors using HDMI cables. Your operating system should automatically detect the displays. You may need to configure display settings (e.g., extend, mirror) in your computer's display settings. Refer to the 'Display Configuration' section for more details.
- **USB 3.2 Gen 1 Ports:** Plug in USB devices such as keyboards, mice, USB flash drives, or external hard drives. These ports support data transfer speeds up to 5 Gbps.
- Ethernet Port: Connect an Ethernet cable from your router or network switch to this port for a stable wired internet connection. The port supports 10/100/1000Mbps speeds.
- Micro-SD Slot: Insert a Micro-SD card into this slot to access its contents. The slot supports cards up to 512GB.

Display Configuration

The CODi docking station supports various display configurations depending on your operating system and

the number of monitors connected. You can configure your display settings through your computer's operating system.

Display Options Apple/MacOS, Windows ChromeOS (1) Extended Display: 4K @30Hz (2) Mirrored Displays: 4K @30Hz 4k @30Hz (2) Mirrored Displays: (2) Extended Mirrored Displays: 1920x1080p @60Hz 1920x1080p @60Hz 4K @30Hz 4k @30Hz (2) Mirrored Displays: (2) Extended Displays: 4K @30Hz 4k @30Hz 1920x1080p @60Hz 1920x1080p @60Hz

Image: A visual guide illustrating various display configurations for Windows and Apple/macOS/ChromeOS users, including extended and mirrored display options with resolutions up to 4K@30Hz or 1920x1080@60Hz.

Windows Operating System:

- (1) Extended Display: Connect one HDMI monitor for an extended desktop experience at 4K@30Hz.
- (2) Mirrored Displays: Connect two HDMI monitors to mirror your primary display at 1920x1080@60Hz.
- (2) Extended Displays: Connect two HDMI monitors for an extended desktop across both displays at 1920x1080@60Hz.

Apple/macOS, ChromeOS:

- (2) Mirrored Displays: Connect two HDMI monitors to mirror your primary display at 4K@30Hz.
- (2) Extended Mirrored Displays: Connect two HDMI monitors for an extended desktop, with both external displays mirroring each other, at 4K@30Hz.
- (2) Mirrored Displays: Connect two HDMI monitors to mirror your primary display at 4K@30Hz.

To adjust display settings, navigate to your operating system's display preferences (e.g., Windows: Settings > System > Display; macOS: System Settings > Displays).

Maintenance

- Cleaning: Use a soft, dry cloth to clean the surface of the docking station. Do not use liquid cleaners or aerosols.
- Storage: When not in use, store the docking station in a cool, dry place away from direct sunlight.
- Cable Care: Avoid bending or twisting the integrated USB-C cable excessively to prevent damage.

Troubleshooting

• No Display Output:

- Ensure your host device's USB-C port supports DisplayPort Alternate Mode.
- Check that HDMI cables are securely connected to both the docking station and the monitor.
- Verify the monitor input source is set correctly (e.g., HDMI 1, HDMI 2).
- Try restarting your host device.

• No Power Delivery to Host Device:

- Ensure your original USB-C power adapter is connected to the docking station's USB-C PD port.
- Confirm your host device's USB-C port supports power delivery.

• USB Devices Not Working:

- Ensure the docking station is securely connected to your host device.
- Try connecting the USB device to a different USB port on the docking station or directly to your host device to rule out device issues.

• Ethernet Connection Issues:

- Check the Ethernet cable connection to both the docking station and your router/modem.
- · Verify network settings on your host device.

Specifications

Feature	Specification
Model Number	A01058
Brand	CODi
Ports	1x USB-C PD, 2x HDMI, 1x Ethernet, 2x USB 3.2 Gen 1, 1x Micro-SD
USB-C PD Charging	Up to 100W
HDMI Resolution	Up to 4K@30Hz or 1920x1080@60Hz
Ethernet Speed	10/100/1000Mbps
USB Data Transfer Speed	Up to 5 Gbps (USB 3.2 Gen 1)
Micro-SD Card Support	Up to 512GB
Hardware Interface	USB Type C

Item Weight	3.52 ounces (0.1 Kilograms)
Color	Black

Warranty and Support

CODi products are designed for reliability and performance. For information regarding warranty coverage, technical support, or service inquiries, please refer to the official CODi website or contact their customer support directly. Keep your purchase receipt as proof of purchase for warranty claims.

For further assistance, please visit: www.codi.com

Related Documents - A01058



CODi 7 Port Mini Dock - USB-C Hub with Power Delivery

Enhance your productivity with the CODi 7 Port Mini Dock. Features 100W PD charging, Gigabit Ethernet, USB 3.2 Gen 1 ports, and MicroSD card reader. Supports up to 4K resolution.



CODi 10,000mAh PowerBank Charger with Quick Charge™

Discover the CODi 10,000mAh PowerBank Charger with Quick Charge™ for fast, portable power. This slim charger offers up to 70 hours of battery, dual USB and USB-C output, and supports multiple charges for smartphones.



WOCKODER Turntable User Manual and Guide

Comprehensive guide to operating the WOCKODER Turntable, covering features like LP playback, USB, Bluetooth, and card playback, along with setup, adjustments, and warranty information.



CODi Acquisitions, LLC. - USA Agent for Service of Process - CLARO Bluetooth Headset

Official designation of CODi Acquisitions, LLC. as the USA Agent for Service of Process for the CLARO Bluetooth+Wireless Stereo Headset, FCC ID: 2A7KX-A04619, Model: A04619. Includes applicant and agent obligations and contact details.



CODi A04619 User Manual and FCC Compliance Information

User manual and FCC compliance statement for the CODi A04619 device, detailing operational conditions and regulatory adherence.



Bluetex Health Technology Heated Throw Constructional Data Report

This report details the constructional data for Bluetex Health Technology's Heated Throw, including product specifications, critical components, test results, and safety instructions, adhering to UL 964 and CSA C22.2 standards.

Documents - CODi - A01058



[pdf] Specifications Dimension Guide Warranty Borchure

A01058 Codi 7 Port Mini Dock DirectDial Canada 1069441883 content etilize Manufacturer Brochure ||| WORK SMARTER. THINK CODi. 7 Port Mini Dock Increase your productivity with the 7 Port Mini Dock fro ... ns up to 4K 30Hz and 1920x1080 60Hz PRODUCT SPECS PART NUMBER COLOR WEIGHT DIMENSIONS WARRANTY **A01058** Black 0.3 lbs 2.5 Diameter Limited One Year Warranty FOR MORE INFORMATION on this product o...

lang:en score:31 filesize: 601.69 K page_count: 1 document date: 2022-05-02



[pdf] Specifications Dimension Guide Warranty

→ Download Spec Sheet 7 Port Mini Dock CODi Worldwide Upgrade Your Workstation to Increase Productivity A01058 7PortMiniDock codi exavault p Marketing Sell Sheets ||| WORK SMARTER. THINK CODi. 7 Port Mini Dock Increase your productivity with the 7 Port Mini Dock fro ... ns up to 4K 30Hz and 1920x1080 60Hz PRODUCT SPECS PART NUMBER COLOR WEIGHT DIMENSIONS WARRANTY **A01058** Black 0.3 lbs 2.5 Diameter Limited One Year Warranty FOR MORE INFORMATION on this product

lang:en score:31 filesize: 608.64 K page_count: 1 document date: 2022-03-14



[pdf] Specifications Dimension Guide

Download Spec Sheet 7 Port Mini USB C Docking Station CODi Worldwide A01058 7PortMiniDock codiaquisitionIIc box shared static pvwr3yhx504f0uc6z143uqhyteuhk3q6 utm source website medium campaign specsheets id spec sheets content Sheets |||

WORK SMARTER, THINK CODI. DOCKING STATIONS 7 Port Mini Increase your productivity with the 7 Port ... HDMI PORTS Supports resolutions up to 4K 30Hz and 1920x1080 60Hz PART NUMBER COLOR DIMENSIONS **A01058** Black 2.5in diameter FOR MORE INFORMATION Contact our fully US-based customer support team: ...

lang:en score:27 filesize: 591.86 K page count: 1 document date: 2023-04-28



CODi 7 Port Mini Dock - USB-C Hub with Power Delivery

Enhance your productivity with the CODi 7 Port Mini Dock. Features 100W PD charging, Gigabit Ethernet, USB 3.2 Gen 1 ports, and MicroSD card reader. Supports up to 4K resolution.

lang:en score:23 filesize: 608.79 K page count: 1 document date: 2022-02-25



[pdf]

Tradeshow Education Downloads CODi Keep Teachers Connected codiworldwide s ||| EDUCATION PRODUCTS Help keep teachers connected to their students. As the world evolves, students ... A01450 12 Flexible Desktop Tripod A01400 22 - 55 Tripod A05017 1200 DPI Optical Desktop Mouse A01058 7 Port Mini Dock A04508 USB-A Headset w/ Boom Microphone A01106 65W GaN Dual Port Wall Char... lang:en score:22 filesize: 457.51 K page count: 1 document date: 2022-01-04



[pdf] Specifications Dimension Guide Warranty

Click Here CODi 7 Port Mini Dock docking station USB C 2 x HDMI GigE Docking Interface Video Interfaces Dimensions WxDxH 5 in Weight 4 8 oz Color Black Networking Gigabit Ethernet Manufacturer Warranty 1 year warranty ba936de0 0729 4704 a3bc 7d461e2beef7 cdn cnetcontent ba 93 ||| 7 Port Mini Dock Increase your productivity with the 7 Port Mini Dock from CODi. This dock offers up ... 920 X 1080 60HZ - MICRO-SD READER *1 PRODUCT SPECS PART NUMBER COLOR WEIGHT DIMENSIONS WARRANTY **A01058** Black 0.3 lbs 2.5 Diameter Limited One Year Warranty FOR MORE INFORMATION on this product 0...

lang:en score:20 filesize: 187.33 K page count: 1 document date: 2021-07-06



[pdf] Specifications Dimension Guide Warranty

bb346fbb 72bc 49d2 8434 210634d42c96 cdn cnetcontent bb 34 |||

7 Port Mini Dock Increase your productivity with the 7 Port Mini Dock from CODi. This dock offers up ... 920 X 1080 60HZ - MICRO-SD READER *1 PRODUCT SPECS PART NUMBER COLOR WEIGHT DIMENSIONS WARRANTY **A01058** Black 0.3 lbs 2.5 Diameter Limited One Year Warranty FOR MORE INFORMATION on this product o...

lang:en score:16 filesize: 323.02 K page_count: 1 document date: 2021-07-20