

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [J-ZMQR](#) /

› [Instruction Manual: J-ZMQR 5ft AC Power Cord Cable Compatible with American Audio Kpow 15BT II](#)

J-ZMQR AC Power Cord Cable

Instruction Manual: J-ZMQR 5ft AC Power Cord Cable

Compatible with American Audio Kpow 15BT II

1. INTRODUCTION

This manual provides essential information for the safe and effective use of your J-ZMQR 5ft AC Power Cord Cable. This cable is specifically designed to be compatible with the American Audio Kpow 15BT II, providing reliable power connectivity.



Figure 1.1: The J-ZMQER 5ft AC Power Cord Cable, coiled for storage, showing both the 3-prong male plug and the female IEC C13 connector.

2. SAFETY INFORMATION

Adherence to the following safety guidelines is crucial for preventing damage to the product and ensuring user safety.

- **Voltage Compatibility:** Ensure the device you are connecting the cable to operates within the cable's specified input voltage range of 100V-240V 50/60Hz.
- **Overload Protection:** The cable is designed with safety mechanisms against short circuiting, overvoltage, overcurrent, and internal overheating. However, avoid connecting it to devices that exceed its rated capacity.
- **Physical Damage:** Do not use the cable if it appears damaged, frayed, or has exposed wires. Inspect the cable regularly for any signs of wear.
- **Proper Connection:** Always ensure the cable is fully inserted into both the power outlet and the device's power input. A loose connection can lead to overheating or electrical hazards.
- **Environmental Conditions:** Keep the cable away from water, excessive heat, and direct sunlight. Do not use in wet or damp environments.
- **Handling:** Do not pull the cable by the cord to disconnect it; always grasp the plug firmly. Avoid sharp bends or kinks in the cable.

3. PRODUCT FEATURES

The J-ZMQER AC Power Cord Cable offers the following key features:

- **Compatibility:** Specifically designed for American Audio Kpow 15BT II and other compatible devices requiring a 3-prong AC power cord.
- **Length:** 5 feet (approximately 1.5 meters) for convenient placement.
- **Input Voltage:** Supports a wide input voltage range of 100V-240V 50/60Hz, suitable for various power standards.
- **Safety Certifications:** Manufactured in compliance with international quality certification authorities, incorporating multiple safety mechanisms.
- **Protection:** Includes built-in protection against short circuiting, overvoltage, overcurrent, and internal overheating for enhanced device safety.
- **Durability:** Constructed with quality materials for reliable and long-lasting performance.

4. SETUP

Follow these steps to properly set up your power cord:

1. **Verify Compatibility:** Before connecting, ensure your device, such as the American Audio Kpow 15BT II, requires a 3-prong IEC C13 power cord and operates within the cable's voltage specifications.
2. **Power Off Device:** Ensure the device you intend to power is turned off and unplugged from any existing power source.
3. **Connect to Device:** Insert the female end (IEC C13 connector) of the J-ZMQER power cord firmly into the power input port of your device.
4. **Connect to Power Outlet:** Insert the 3-prong male plug of the power cord into a standard, grounded AC power outlet.
5. **Power On Device:** Once both ends are securely connected, you may power on your device.



Figure 4.1: Close-up of the 3-prong male plug of the power cord, designed for standard AC outlets.



Figure 4.2: Close-up of the female IEC C13 connector, which plugs into the device.

5. OPERATING

The J-ZMQR 5ft AC Power Cord Cable functions as a direct power conduit for compatible electronic devices. Once properly connected to a power source and a device, it facilitates the flow of alternating current (AC) to power the device. There are no user-operable controls on the cable itself.

Ensure the cable is not strained, pinched, or placed under heavy objects during operation to prevent damage and maintain consistent power delivery.

6. MAINTENANCE

Proper maintenance extends the life of your power cord and ensures safe operation:

- **Cleaning:** Disconnect the cable from all power sources before cleaning. Wipe the cable and plugs with a dry, soft cloth. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, coil the cable loosely. Avoid tight coiling or wrapping around sharp objects, which can damage the internal wires. Store in a cool, dry place away from direct sunlight.
- **Inspection:** Periodically inspect the entire length of the cable, including the plugs, for any signs of damage such as cuts, abrasions, kinks, or discolored areas. If damage is found, discontinue use immediately and replace the cable.
- **Avoid Stress:** Do not place furniture or heavy objects on the cable. Avoid running the cable through doorways or under

carpets where it can be pinched or walked on.

7. TROUBLESHOOTING

If you encounter issues with your power cord, consider the following:

- **No Power to Device:**

- Ensure both ends of the power cord are fully and securely plugged into the device and the wall outlet.
- Check if the wall outlet is functional by plugging in another known working appliance.
- Verify that the device itself is turned on and functioning correctly.

- **Cable Overheating:**

- Immediately disconnect the cable from the power source and the device.
- Ensure the device's power requirements do not exceed the cable's specifications.
- Inspect the cable for any visible damage. If damaged, replace it.

- **Loose Connection:**

- If the cable feels loose in the device or outlet, ensure it is the correct type of cable for the port.
- Avoid excessive movement or strain on the cable once connected.

If issues persist after following these steps, contact customer support or consult a qualified technician.

8. SPECIFICATIONS

Brand:

J-ZMQER

Model Compatibility:

American Audio Kpow 15BT II (and other devices requiring a 3-prong IEC C13 AC power cord)

Cable Length:

5 feet (approx. 1.5 meters)

Input Voltage:

100V-240V AC, 50/60Hz

Connector Type (Male):

NEMA 5-15P (3-prong grounded plug)

Connector Type (Female):

IEC C13

Color:

Black

Country of Origin:

China

9. WARRANTY AND SUPPORT

J-ZMQER products are manufactured to high-quality standards. For information regarding warranty coverage, returns, or technical support, please refer to the seller's policy on the platform where the product was purchased or visit the official J-ZMQER website.

Please retain your proof of purchase for any warranty claims.

For specific inquiries, you may contact the manufacturer directly through the contact information provided with your purchase or on their official channels.



© 2023 J-ZMQER. All rights reserved.
Product Model: AC Power Cord Cable