

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [VONLUCE](#) /

› [VONLUCE 52-inch Ceiling Fan with Light Instruction Manual](#)

VONLUCE CFN-13E2-BK

VONLUCE 52-inch Ceiling Fan with Light Instruction Manual

Model: CFN-13E2-BK

INTRODUCTION

Thank you for choosing the VONLUCE 52-inch Ceiling Fan with Light. This modern ceiling fan is designed to provide comfort and style to your living spaces. Featuring a reversible DC motor, 6 adjustable speeds, and a dimmable LED light with three color temperatures, it offers versatile functionality for year-round use. Please read this manual thoroughly before installation and operation to ensure safe and efficient use of your new ceiling fan.



The VONLUCE 52-inch ceiling fan with integrated LED light.

SAFETY INFORMATION

WARNING: To reduce the risk of fire, electric shock, or personal injury, always follow these basic precautions:

- Read all instructions carefully before installing and operating the fan.
- Ensure the installation location is suitable for supporting the fan's weight.
- All wiring must be in accordance with national and local electrical codes. If you are unsure, consult a qualified electrician.
- Disconnect power at the main circuit breaker before installation or servicing.
- Keep hands, clothing, and other objects clear of the fan blades when the fan is operating.
- Do not expose this fan to rain or direct sunlight.

PACKAGE CONTENTS

Before beginning installation, ensure all parts listed below are present and undamaged. If any parts are missing or

damaged, contact customer service.

- Ceiling Fan Motor Assembly
- Fan Blades (3)
- LED Light Kit
- Remote Control with Wall Mount
- Downrods (13 cm and 25 cm)
- Mounting Bracket and Hardware
- Instruction Manual




Illustration of typical package contents, including the fan unit, remote, and downrods.

INSTALLATION GUIDE

This ceiling fan is designed for easy installation on ceilings with an inclination of up to 10°. Two downrod options (13 cm and 25 cm) are provided to suit different ceiling heights. For detailed visual instructions, refer to the installation video.

Mounting Options:

- **Flat Ceiling:** Standard mounting for flat surfaces.
- **Sloped Ceiling (up to 10°):** Adaptable for slightly angled ceilings.



OPTIONS DE DESCENTE

13 cm



25 cm



OPTIONS DE MONTAGE



Plat



Voûte $\leq 10^\circ$

DIMENSIONS IDÉALES DE LA PIÈCE



15-30 m²

NIVEAU D'HUMIDITÉ



Endroit sec



Endroit couvert et humide

Dimensions and available mounting options for the ceiling fan.

Installation and Feature Overview Video:

Your browser does not support the video tag.

Official installation and feature overview video for the VONLUCE ceiling fan. This video demonstrates the fan's silent operation, adjustable light temperatures, 6-speed settings, reversible motor function for summer and winter, and timer options.

OPERATING INSTRUCTIONS

Your VONLUCE ceiling fan comes with a remote control for convenient operation of all its features.

Remote Control Functions:



Overview of the remote control and its various functions.

- **On/Off:** Powers the fan and light on or off.
- **Fan Direction Reversal:** Changes the direction of blade rotation for summer (downward airflow) or winter (upward airflow).
- **Timer:** Set the fan to turn off automatically after 1, 2, 4, or 8 hours.
- **Light On/Off:** Controls the LED light.
- **Natural Mode:** (Hold for 5 seconds) Activates a gentle, varying airflow to simulate a natural breeze.
- **Speed Levels (1-6):** Adjusts fan speed from a gentle breeze (1-2) to strong airflow (5-6).

Fan Speed Settings:

6 VITESSES RÉGLABLES

Flux d'air personnalisé pour un meilleur confort



Faible

Brise douce

Niveau 1-2



Moyenne

Vent naturel


Niveau 3-4



Fort

Air froid

Niveau 5-6



Visual representation of the 6 adjustable fan speeds and their typical uses.

- **Levels 1-2 (Gentle Breeze):** Ideal for quiet relaxation or sleeping.
- **Levels 3-4 (Natural Wind):** Suitable for family gatherings or general comfort.
- **Levels 5-6 (Strong Airflow):** Provides powerful cooling for hot days.

Reversible DC Motor:

The fan's reversible motor allows for year-round comfort. Use the remote control to switch between modes:

MOTEUR DC RÉVERSIBLE

Confort tout au long de l'année




Illustration of the reversible motor function for summer cooling and winter heat circulation.

- **Summer Mode:** Blades rotate counter-clockwise, pushing cool air downwards.
- **Winter Mode:** Blades rotate clockwise, drawing cool air up and circulating warm air downwards.

Adjustable LED Light:

The integrated 20W LED light offers three color temperature options to suit your mood or activity:



MOTEUR DC RÉVERSIBLE

Le confort tout au long de l'année

Demonstration of the three adjustable light color temperatures.


- **3000K (Warm White):** For a cozy and inviting atmosphere.
- **4500K (Neutral White):** Balanced light for everyday tasks.
- **6500K (Cool White):** Bright and energetic light for focused activities.

Silent Operation:

The energy-efficient DC motor operates at a low noise level, ensuring a peaceful environment.

FONCTIONNEMENT SILENCIEUX

Flux d'air silencieux inférieur à 35 dB



Noise level comparison, highlighting the fan's quiet operation at less than 35 dB.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your ceiling fan.

- **Cleaning:** Dust the fan blades and motor housing regularly with a soft, damp cloth. Do not use abrasive cleaners or solvents.

- **Tightening:** Periodically check all screws and connections to ensure they are secure.
- **Lubrication:** The DC motor is permanently lubricated and does not require additional oiling.

TROUBLESHOOTING

If you encounter any issues with your fan, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Fan does not start	No power, loose wiring, remote battery dead.	Check circuit breaker, ensure connections are secure, replace remote battery.
Fan makes unusual noise	Loose screws, unbalanced blades, motor issue.	Tighten all screws, ensure blades are balanced, contact support if motor noise persists.
Light does not work	Loose wiring, LED module failure.	Check light kit wiring, contact support for LED module replacement.
Remote control not working	Dead battery, remote not paired.	Replace remote battery, refer to pairing instructions in the full manual (if applicable).

SPECIFICATIONS

Feature	Detail
Brand	VONLUCE
Model Number	CFN-13E2-BK
Color	Black
Product Dimensions	132P x 132I x 35H centimeters (52 inches diameter)
Power	45 Watts
Voltage	220 Volts
Energy Class	A to G
Noise Level	35 Decibels (max)
Special Features	3 Light Colors, 6 Speeds, LED Light, Silent, Remote Control
Item Weight	5.3 Kilograms
Recommended Room Size	15-30 m ²
Humidity Level	Dry place, covered and humid place (not exposed to rain/sun)
Blade Material	ABS, Metal (FSC certified wood for blades)
LED Light Power	20W



The fan blades are made from wood sourced from responsibly managed forests, certified by FSC.

WARRANTY AND SUPPORT

VONLUCE products are manufactured to high-quality standards. For warranty information, technical support, or to order replacement parts, please contact VONLUCE customer service through your purchase platform or visit the official VONLUCE website. Please have your model number (CFN-13E2-BK) and purchase date ready when contacting support.

© 2024 VONLUCE. All rights reserved.