VONLUCE CFN-13E9-00

VONLUCE 52-Inch (132CM) Wooden Ceiling Fan with Light

Model: CFN-13E9-00

Introduction

Thank you for choosing the VONLUCE 52-inch (132CM) Wooden Ceiling Fan with Light. This modern ceiling fan is designed to enhance the ambiance and comfort of any room, seamlessly blending style and functionality. Featuring a silent, bidirectional DC motor, it ensures uniform air circulation, providing cooling in summer and distributing warm air in winter. This manual will guide you through the installation, operation, and maintenance to ensure optimal performance and longevity of your fan.

Safety Information

Please read all instructions carefully before installation and use. Keep this manual for future reference.

- Always disconnect power at the main circuit breaker before installation or servicing.
- Installation must be performed by a qualified electrician.
- Ensure the mounting structure can support the weight of the fan (approximately 5.3 kg).
- Do not operate the fan with damaged blades or housing.
- Keep hands, hair, and clothing away from moving fan blades.
- This fan is designed for indoor use in dry or damp-rated locations. Do not install in wet locations.

Package Contents

Verify that all components are present before beginning installation:



The image displays the main components included: the ceiling fan unit with its three wooden blades and integrated LED light, the remote control for convenient operation, a remote control wall mount, and two downrods of different lengths (13 cm and 25 cm) for varied ceiling heights.

- Ceiling Fan Unit (Motor Housing, Blades, LED Light Kit)
- Remote Control
- Remote Control Wall Mount
- 13 cm (5 inch) Downrod
- 25 cm (10 inch) Downrod
- Mounting Hardware Kit
- Instruction Manual

Setup & Installation

This ceiling fan is designed for easy installation. Follow the clear instructions provided in the manual. Two downrod options (13 cm and 25 cm) are included to accommodate various ceiling heights, and it supports vaulted ceilings up to 10 degrees.



This diagram illustrates the fan's dimensions, including its 52-inch (132 cm) span, and the maximum/minimum total height with different downrods. It also shows the two mounting options: flat ceiling and vaulted ceiling (up to 10 degrees incline). The downrod lengths of 13 cm and 25 cm are clearly depicted.

Installation Steps:

1. **Turn off Power:** Ensure power is disconnected at the circuit breaker.
2. **Mounting Bracket:** Securely attach the mounting bracket to the ceiling junction box. Ensure it is rated for fan support.
3. **Assemble Downrod:** Choose the appropriate downrod length (13 cm or 25 cm) and attach it to the fan motor housing.

4. **Hang Fan:** Carefully lift the fan assembly and hang it on the mounting bracket.
5. **Wiring:** Connect the electrical wires according to the wiring diagram in the detailed manual. Ensure all connections are secure.
6. **Attach Blades:** Securely attach the three wooden blades to the motor housing.
7. **Install Light Kit:** Connect and install the integrated LED light kit.
8. **Canopy Installation:** Slide the canopy up and secure it to cover the wiring and mounting bracket.
9. **Restore Power:** Turn on power at the circuit breaker and test the fan.

Operating Instructions

Your VONLUCE ceiling fan comes with a multi-functional remote control for easy operation of all features.



This image highlights the fan's multifunctional design, showcasing its key features: remote control operation, 6 fan speeds, 1/2/4/8 hour timer settings, reversible motor for year-round use, mute function for quiet operation, 3 adjustable color temperatures for the LED light, and options for 13 cm and 25 cm downrods.

Remote Control Functions:

- **Power Button:** Turns the fan and light On/Off.
- **Fan Speed (1-6):** Adjusts the fan speed from gentle breeze (1) to powerful cooling (6).
- **Timer (1H, 2H, 4H, 8H):** Sets the fan to automatically turn off after the selected duration.
- **Light Control:** Turns the LED light On/Off.
- **Color Temperature (3000K/4500K/6500K):** Cycles through warm white, neutral white, and cool white light settings. The fan remembers your last color temperature setting.
- **Reversible Motor:** Changes the direction of blade rotation for seasonal use.
- **Mute Function:** Silences remote control beeps.

Fan Speed Settings:



This image illustrates the six adjustable fan speeds and their corresponding modes: Speeds 1-2 are for a gentle breeze (Sleep Mode), Speeds 3-4 provide natural wind (Nature Mode), and Speeds 5-6 deliver strong cooling air (High Speed Mode).

Year-Round Comfort (Reversible Motor):



This diagram demonstrates the reversible motor function. In summer, the fan blades rotate counter-clockwise to create a downward airflow, providing a cooling effect. In winter, the blades rotate clockwise to create an upward airflow, circulating warm air trapped near the ceiling throughout the room.

Adjustable LED Light:



This image displays the three adjustable LED light color temperatures: 3000K (Warm White), 4500K (Neutral White), and 6500K (Cool White). The fan's light kit has a memory function, recalling your last chosen color temperature when turned back on.



This image emphasizes the separate and adjustable controls for both color temperature (ranging from 3000K to 6500K) and brightness (from 10% to 100%), allowing for personalized lighting ambiance.

Silent Operation & Timer:



This image highlights the fan's quiet operation, working at a whisper-quiet 35 dB, making it ideal for bedrooms. It also shows the convenient timer settings: 1 hour, 2 hours, 4 hours, and 8 hours, allowing you to set the fan to turn off automatically.

Maintenance

Regular maintenance will ensure the longevity and optimal performance of your ceiling fan.

- **Cleaning:** To clean the fan, wipe with a soft, damp cloth. Do not use abrasive cleaners or solvents. Ensure power is off before cleaning.
- **Blade Cleaning:** Dust the blades regularly to prevent dust buildup, which can affect performance and balance.
- **Tighten Fasteners:** Periodically check and tighten all screws and fasteners on the fan and mounting hardware.
- **No Lubrication Needed:** The DC motor is permanently lubricated and does not require oiling.

Troubleshooting

If you encounter any issues, refer to the following common problems and solutions:

Problem	Possible Cause	Solution

Problem	Possible Cause	Solution
Fan does not start	No power to the fan; Loose wire connections; Remote control battery low.	Check circuit breaker; Verify all wire connections are secure; Replace remote control battery.
Fan wobbles	Loose blades or mounting hardware; Unbalanced blades.	Tighten all blade screws and mounting screws; Ensure blades are balanced (use balancing kit if necessary).
Light does not work	Loose wire connection to light kit; LED driver issue.	Check light kit wiring; Contact customer support if LED driver is suspected.
Remote control not working	Battery low or incorrectly inserted; Remote not paired.	Replace battery, ensuring correct polarity; Refer to pairing instructions in the full manual.
Fan is noisy	Loose screws; Motor hum (normal for DC motors); Obstruction.	Tighten all screws; Ensure no wires are rubbing; Check for any obstructions near blades.

Specifications

Detailed technical specifications for your VONLUCE Ceiling Fan:

- **Model Number:** CFN-13E9-00 / CFN139-00
- **Brand:** VONLUCE
- **Material:** Metal, ABS, Acrylic, Wood (Blades)
- **Finish:** Black
- **Fan Span:** 132 cm (52 inches)
- **Total Height Range:** 34.6 - 47.1 cm (with included downrods)
- **Blade to Ceiling Distance:** 22.6 - 35.1 cm
- **Canopy Diameter:** 15 cm
- **Downrod Lengths:** 12.7 cm (approx. 5 inches) and 25.4 cm (approx. 10 inches)
- **Fan Speeds:** 6
- **Motor Type:** DC Reversible Motor
- **Noise Level:** 35 dB (whisper-quiet)
- **Integrated LED Power:** 20 W
- **LED Color Temperature:** 3000K (Warm White), 4500K (Neutral White), 6500K (Cool White)
- **Timer Settings:** 1H, 2H, 4H, 8H
- **Suitable Room Size:** Up to 5 x 5 meters (approx. 25 sq. meters)
- **Net Weight:** 5.3 kg (11.7 lbs)
- **Power:** 45 Watts
- **Voltage:** 220 Volts
- **Auto-Stop Function:** Yes
- **Mounting Type:** Ceiling Mount (Flat or Vaulted up to 10°)
- **Recommended Uses:** Cooling, Air Circulation, Ventilation
- **Room Type:** Bedroom, Kitchen, Living Room, Dining Room



This table presents the noise level test results for each of the six fan speeds. At Speed 1, the audio level is 30.2 dB, gradually increasing to 35.0 dB at Speed 6, confirming the fan's quiet operation across all settings.

Warranty & Support

For warranty information or technical support, please refer to the contact details provided with your purchase documentation or visit the official VONLUCE website. Our customer service team is available to assist you with any questions or concerns regarding your ceiling fan.

© 2024 VONLUCE. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question