

[Manuals.plus](#) /

› [AXILAND](#) /

› AXILAND LED Black Pendant Light Fixture T5347DU-BK Instruction Manual

AXILAND T5347DU-BK

AXILAND LED Black Pendant Light Fixture Instruction Manual

Model: T5347DU-BK

1. SAFETY INFORMATION

WARNING: To avoid electric shock, ensure power is turned off at the circuit breaker before installation or servicing. All wiring must be in accordance with national and local electrical codes. If you are unsure about wiring, consult a qualified electrician.

This fixture is designed for indoor use only. Do not install in wet locations. Ensure the mounting surface can support the weight of the fixture.

2. PACKAGE CONTENTS

Verify that all components are present before beginning installation.

- Pendant Light Fixture (with integrated LED board)
- Mounting Canopy
- Mounting Hardware (screws, wire nuts, etc.)
- Instruction Manual

3. SETUP AND INSTALLATION

This integrated pendant lamp comes with complete hard-wired accessories and is designed for quick installation. No assembly steps are required for the lamp unit itself.

1. **Turn off Power:** Locate the circuit breaker controlling the light fixture's location and turn it off. Verify power is off using a voltage tester.
2. **Prepare Mounting Surface:** Ensure the junction box is securely mounted and capable of supporting the fixture.
3. **Adjust Cord Length:** The black rope length is adjustable up to 78.74 inches. Determine the desired hanging height for your space (kitchen island, over sink, bedroom, bathroom, dining room) and adjust the cord accordingly.



Image: Product dimensions and adjustable cord length. Max length 78.74 inches. Lampshade diameter 5.75 inches, height 2.36 inches. Mounting canopy diameter 4.92 inches, height 0.98 inches. Compatible with sloped ceilings.

4. **Connect Wiring:** Connect the fixture's wires to the corresponding wires in the junction box (typically black to black, white to white, and ground to ground) using the provided wire nuts.
5. **Mount Canopy:** Secure the mounting canopy to the junction box using the provided screws. Ensure the fixture is firmly attached to the ceiling.
6. **Restore Power:** Turn the power back on at the circuit breaker.




Image: Example installation of the black pendant light in a living space.

4. OPERATING INSTRUCTIONS

The AXILAND LED Black Pendant Light Fixture is designed for simple operation.

- **Power On/Off:** Control the light using a standard wall switch connected to the fixture's circuit.
- **Non-Dimmable:** This fixture contains an integrated LED board and is **not dimmable**. Do not connect to a dimmer switch, as this may damage the LED components.



Image: Visual representation of the light fixture in both off and on states.

5. MAINTENANCE

To ensure the longevity and appearance of your pendant light, follow these maintenance guidelines:

- **Cleaning:** Disconnect power before cleaning. Wipe the fixture with a soft, dry cloth. Do not use abrasive cleaners, solvents, or polishes as they may damage the finish or acrylic lampshade.
- **LED Care:** The LED board is integrated and designed for long-term use. It is not user-replaceable.
- **Inspection:** Periodically check for any loose connections or damage to the cord or fixture.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Light does not turn on.	No power to the fixture; loose wiring; faulty switch.	Check circuit breaker. Ensure all wire connections are secure. Test the wall switch.
Light flickers.	Loose wiring; incompatible dimmer switch (fixture is non-dimmable).	Verify all wiring connections are tight. Ensure the fixture is not connected to a dimmer switch.
Light is too dim.	This fixture has a fixed brightness (480LM, 3000K).	The light output is fixed. If you require brighter illumination, consider additional lighting sources.
Fixture appears damaged.	Shipping damage; manufacturing defect.	Contact customer support for assistance. Do not attempt to repair.

7. SPECIFICATIONS

Feature	Detail
Brand	AXILAND
Model Name	T5347DU-BK
Color	Black
Material	Acrylic, Metal
Style	Minimalist
Light Source Type	LED (Integrated)
Wattage	6 watts
Color Temperature	3000 Kelvin
Brightness	480 Lumens
CRI	90
Dimmable	No
Product Dimensions	5.75"L x 5.75"W x 81"H (Max adjustable height)
Mounting Canopy Diameter	4.92 inches
Lampshade Dimensions	5.75" diameter x 2.36" height
Power Source	Corded Electric
Indoor/Outdoor Usage	Indoor
Assembly Required	No (Integrated lamp)

8. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation provided with your purchase or contact AXILAND customer service directly. Keep your proof of purchase for any warranty claims.

If you encounter any issues or have questions regarding your AXILAND LED Black Pendant Light Fixture, please contact our customer support team for assistance.

Contact Information: Refer to the manufacturer's website or your purchase documentation for the most current contact details.

