

[Manuals.plus](#) /

> [CobydA](#) /

> CobydA Replacement Parts User Manual for Cecotec Conga 5490 Robot Vacuum Cleaner

## CobydA Conga 5490 Replacement Parts

# CobydA Replacement Parts User Manual for Cecotec Conga 5490 Robot Vacuum Cleaner

Model: Conga 5490 Replacement Parts

## 1. PRODUCT OVERVIEW

This manual provides instructions for the CobydA replacement parts designed for the Cecotec Conga 5490 Robot Vacuum Cleaner. These parts are essential for maintaining the vacuum cleaner's optimal performance and ensuring effective cleaning.

The replacement kit typically includes:

- HEPA Filters
- Main Brush
- Side Brushes
- Mop Cloths



Figure 1: Assortment of CobydA replacement parts, including a main roller brush, multiple side brushes, several HEPA filters, and a mop cloth.

## 2. COMPATIBILITY

These replacement parts are specifically designed to be compatible with the **Cecotec Conga 5490 Robot Vacuum Cleaner**. Ensure your robot vacuum model matches this specification before installation.

## 3. INSTALLATION INSTRUCTIONS

Before installing any replacement parts, ensure your Cecotec Conga 5490 Robot Vacuum Cleaner is powered off and disconnected from its charging base. Refer to your robot vacuum's original user manual for specific instructions on accessing and removing components.

### 3.1. HEPA Filter Installation

1. Locate the dustbin on your robot vacuum.
2. Remove the dustbin from the vacuum cleaner.
3. Open the dustbin compartment to access the old HEPA filter.
4. Carefully remove the old filter and dispose of it.
5. Insert the new CobydA HEPA filter into the designated slot, ensuring it is seated correctly.
6. Close the dustbin compartment and reinsert the dustbin into the robot vacuum.




Figure 2: New HEPA filters ready for installation.

### 3.2. Main Brush Installation

1. Turn the robot vacuum upside down.
2. Locate the main brush cover, usually secured by latches or screws.
3. Open or remove the main brush cover.
4. Lift out the old main brush.
5. Insert the new CobydA main brush, ensuring its ends align with the slots in the vacuum cleaner.
6. Replace the main brush cover and secure it.

### 3.3. Side Brush Installation

1. Turn the robot vacuum upside down.
2. Locate the side brushes, typically held by a screw or a snap mechanism.
3. Remove the old side brush(es).
4. Align the new CobydA side brush(es) with the corresponding post(s) and secure them (e.g., by screwing them in or snapping them into place).

### 3.4. Mop Cloth Installation

1. Locate the mop cloth attachment or water tank on your robot vacuum.
2. Remove the old mop cloth.
3. Attach the new CobydA mop cloth to the designated area, ensuring it is securely fastened (e.g., via Velcro or clips).

4. Reattach the mop cloth assembly to the robot vacuum if it was removed.

## 4. MAINTENANCE

---

Regular maintenance of your replacement parts ensures the longevity and efficiency of your robot vacuum cleaner.

### 4.1. HEPA Filter Maintenance

- **Cleaning:** Gently tap the filter against a trash can to remove loose dust and debris. For a more thorough cleaning, rinse the filter under running water. Ensure the filter is completely dry before reinserting it into the dustbin.
- **Frequency:** Clean filters every 1-3 uses, depending on the amount of dirt and debris in your home.
- **Replacement:** Filters should be replaced every 2-3 months, or more frequently if you notice a decrease in suction power or increased dust in the air.

### 4.2. Main Brush and Side Brush Maintenance

- **Cleaning:** Use the cleaning tool provided with your robot vacuum (or a similar tool) to remove hair, threads, and debris tangled around the main brush and side brushes.
- **Frequency:** Clean brushes every 1-3 uses.
- **Replacement:** Replace main brushes every 6-12 months and side brushes every 3-6 months, or when they show signs of wear, bending, or damage.

### 4.3. Mop Cloth Maintenance

- **Cleaning:** After each use, remove the mop cloth and rinse it thoroughly with water. It can also be machine washed on a gentle cycle.
- **Frequency:** Clean after each mopping session.
- **Replacement:** Replace mop cloths every 1-3 months, or when they become worn, stained, or lose their cleaning effectiveness.

## 5. TROUBLESHOOTING

---

If you encounter issues after replacing parts, consider the following:

- **Reduced Cleaning Performance:**
  - Ensure all new parts are correctly installed and securely fastened.
  - Check if filters are clean and not clogged.
  - Verify brushes are free from tangles and debris.
- **Unusual Noises:**
  - Confirm that the main brush and side brushes are properly seated and not obstructed.
  - Ensure no foreign objects are caught in the brush mechanisms.
- **Parts Not Fitting:**
  - Double-check the compatibility of the parts with your specific Cecotec Conga 5490 model.
  - Ensure you are attempting to install the correct part in the correct location.

If problems persist, consult the original Cecotec Conga 5490 user manual or contact the manufacturer of your robot vacuum cleaner for further assistance.

## 6. SPECIFICATIONS

---

### CobydA Replacement Parts General Specifications

Feature	Detail
Brand	CobydA
Compatibility	Cecotec Conga 5490 Robot Vacuum Cleaner
Item Weight	1.76 ounces (approximate for a single item/set)
Package Dimensions	1.18 x 0.79 x 0.39 inches (approximate for a single item/set)
Manufacturer Model Number	chenzhimengg

## 7. WARRANTY AND SUPPORT

---

For warranty information or product support regarding these CobydA replacement parts, please refer to the seller or the manufacturer directly. Keep your purchase receipt as proof of purchase.

For support related to your Cecotec Conga 5490 Robot Vacuum Cleaner, please contact Cecotec customer service.