

## TOA Electronics D-901

# TOA Electronics D-901 US Modular Digital Mixer User Manual

Model: D-901

## INTRODUCTION

---

The TOA Electronics D-901 US Modular Digital Mixer is a versatile audio processing unit designed for a wide range of installed sound applications, including audio/visual systems and houses of worship. Its modular architecture supports up to twelve microphone/line inputs and eight line outputs, offering extensive flexibility for signal routing and processing. The D-901 integrates advanced audio tools such as automixing, feedback suppression, multi-band parametric filters, compressors, limiters, noise gates, crossovers, and delays to optimize sound quality and system performance.

This manual provides essential information for the proper installation, operation, and maintenance of your D-901 Digital Mixer.

## KEY FEATURES

---

- **Modular Design:** Supports flexible configurations with up to 12 inputs and 8 outputs.
- **Intuitive Operation:** Control via front panel display and dedicated controls.
- **Auto-Mixing:** Facilitates automatic level adjustments for multiple microphones.
- **Feedback Suppression:** Automatically identifies and attenuates up to 12 problematic frequencies.
- **Comprehensive Audio Processing:** Includes compressors, gates, crossovers, multi-band filtering, parametric, high/low-pass, all-pass, and notch filters, horn EQ, high/low shelving, and output delay.
- **Input and Output Channel Metering:** Visual indication of signal levels.
- **Memory Presets:** 16 internal memories for storing and recalling various signal routing and parameter configurations.
- **Echo Effect:** Provides vocal enhancement capabilities.

## SETUP

---

### 1. Unpacking and Inspection

Carefully remove the D-901 mixer from its packaging. Inspect the unit for any signs of damage that may have occurred during transit. Retain all packaging materials for future transport or storage.

### 2. Physical Installation

The D-901 is designed for standard 19-inch rack mounting. Secure the unit using appropriate rack screws. Ensure adequate ventilation around the unit to prevent overheating.

### 3. Power Connection

Connect the supplied power cord to the AC inlet on the rear panel of the D-901 and then to a grounded 230VAC, 50/60Hz power outlet. Ensure the power switch on the front panel is in the OFF position before connecting to power.

### 4. Input/Output Module Installation

The D-901 features a modular design. Install the required input and output modules into the designated slots on the rear panel. Refer to the module-specific instructions for proper installation and configuration.

### 5. Audio Connections

Connect your audio sources (microphones, line-level devices) to the input connectors on the installed input modules. Connect your audio destinations (amplifiers, recording devices) to the output connectors on the installed output modules. Use high-quality shielded cables to minimize noise and interference.

### 6. Control Connections

For remote control, connect an RS-232 cable to the serial port on the rear panel for PC control software integration, or utilize the contact-closure terminals for external control devices as needed.

## OPERATING THE MIXER

---



This image displays the front panel of the TOA Electronics D-901 US Modular Digital Mixer, featuring its display screen, control buttons, input/output level meters, and rotary knobs for input and output adjustments. The unit is designed for rack mounting.

### 1. Powering On

After all connections are made, switch the power button on the front panel to the ON position. The display will illuminate, indicating the unit is operational.

### 2. Front Panel Controls

- **Display Screen:** Shows current settings, menus, and metering information.
- **Navigation Buttons:** Used to navigate through menus and adjust parameters.
- **Rotary Knobs:** Provide fine control over input and output levels, and other adjustable parameters.
- **Input/Output Level Meters:** Indicate the signal strength for each channel.

### 3. PC Control Software

For advanced configuration and control, connect the D-901 to a computer via the RS-232 port and use the dedicated PC control software. This software allows for detailed parameter adjustments, system design, and off-site programming.

### 4. Basic Signal Routing

Utilize the front panel controls or PC software to establish input-to-output routing. The D-901 supports full input-to-output matrixing, enabling flexible signal distribution for multi-zone or room-combining applications.

## 5. Audio Processing

Access the various audio processing tools through the menu system. Configure parameters for automixing, feedback suppression, equalization (parametric, high/low-pass, etc.), compression, limiting, noise gating, and delay as required for your specific audio environment.

## 6. Saving and Recalling Memories

The D-901 can store up to 16 internal memory presets. Once a desired configuration is achieved, save it to a memory slot for quick recall. This is particularly useful for different event setups or room configurations.

# MAINTENANCE

---

## 1. Cleaning

Regularly clean the exterior of the D-901 with a soft, dry cloth. For stubborn dirt, a slightly damp cloth with a mild, non-abrasive cleaner can be used. Ensure no liquid enters the unit. Avoid using harsh chemicals or solvents.

## 2. Ventilation

Ensure that the ventilation openings on the unit are not obstructed. Proper airflow is crucial for maintaining optimal operating temperature and preventing component damage.

## 3. Firmware Updates

Check the TOA Electronics website periodically for any available firmware updates. Updates can provide new features, performance enhancements, or bug fixes. Follow the instructions provided with the firmware update carefully.

# TROUBLESHOOTING

---

- **No Power:**

- Verify the power cord is securely connected to both the unit and the power outlet.
- Check the power outlet for functionality.
- Ensure the front panel power switch is in the ON position.

- **No Audio Output:**

- Confirm all audio cables are correctly connected to inputs and outputs.
- Check input and output levels on the D-901 and connected devices.
- Verify signal routing within the D-901 to ensure inputs are correctly assigned to outputs.
- Ensure no mute functions are active on any channels or outputs.

- **Distorted Audio:**

- Check input levels to prevent clipping (indicated by red peak lights). Reduce gain if necessary.
- Inspect audio cables for damage or poor connections.
- Review processing settings (e.g., compressor thresholds, EQ settings) that might be causing distortion.

- **Feedback Issues:**

- Ensure the Feedback Suppression function is enabled and configured correctly.
- Adjust microphone placement relative to loudspeakers.
- Reduce microphone gain.

If problems persist, consult the TOA Electronics website for further support or contact an authorized service center.

## SPECIFICATIONS


Feature	Specification
Power Source	230VAC, 50 / 60Hz
Power Consumption	27W
Frequency Response	20Hz - 20kHz, $\pm 1$ dB (+4 dB* input)
Input Channels	Max. 12 channels, modular construction (modules optional)
Output Channels	Max. 8 channels, modular construction (modules optional)
Feedback Suppression Function	12 filters (auto/dynamic)
Auto-Mixing Group	4 groups
Operating Temperature	+5°C to +40°C
Finish	Panel: Aluminum, hair-line finish, black. Others: Pre-coated steel plate, black, 30% gloss
Dimensions (W x H x D)	482.6 x 132.6 x 320 mm (excluding projection)
Weight	15.21 pounds (6.9 kg)


## WARRANTY AND SUPPORT

The TOA Electronics D-901 US Modular Digital Mixer is covered by a **five-year product warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use.

For technical support, service, or warranty claims, please contact your authorized TOA Electronics dealer or visit the official TOA Electronics website for contact information and resources.

## Related Documents

	<p><a href="#">TOA Electronics Amplifier Guide: Selection, Wiring, and Troubleshooting</a></p> <p>A comprehensive guide from TOA Electronics covering amplifier selection, basic concepts, matching, wiring best practices, troubleshooting, and product specifications for sound system installations.</p>
---	---




[\[pdf\]](#) User Manual Guide

Download Toa ZM 104A Manuals Manual TOA Amplifier Guide proaudiosuperstore |||

TOA Electronics Amplifier Guide Guide INPUT 1 INPUT 2 INPUT 3 INPUT 4 INPUT 5 INPUT 6 INPUT ... Mixer/Amplifier Podium Microphone Wireless Microphone CD/DVD Player VHS Player Audio Cassette **D-901** Mixer/Processor Computer Audio Figure 4: Multimedia System 7 Speakers IP-300D Amplifier P-9...

lang:de score:38 filesize: 1.02 M page\_count: 28 document date: 2004-05-27




[\[pdf\]](#) Guide

TOA Amplifier Guide toaelectronics 80 media manuals products amplifier

TOA Electronics Amplifier Guide Guide INPUT 1 INPUT 2 INPUT 3 INPUT 4 INPUT 5 INPUT 6 INPUT ... Mixer/Amplifier Podium Microphone Wireless Microphone CD/DVD Player VHS Player Audio Cassette **D-901** Mixer/Processor Computer Audio Figure 4: Multimedia System 7 Speakers IP-300D Amplifier P-9...

lang:de score:36 filesize: 1.03 M page\_count: 28 document date: 2007-01-25



[TOA Electronics Amplifier Guide: Selection, Wiring, and Troubleshooting](#)


A comprehensive guide from TOA Electronics covering amplifier selection, basic concepts, matching, wiring best practices, troubleshooting, and product specifications for sound system installations.

lang:de score:32 filesize: 1.05 M page\_count: 28 document date: 2016-06-28




[pdf] Catalog

Operation software programmes Instruction manuals × 1 Audio I O removable TU  
651 70 651M ProductLineupCatalog kr20110206 toa products international spec |||  
- , - - - - TOA , , , , . . . . Tuner CD Player CD Player Cassette Desk Cassette Desk  
Network TTS System RM-200SA/ RM210 4 **D-901** KR RM-200SF RM-200SA/ RM210  
RM-200SA/ RM210 RM-200SA/ RM210 VX-2000 VX-2000SF VX-2000SF VX...  
lang:en score:28 filesize: 11.58 M page\_count: 53 document date: 2012-09-24



[pdf] Guide Catalog

TOA Electronics Amplifier GuideTOA GuideAmplifier GuideSound system don davis eBook Downloads3d  
Monitor Philippines 3D Tips3D TipsGeometry Net Technology Intercom Systems More NEW Products! NX  
100S Network Audio awarded Best Routing product at Infocomm 2005 How To Buy Search Order  
Tracking Quick Reference 166kb Catalog 892kbTOA Guidetoaelectronics manuals Guide |||  
TOA Electronics Amplifier Guide Guide INPUT 1 INPUT 2 INPUT 3 INPUT 4 INPUT 5  
INPUT 6 INPUT ... Mixer/Amplifier Podium Microphone Wireless Microphone CD/DVD  
Player VHS Player Audio Cassette **D-901** Mixer/Processor Computer Audio Figure 4:  
Multimedia System 7 Speakers IP-300D Amplifier P-9...  
lang:de score:27 filesize: 1.03 M page\_count: 28 document date: 2007-01-25



[pdf] User Manual Instructions

d901 e TOA Corporation Click to View Electronics D 936R 4 Unbalanced Stereo Input RCA Modul  
Instruction Manual alldataresource assets files toa |||  
DIGITAL MIXER INSTRUCTION MANUAL **D-901** Version 3 Thank you for purchasing  
TOA s Digital Mixer. Please carefully follow the instructions in this manual to ensure  
long, trouble-free use of your equipment. Traceability Information for Europe  
Manufacturer: TOA Corporation 7-2-1, Minatojima Nakamac...  
lang:fr score:26 filesize: 12.39 M page\_count: 96 document date: 2015-01-09





[pdf]

1 Цифровой микшер D 901 LEAF RU toa hk assets |||

**D-901 D-901 / . , , 12 8 , , , , 16 . . . D- 901 . TOA D-901 12 , 8 , 8 12 x 8 , . / , D-901 . . . D-901 3 3U , , , , , , , , . . . TOA , , - . . . .**

lang:en score:18 filesize: 5.77 M page\_count: 8 document date: 2009-10-28




[pdf] Borchure Catalog

Full Line Catalog TOA Electronics Inc Professional Audio Equipment Manufacturer 6423 full line catalog 23 brochure toaelectronics document |||

TOA ELECTRONICS Network Audio Solution IP-A1 series IP-A1 series consists of a variety of commercia ... tial audio processing functions as Equalizer, Crossover, Matrix, Compressor and Delay. HX-5B/HX-5B **D-901** HX-5W/HX-5W Modular Digital Mixer The **D-901** DIGITAL MIXER is the ideal solution for a wide ...

lang:en score:17 filesize: 724.37 K page\_count: 4 document date: 2023-06-16




[pdf] Datasheet Accessories

Automatically generated data sheet TOA Electronics Europe GmbH myview Data Generator D 936R Producten nl filename\* UTF 8 size 449023 toa de procat assets files |||

D-900 Serie D-936R STEREO SELECT INPUT MODULE De D-936R is een 4-kanaals stereo-ingangsmodule die ontwikkeld is voor gebruik met de **D-901** Digital Mixer, etc. Hij is uitgerust met RCA-pinaansluitingen. De D-936R biedt twee stereo-overdrachtsmodi: 1 Selectie van een van vier stereo-ingangen voor overd...

lang:nl score:17 filesize: 438.5 K page\_count: 2 document date: 2023-05-14



[pdf] Specifications Datasheet Accessories

Automatically generated data sheet TOA Electronics Europe GmbH myview Data Generator D 936R  
 Produits fr filename\* UTF 8 size 449643 toa de procat assets files |||

Srie D-900 D-936R STEREO SELECT INPUT MODULE Le D-936R est un module 4 entres stro conu pour une utilisation avec le mlangeur numrique **D-901**, etc. Il est equip de prises RCA standard. Le D-936R propose deux modes de transmission stro : 1 Slection d'une des quatre entres stro pour transmission vers ...

lang:es score:17 filesize: 439.1 K page\_count: 2 document date: 2022-09-08




[pdf] User Manual

D900 6S D d 901 cb1g toa products international spec

Digitaler Mischer **D-901** Der perfekte Partner fr AV Prsentationen. Der Mischer bietet bis zu 12 Eingnge und 8 Ausngne, Feedback-Unterdrckung, Equalizer, 16 Presets sowie vielfltige Funktionen der Fernsteuerung z.B. durch Crestron und AMX . Modular - digital - kompak Die Lsung wenn es um AV-Prsenta...

lang:de score:17 filesize: 1.03 M page\_count: 6 document date: 2006-10-06




[pdf] Specifications Declaration of Conformity

DECLARATION OF CONFORMITY Sebastian Vogt D 901 911 DoCS 22073006 filename\* UTF 8 size 55830 toa de procat assets files |||

Number of DoC:22073006 DECLARATION OF CONFORMITY We: TOA Electronics Europe GmbH Sderstrae 282, 2 ... ur sole responsibility, that the product Product Name: DIGITAL MIXER, VCA FADER UNIT Model Number: **D-901** CE, **D-901** CE-GB, D-911 conforms with following specifications: EMC: EN 55032: 2015 A11: 20...

lang:en score:17 filesize: 54.52 K page\_count: 1 document date: 2022-09-01




[pdf] Specifications Datasheet Accessories

Automatically generated data sheet TOA Electronics Europe GmbH myview Data Generator D 923AE Products en filename\* UTF 8 size 160100 toa de procat assets files |||

D-900 Series D-923AE DIGITAL INPUT MODULE The D-923AE is a 2-channel line digital input module designed for use with the **D-901** Digital Mixer, etc. With the use of this module, digital signals can be input, permitting direct connection of the **D-901** Digital Mixer to equipment having a digital output. ...

lang:es score:17 filesize: 156.35 K page\_count: 2 document date: 2022-09-08



[pdf] Specifications Datasheet

Automatically generated data sheet TOA Electronics Europe GmbH myview Data Generator D 922E en filename\* UTF 8 size 437299 toa de procat assets files |||

D-900 Series D-922E MIC/LINE INPUT MODULE The D-922E is a 2-channel microphone/line input module designed for use with the **D-901** Digital Mixer, etc. It is equipped with removable terminal block type connectors. The **D-901** s 4-pole DIP switch is used to set the input sensitivity, phantom power supply,...

lang:en score:17 filesize: 427.05 K page\_count: 2 document date: 2022-09-08



[pdf] Specifications Datasheet Accessories

Automatically generated data sheet TOA Electronics Europe GmbH myview Data Generator D 983 Produkty pl filename\* UTF 8 size 184241 toa de procat assets files |||

Seria D-900 D-983 REMOTE CONTROL MODULE D-983 jest modulem zdalnego sterowania przeznaczonym do stosowania z mieszadłem cyfrowym **D-901** itp. Umożliwia zdalne sterowanie wywołaniem zaprogramowanej pamięci, regulacją głośności kanału wejściowego/wyjściowego, wyborem wejścia stereo i włączeniem/wyłączeniem kanału...

lang:it score:17 filesize: 179.92 K page\_count: 2 document date: 2019-12-23




[\[pdf\]](#) Catalog

Catálogo EN Español TOA Electronics Inc Professional Audio Equipment Manufacturer 6434 4 page spanish mini catalogue supportingfile toaelectronics document |||

TOA ELECTRONICS Solucin de Audio en Red Serie IP-A1 La serie IP-A1 consiste de una variedad de punt ... les de procesamiento de audio como Ecuilizador, Crossover, Matrix, Compressor y Delay. HX-5B/HX-5B **D-901** HX-5W/HX-5W Mezclador digital modular El MEZCLADOR DIGITAL **D-901** es la solucin ideal para un...

lang:es score:17 filesize: 2.24 M page\_count: 4 document date: 2023-07-11




[\[pdf\]](#) Specifications Datasheet Accessories

Automatically generated data sheet TOA Electronics Europe GmbH myview Data Generator D 971E Products en filename\* UTF 8 size 410567 toa de procat assets files |||

D-900 Series D-971E LINE OUTPUT MODULE The D-971E is a 4-channel line output module designed for use with the **D-901** Digital Mixer, etc. It is equipped with removable terminal block type connectors. Article number:D-971E Specifications Frequency response Frequency response Distortion Outputs A/D, D...

lang:es score:16 filesize: 400.94 K page\_count: 2 document date: 2022-09-08




[\[pdf\]](#) Specifications Datasheet Accessories

Automatically generated data sheet TOA Electronics Europe GmbH myview Data Generator D 911 Spec Sheet VCA Fader Unit gibbyselectronicsupermarket ca 2022 11 |||


D-900 Series D-911 VCA FADER UNIT The D-911 is a dedicated VCA fader unit designed for use with the **D-901** Digital Mixer, etc. Connecting the D-911 to the D-984VC, VCA control module permits the volume control of all channels and contact controls. Article number:D-911 Specifications Controls Power ...

lang:en score:16 filesize: 223 K page\_count: 2 document date: 2022-09-14




[\[pdf\]](#) Specifications Declaration of Conformity

DECLARATION OF CONFORMITY Sebastian Vogt D 911 Produkty TOA Electronics 901 CE GB DoCS  
21113139 filename\* UTF 8 size 46758 toa de procat assets files |||  
Number of DoC: 21113139 DECLARATION OF CONFORMITY We: TOA Electronics  
Europe GmbH Sderstrae 282, ... ur sole responsibility, that the product Product  
Name: DIGITAL MIXER, VCA FADER UNIT Model Number: **D-901 CE**, **D-901 CE-  
GB**, D-911 conforms with following specifications: EMC: EN 55032: 2015 Class B,...  
lang:en score:16 filesize: 45.66 K page\_count: 1 document date: 2021-12-13



[\[pdf\]](#) Specifications Datasheet Accessories

Automatically generated data sheet TOA Electronics Europe GmbH myview Data Generator D 911  
Produkty pl filename\* UTF 8 size 229940 toa de procat assets files |||  
Seria D-900 D-911 VCA FADER UNIT D-911 to dedykowana jednostka tłumika VCA  
przeznaczona do uycia z mieszalnikiem cyfrowym **D-901** itp. Podłączenie modulu D-  
911 do modulu D-984VC umoliwia sterowanie wszystkimi kanalami i sterowaniem  
kontaktowymi. Numer artykulu SAP D-911 Specifications Zasilanie com...  
lang:es score:16 filesize: 224.55 K page\_count: 2 document date: 2019-12-23



[\[pdf\]](#) Datasheet

Automatically generated data sheet TOA Electronics Europe GmbH myview Data Generator SR D8 S  
CE Products en filename\* UTF 8 size 465725 toa de procat assets files |||  
Active line array speaker system - Type D SR-D8-S ACTIVE LINE ARRAY SPEAKER  
The TOA SR-D8-M is an al ... D-2012C, D-911, M-804EX, M-800RC, M-800RCT, M-  
802RC, M-822IO, RC-03, MM-700F, MM-700F-EB, D-2008SP, **D-901**, M-124FX, M-  
164E-AE, M-243, M-633D, M-8080D, M-864D, M-9000M2, AN-001T, AN-9001, C-  
001T, D-001...  
lang:en score:15 filesize: 454.81 K page\_count: 7 document date: 2022-07-07






[pdf] Specifications

d901 b wakazono3 See TOA Electronics INC D 901US Specifications 901 Modular Digital Mixer up to 12 Mic Line Inputs Eight Outputs markertek Attachments TOAElectronics |||

Digital Mixer **D-901** Perfect to take the important audio role in AV-based presentation systems, the **D-901** Digital Mixer features a compact, modular design with a 12 in/ 8 out configuration for a variety of source equipment, with automixing, feedback suppression, equalization, 16 memory presets and fu...


lang:en score:10 filesize: 1.04 M page\_count: 8 document date: 2015-06-24



[pdf] Specifications

Digital Mixer Specification TOA Electronics Pte Ltd Created Date: 4 6 2021 12:03:18 PM 285-d-901-digital-mixer-specification toa sg document

... lang:en score:10 filesize: 87.1 K page\_count: 2 document date: 2021-04-12



[pdf] Catalog

2739 pro sound catalog others toamys my document Download Pro Sound Catalog TOA Electronics M Sdn Bhd Professional Audio Equipment Manufacturer |||

Professional Sound Asia Pacific Edition Large sports venues, spacious religious facilities, boutique ... Mixer Power Amplifiers Mixers / DSP TOA s Mixers and Digital Signal Processors at a glance D-2000 **D-901** DP-K1 M-864D M-633D DP-SP3 M-9000M2 input bus Max 32in/out 2in console 24 bus Console ...

lang:en score:10 filesize: 9.44 M page\_count: 68 document date: 2018-10-11



[\[pdf\]](#) Accessories Catalog

2285-full-line-catalog-others toaelectronics document

We supply sound, not equipment. [www.toaelectronics.com](http://www.toaelectronics.com) PRODUCTCATALOG Life Safety Intercom Netw ... Digital Matrix Mixer 116 Modular Digital Matrix Mixer 117 D-2000 Series Modular Digital Mixer 121 **D-901** D-2000 Series Modular Digital Mixer Optional Modules 124 Modular Digital Mixer 126 Digital S...

lang:en score:10 filesize: 16.09 M page\_count: 178 document date: 2021-06-14



[\[pdf\]](#) Frequently Asked Questions Accessories Catalog

TOA catalog faq1 toaelectronics media

We supply sound, not equipment. [www.toaelectronics.com](http://www.toaelectronics.com) PRODUCTCATALOG Life Safety Intercom Netw ... Digital Matrix Mixer 116 Modular Digital Matrix Mixer 117 D-2000 Series Modular Digital Mixer 121 **D-901** D-2000 Series Modular Digital Mixer Optional Modules 124 Modular Digital Mixer 126 Digital S...

lang:en score:10 filesize: 16.17 M page\_count: 178 document date: 2017-06-20



[TOA Product Catalog - Comprehensive Audio Solutions](#)


Explore the TOA product catalog, featuring a wide range of audio equipment including amplifiers, speakers, mixers, DSPs, microphones, and intercom systems. Discover solutions for life safety, network audio, and conference systems.

lang:en score:10 filesize: 16.55 M page\_count: 178 document date: 2017-06-20



[pdf]

D901 D 2006 indd Digitaler Mischer 901 LEAF 2007 low 0701 833TEEC091 toa co in assets ||| Digitaler Mischer **D-901** Der perfekte Partner für AV Präsentationen. Der Mischer bietet bis zu 12 Eingänge und 8 Ausgänge, Rückkopplungsunterdrückung, Equalizer, 16 Presets sowie vielfältige Möglichkeiten der Fernsteuerung z.B. durch Crestron und AMX . Modular - digital - kompakt: All-in-one Die Lösung für ... lang:de score:10 filesize: 938.55 K page\_count: 8 document date: 2007-02-21



[pdf] Guide

TOA AmplifierGuide 28p casa co nz Equipment Audio Amps TOA Electronics Amplifier Guide Guide INPUT 1 INPUT 2 INPUT 3 INPUT 4 INPUT 5 INPUT 6 INPUT ... Mixer/Amplifier Podium Microphone Wireless Microphone CD/DVD Player VHS Player Audio Cassette **D-901** Mixer/Processor Computer Audio Figure 4: Multimedia System 7 Speakers IP-300D Amplifier P-9... lang:de score:10 filesize: 1.01 M page\_count: 28 document date: 2015-09-20



[pdf] Specifications Datasheet Dimension Guide Accessories

product datasheet Toa JP myview Data Generator D 911 Datasheet TOA Electronics toaelectronics âº toa assets EN GL ||| D-911 VCA FADER UNIT Datasheet The D-911 is a dedicated VCA fader unit designed for use with the **D-901** Digital Mixer, etc. Connecting the D-911 to the D-984VC, VCA control module permits the volume control of all channels and contact controls. Key features 100 mm fader Volume control of all chan... lang:en score:9 filesize: 216.42 K page\_count: 4 document date: 2024-07-01

