

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [KOORUI](#) /

› [KOORUI 24N5CA 24-inch Curved Monitor User Manual](#)

KOORUI 24N5CA

KOORUI 24N5CA 24-inch Curved Monitor User Manual

Model: 24N5CA | Brand: KOORUI

1. INTRODUCTION

This manual provides essential information for the proper setup, operation, and maintenance of your KOORUI 24N5CA 24-inch Curved Monitor. Please read this manual thoroughly before using the product to ensure optimal performance and safety. Keep this manual for future reference.



Image 1.1: Front view of the KOORUI 24N5CA 24-inch Curved Monitor, highlighting its 24-inch screen, Full HD 1080P resolution, 100Hz refresh rate, Eye Care features, and 1500R VA Panel.

2. PACKAGE CONTENTS

Verify that all items are present in the package:

- Monitor
- HDMI Cable
- Power Cord
- User Manual

3. PRODUCT OVERVIEW

3.1 Key Features

- **1500R Curved Display:** Provides an immersive viewing experience by wrapping images around the user.
- **Full HD 1080P Resolution:** Delivers crisp 1920x1080 visuals for detailed content.
- **100Hz Refresh Rate:** Ensures smooth motion for videos and games.

- **VA Panel Technology:** Offers brighter whites, deeper blacks, and a 3000:1 contrast ratio with 16.7 million colors.
- **Wide Viewing Angles:** 178° horizontal and vertical viewing angles maintain consistent color and clarity.
- **Eye Care Technology:** TÜV Rheinland Certified to reduce blue light radiation and eliminate flickering, minimizing eye strain during extended use.
- **Adjustable Tilt:** Allows for a tilt range of -5° to 20° for ergonomic viewing.
- **Connectivity:** Equipped with HDMI 1.4 and VGA ports for broad compatibility.



Image 3.1: Visual comparison demonstrating the clarity of Full HD (1920x1080) resolution on the KOORUI monitor versus standard HD (1280x720).

REALIZE REAL WORLD COLORS



 **99% sRGB**
Color Gamut

 **16.7M**
Display Color

 **3000:1**
Contrast Ratio

Image 3.2: Illustration of the monitor's color capabilities, including 99% sRGB color gamut, 16.7 million display colors, and a 3000:1 contrast ratio.



Image 3.3: Top-down view illustrating the 1500R curvature, 178° viewing angle, and integrated eye protection features.

3.2 Ports and Connectors

The monitor features the following ports on its rear panel:

- **HDMI 1.4 Port:** For digital video and audio input.
- **VGA Port:** For analog video input.
- **Power Port:** For connecting the power adapter.

KOORUI

HDMI 1.4 VGA POWER PORT



COMPATIBLE WITH



Notebook



PS3/PS4



Xbox



PC



CCTV

Image 3.4: Rear view of the monitor displaying the HDMI 1.4, VGA, and Power ports, along with compatibility icons for various devices.

3.3 Control Buttons

Control buttons are typically located on the bottom right edge of the monitor. These buttons allow you to navigate the On-Screen Display (OSD) menu to adjust various settings.

4. SETUP INSTRUCTIONS

4.1 Stand Assembly

1. Carefully remove the monitor and stand components from the packaging.
2. Attach the stand base to the stand neck, securing it with the provided screw.
3. Align the assembled stand with the mounting slot on the back of the monitor and gently push until it clicks into place. Ensure it is securely fastened.

Note: This monitor does not support VESA mount.

4.2 Connecting to a Computer

1. Ensure both the monitor and your computer are powered off.

2. Connect one end of the HDMI cable to the HDMI port on your computer's graphics card and the other end to the HDMI 1.4 port on the monitor. Alternatively, use a VGA cable to connect the VGA ports on both devices.
3. Connect the power cord to the monitor's power port and then plug the other end into a power outlet.

4.3 Powering On

1. Press the power button on the monitor.
2. Power on your computer. The monitor should automatically detect the input signal. If not, you may need to manually select the input source using the OSD menu.

5. OPERATING INSTRUCTIONS

5.1 OSD Menu Navigation

Use the control buttons (typically located on the bottom right) to access and navigate the On-Screen Display (OSD) menu. Common buttons include:

- **Menu Button:** Opens the OSD menu.
- **Navigation Buttons (Up/Down/Left/Right):** Used to move through menu options and adjust values.
- **Enter/Select Button:** Confirms a selection.
- **Exit Button:** Closes the OSD menu or goes back to the previous level.

5.2 Adjusting Display Settings

Within the OSD menu, you can adjust various display parameters:

- **Brightness/Contrast:** Adjust the overall luminance and difference between light and dark areas.
- **Color Settings:** Modify color temperature, hue, and saturation.
- **Input Source:** Manually select between HDMI and VGA inputs.
- **Picture Mode:** Choose from preset display modes (e.g., Standard, Game, Movie, Text).

5.3 Eye Care Features

The monitor incorporates TÜV Rheinland Certified eye care technologies:

- **Low Blue Light Mode:** Reduces harmful blue light emissions. Activate this mode through the OSD menu for comfortable viewing during long sessions.
- **Flicker-Free Technology:** Eliminates screen flickering, which can cause eye fatigue. This feature is always active.

5.4 Tilt Adjustment

The monitor stand allows for tilt adjustment. Gently hold the top and bottom edges of the monitor and tilt it forward or backward to achieve your desired viewing angle. The tilt range is -5° to 20° .




Image 5.1: Illustration showing the monitor's adjustable tilt range from -5° to 20° .

6. TROUBLESHOOTING

If you encounter issues with your monitor, refer to the following common solutions:

Problem	Possible Cause	Solution
No image on screen	Monitor not powered on; Incorrect input source; Loose video cable.	Ensure power cable is connected and monitor is on. Select correct input source (HDMI/VGA) via OSD. Check video cable connections.
Image is blurry or distorted	Incorrect resolution; Loose video cable (VGA).	Set display resolution to 1920x1080. For VGA, ensure cable is securely connected.
No sound (Monitor does not have built-in speakers)	External speakers/headphones not connected or configured.	Connect external speakers or headphones to your computer's audio output. Configure audio settings on your computer.
Screen flickering	Rare, but could be cable issue or external interference.	Ensure video cable is secure. Try a different cable. The monitor features flicker-free technology, so persistent flickering may indicate an external issue.

7. SPECIFICATIONS

Feature	Detail
Model Number	24N5CA
Screen Size	24 Inches (23.6" viewable)
Panel Type	VA
Curvature	1500R
Resolution	Full HD (1920 x 1080)
Refresh Rate	100Hz (via HDMI 1.4)
Aspect Ratio	16:9
Viewing Angle	178° (H) / 178° (V)
Color Depth	16.7 Million Colors
Contrast Ratio	3000:1
Brightness	250 Candela (cd/m ²)
Connectivity	1x HDMI 1.4, 1x VGA
Tilt Adjustment	-5° to 20°
Product Dimensions (with stand)	7.56 x 16.04 x 21.13 inches
Item Weight	7.83 pounds
Eye Care Features	TÜV Rheinland Certified, Low Blue Light, Flicker-Free



-5~20°Tilt

Image 7.1: Diagram illustrating the physical dimensions of the KOORUI 24N5CA monitor in millimeters.


8. WARRANTY AND SUPPORT


KOORUI provides the following warranty for this product:

- **1-Year Replacement-Only Warranty:** Covers product defects for one year from the date of purchase.
- **3-Year Limited Warranty:** Covers key components for three years from the date of purchase.

For technical support or warranty claims, please refer to the contact information provided on the KOORUI official website or your purchase documentation.

Related Documents - 24N5CA


  <p>User Manual Koorui Monitor</p>	<p>Koorui 24N5C Curved Monitor User Manual</p> <p>User manual for the Koorui 24N5C curved monitor, detailing product specifications, safety guidelines, installation procedures, OSD functions, and troubleshooting tips.</p>
  <p>User Manual Koorui Monitor</p>	<p>Koorui 24N5C Monitor User Manual</p> <p>Comprehensive user manual for the Koorui 24N5C monitor, detailing product specifications, safety guidelines, setup instructions, OSD functions, common applications, and troubleshooting.</p>
  <p>User Manual Koorui Monitor</p>	<p>Koorui 24N5CA Curved Monitor User Manual</p> <p>Comprehensive user manual for the Koorui 24N5CA 23.6-inch curved VA monitor, covering specifications, setup, OSD functions, troubleshooting, and common applications.</p>
 	<p>Koorui 24N5CA Monitor Installation Guide</p> <p>Step-by-step instructions for assembling and connecting the Koorui 24N5CA monitor, including what's in the box and basic setup procedures.</p>
  <p>User Manual Koorui Monitor</p>	<p>Koorui 24N1 Monitor User Manual - Setup, Features, and Troubleshooting</p> <p>Comprehensive user manual for the Koorui 24N1 monitor, covering setup, product parameters, OSD functions, common applications, and troubleshooting tips. Learn how to optimize your display experience.</p>



[KOORUI VESA Holder Installation and Removal Guide](#)

Detailed instructions for installing and removing the VESA holder on KOORUI monitors, including important safety precautions and mounting specifications.

Documents - KOORUI – 24N5CA



[\[pdf\]](#)

6977295250615 24N5CA PL docId 115E0FD1699749ACE02E18057DF13D97 Οδηγίες λειτουργίας gre Koorui monitor 23 6 1920x1080px 75Hz 56902 45298 00d5be3aa22896c75e82af1ac8974439 puputeve hu media wysiwyg attachments |||

Koorui **24N5CA** 23.6 1920x1080px 75Hz KOORUI , KOORUI IoT , KOORUI . : KOORUI; Shenzhen Koorui Technology Co, Ltd. ; , : / / ...

lang:it score:36 filesize: 997.22 K page_count: 11 document date: 2024-07-12



[\[pdf\]](#)

6977295250615 24N5CA PL Instrukcja obsługi pol Koorui monitor 23 6 1920x1080px 75Hz 56898 45298 bff2b3c5799934ee8e5098a66b719ae0 puputeve hu media wysiwyg attachments |||

Monitor Koorui **24N5CA** 23.6 1920x1080px 75Hz Instrukcja obsługi Instrukcja obsługi monitora KOORUI O marce Jako wschodzca marka trendw technologii internetowej, KOORUI jest zaangażowana w tworzenie inteligentnej przestrzeni IoT dla młodych użytkowników na całym świecie. Jest zorientowana na potrzeby ...

lang:pl score:32 filesize: 1.6 M page_count: 8 document date: 2024-07-12



Monitor Koorui 24N5CA
23,6" 1920x1080px 75Hz

Návod na obsluhu

[\[pdf\]](#)

6977295250615 24N5CA PL docId FA06E6131F9E858AF99F35F33962678C Návod na obsluhu slo Koorui monitor 23 6 1920x1080px 75Hz 56904 45298 3854034cfb2574288a07f3b45e81b97f puputeve hu media wysiwyg attachments |||

Monitor Koorui **24N5CA** 23,6 1920x1080px 75Hz Nvod na obsluhu Pouzvatesk prrucka monitora KOORUI O znacke KOORUI ako nov trendov znacka v oblasti internetovch technolgi sa zaviazala vytvori inteligentn priestor internetu vec pre mladch pouzivateov na celom svete. Zameriava sa na potreby mladch ud, ...
lang:it score:31 filesize: 924.77 K page_count: 8 document date: 2024-07-12



Monitor Koorui 24N5CA
23,6" 1920x1080px 75Hz

Návod k obsluze

[\[pdf\]](#)

6977295250615 24N5CA PL docId A9D11A31E134B153C86603461FB51881 Návod k obsluze cze Koorui monitor 23 6 1920x1080px 75Hz 56899 45298 d57d6679c79b772dec784cb46aa5aff0 puputeve hu media wysiwyg attachments |||

Monitor Koorui **24N5CA** 23,6 1920x1080px 75Hz Nvod k obsluze Uzivatelisk prucka k monitoru KOORUI O znacce Jako nov vznikajc trendov znacka v oblasti internetovch technologi se KOORUI snaz vytvet chytr prostor internetu vc pro mlad uzivatele po celm svt. Zamuje se na poteby mladch lid, sousted se n...

lang:it score:31 filesize: 944.56 K page_count: 9 document date: 2024-07-12



Monitor Koorui 24N5CA
23,6" 1920x1080px 75Hz

Instrucțiuni de utilizare

[\[pdf\]](#) User Manual

6977295250615 24N5CA PL docId 5050829967ABEE4B96AFF5598FC6244 Instrucțiuni de utilizare rum Koorui monitor 23 6 1920x1080px 75Hz 56903 45298 bbc7507dfe35ab5e00e5e1343180def7 puputeve hu media wysiwyg attachments |||

Monitor Koorui **24N5CA** 23.6 1920x1080px 75Hz Instrucțiuni de utilizare Manual de utilizare monitor KOORUI Despre brand Ca brand emergent de tendine tehnologice de internet, KOORUI se angajeaz s creeze un spaiu IoT inteligent pentru tinerii utilizatori din ntreaga lume. Se concentreaz pe nevoile ti...

lang:it score:31 filesize: 974.75 K page_count: 9 document date: 2024-07-12



Koorui 24N5CA monitor
23.6" 1920x1080px 75Hz
Használati utasítás

[\[pdf\]](#)

6977295250615 24N5CA PL docId 858ACD1F8577B70D1A9D6380317ECA28 Használati utasítás hun
Koorui monitor 23 6 1920x1080px 75Hz 56900 45298 5b4db323ce6630b74df832c3812ffec puputeve hu
media wysiwyg attachments |||

Koorui **24N5CA** monitor 23.6 1920x1080px 75Hz Használati utasítás KOORUI monitor felhasználói kézikönyv A márka felhívja a figyelmet az internetes technológiai trendmárkákra a KOORUI elkötelezett amellett, hogy intelligens IoT teret hozzon létre a fiatal felhasználók számára vilgszerte. A fiatalok igényeire szzpontost, az intel...

lang:no score:31 filesize: 1.11 M page_count: 12 document date: 2024-07-12

User Manual for KOORUI Monitor



[\[pdf\]](#) User Manual

M27A9FO2 27N5C 280201030381 User manual eng Koorui 24N5CA monitor 23 6 1920x1080px
75Hz 56901 45298 c1682bdad38ee242d4f028351ce49f11 puputeve hu media wysiwyg attachments |||
User Manual for KOORUI Monitor User Manual for KOORUI Monitor About the brand
KOORUI Hey guys I m KOORUI As an emerging Internet technology trend brand,
KOORUI is committed to creating a smart IoT space for young users around the
world. It is oriented at the needs of young people, focuses on sma...

lang:en score:30 filesize: 17 M page_count: 14 document date: 2022-08-18



User Manual
KOORUI Monitor

[KOORUI 24N5CA Curved Monitor User Manual](#)

Comprehensive user manual for the KOORUI 24N5CA 23.6-inch curved VA monitor, covering specifications, setup, OSD functions, troubleshooting, and common applications.

lang:en score:26 filesize: 766.82 K page_count: 18 document date: 2025-08-08

Karta informacyjna produktu		ROZPORZĄDZENIE DELEGOWANE KOMISJI (UE) 2019/2013 w odniesieniu do etykietowania energetycznego wyświetlaczy elektronicznych	
Parametr	Parametry lub wartości i stopień dokładności	Dział	
1. Nazwa dostawcy lub znak towarowy	KZOOJA		
Adres dostawcy	APEX CE SPECIALISTS LIMITED, UNIT 3D NORTH POINT INDUS. NORTH POIN BUSINESS PARK, NEW MALLOWS ROAD, COBK, T32 AT27 IE		
2. Identyfikator modelu	M5242NF		
3. Klasa efektywności energetycznej dla standardowego zakresu dynamicznego (SDR)	E		
4. Połóż mocy w trybie wyłączenia dla SDR	17,0	W	
5. Klasa efektywności energetycznej dla szerokiego zakresu dynamicznego (HSD)	nie dotyczy		
6. Połóż mocy w trybie wyłączenia dla HDR	nie dotyczy	W	
7. Połóż mocy w trybie wyłączenia, w stosownych przypadkach	0,3	W	
8. Połóż mocy w trybie czuwania, w stosownych przypadkach	0,5	W	
9. Połóż mocy w trybie czuwania przy podłączeniu do sieci, w stosownych przypadkach	nie dotyczy	W	
10. Kategoria wyświetlacza elektronicznego	Monitor		
11. Format ekranu	16 9		
12. Rozdzielczość ekranu	1 920 X 1 080	pixels	
13. Przekątna ekranu	60,0	cm	
14. Przekątna ekranu	24	inch	
15. Wskazana powierzchnia ekranu	15,3	dm ²	
16. Zastosowana technologia panelu	LED LCD		
17. Dostępność funkcji automatycznej regulacji jasności (ABC)	Nie		
18. Dostępność czujnika rozpoznawania mowy	Nie		
19. Dostępność czujnika obecności w pomieszczeniu	Nie		
20. Ciężkość odwołania obrazu (OVR)	60	Hz	
21. Minimalna gwarantowana dostępność aktualizacji oprogramowania (oprogramowania układowego [od daty zakończenia wprowadzania do obrotu])	5	Rok	
22. Minimalna gwarantowana dostępność części zamiennej (od daty zakończenia wprowadzania do obrotu)	7	Rok	
23. Minimalne gwarantowane serwisowanie produktu	3	Rok	

Strona 1 z 2

[pdf]

31fbbc106915d0d16a919f159f77da3d sklep maxkuchnie pl storage file pimcore import 2024 10 15 monitor koorui 24n5ca 24 1920x1080px va hmdi karta informacyjna |||

Karta informacyjna produktu ROZPORZDZENIE DELEGOWANE KOMISJI UE 2019/2013 w odniesieniu do etykietowania energetycznego wyświetlaczy elektronicznych Parametr 1. Nazwa dostawcy lub znak towarowy Adres dostawcy 2. Identyfikator modelu 3. Klasa efektywności energetycznej dla standardowe- go zakresu d...

lang:pl score:22 filesize: 95.56 K page_count: 2 document date: 2024-09-29

Karta informacyjna produktu		ROZPORZĄDZENIE DELEGOWANE KOMISJI (UE) 2019/2013 w odniesieniu do etykietowania energetycznego wyświetlaczy elektronicznych	
Parametr	Parametry lub wartości i stopień dokładności	Dział	
1. Nazwa dostawcy lub znak towarowy	KZOOJA		
Adres dostawcy	APEX CE SPECIALISTS LIMITED, UNIT 3D NORTH POINT INDUS. NORTH POIN BUSINESS PARK, NEW MALLOWS ROAD, COBK, T32 AT27 IE		
2. Identyfikator modelu	M5242NF		
3. Klasa efektywności energetycznej dla standardowego zakresu dynamicznego (SDR)	E		
4. Połóż mocy w trybie wyłączenia dla SDR	17,0	W	
5. Klasa efektywności energetycznej dla szerokiego zakresu dynamicznego (HSD)	nie dotyczy		
6. Połóż mocy w trybie wyłączenia dla HDR	nie dotyczy	W	
7. Połóż mocy w trybie wyłączenia, w stosownych przypadkach	0,3	W	
8. Połóż mocy w trybie czuwania, w stosownych przypadkach	0,5	W	
9. Połóż mocy w trybie czuwania przy podłączeniu do sieci, w stosownych przypadkach	nie dotyczy	W	
10. Kategoria wyświetlacza elektronicznego	Monitor		
11. Format ekranu	16 9		
12. Rozdzielczość ekranu	1 920 X 1 080	pixels	
13. Przekątna ekranu	60,0	cm	
14. Przekątna ekranu	24	inch	
15. Wskazana powierzchnia ekranu	15,3	dm ²	
16. Zastosowana technologia panelu	LED LCD		
17. Dostępność funkcji automatycznej regulacji jasności (ABC)	Nie		
18. Dostępność czujnika rozpoznawania mowy	Nie		
19. Dostępność czujnika obecności w pomieszczeniu	Nie		
20. Ciężkość odwołania obrazu (OVR)	60	Hz	
21. Minimalna gwarantowana dostępność aktualizacji oprogramowania (oprogramowania układowego [od daty zakończenia wprowadzania do obrotu])	5	Rok	
22. Minimalna gwarantowana dostępność części zamiennej (od daty zakończenia wprowadzania do obrotu)	7	Rok	
23. Minimalne gwarantowane serwisowanie produktu	3	Rok	

Strona 1 z 2

[pdf]

Karta informacyjna produktugproxysklep maxkuchnie pl storage file pimcore import 2024 10 15

31fbbc106915d0d16a919f159f77da3d monitor koorui 24n5ca 24 1920x1080px va hmdi karta srsldit AfmBOopbNQB8qJge42zpeAelqK2eok9Y6pvRiTpaN5MyxqLTE u6d1O produktu Max KuchnieKOORUI Adres dostawcy APEX CE SPECIALISTS LIMITED UNIT 3D NORTH MB24N2F 3 Klasa efektywności energetycznej dla standardowe go gproxygproxysklep

AfmBOor5IkJOgl8iWNgWN2zRwJgxDwbwTay4YAH EkAmW4hkbDPFbisklep ||| ||| Karta informacyjna produktu ROZPORZ DZENIE DELEGOWANE KOMISJI UE 2019/2013 w odniesieniu do etykietowania energetycznego wy wietlaczy elektronicznych Parametr 1. Nazwa dostawcy lub znak towarowy Adres dostawcy 2. Identyfikator modelu 3. Kla

Karta informacyjna produktu ROZPORZ DZENIE DELEGOWANE KOMISJI UE 2019/2013 w odniesieniu do etykietowania energetycznego wy wietlaczy elektronicznych Parametr 1. Nazwa dostawcy lub znak towarowy Adres dostawcy 2. Identyfikator modelu 3. Klasa efektywno ci energetycznej dla standardowe- go zak... lang:pl score:15 filesize: 94.72 K page_count: 2 document date: 2024-09-29