

[Manuals.plus](#) /

› [NJDQFA](#) /

› NJDQFA Heated Towel Warmer with Top Shelf Instruction Manual

NJDQFA 65657660-BLACK

NJDQFA Heated Towel Warmer with Top Shelf

Model: 65657660-BLACK

Brand: NJDQFA

IMPORTANT SAFETY INSTRUCTIONS

Please read all instructions carefully before installation and use. Retain this manual for future reference.

- Ensure the power supply voltage matches the product's requirements (110V-220V).
- This appliance is equipped with a leakage protection plug. Do not bypass or modify this safety feature.
- Do not immerse the towel warmer or its plug in water or other liquids.
- Always unplug the appliance before cleaning or performing any maintenance.
- Do not allow children to operate or play with the towel warmer.
- Avoid placing flammable materials near the heated surfaces.
- The surface of the towel warmer can become hot during operation. Exercise caution to prevent burns.
- Install the towel warmer in a location where it is not exposed to direct water spray. The product has an IPX4 waterproof level, meaning it is resistant to splashing water.
- If the power cord is damaged, it must be replaced by the manufacturer, its service agent, or similarly qualified persons to avoid a hazard.



Image: The power plug features built-in leakage protection for enhanced safety during operation.

PRODUCT OVERVIEW

The NJDQFA Heated Towel Warmer is designed to dry and warm towels, providing comfort and helping to reduce odors. It features a wall-mounted design with a foldable top shelf and integrated hooks for versatile storage.

Key Features:

- **Wall-Mounted Design:** Maximizes bathroom space.
- **Foldable Top Shelf:** Provides additional storage for towels or toiletries.
- **Integrated Hooks:** Four hooks for hanging items.
- **Smart Control Panel:** LCD digital display with touch controls for timer and temperature.
- **Adjustable Timer:** 1 to 9-hour automatic shut-off function.
- **Temperature Adjustment:** Heats between 30-70°C (86-158°F).
- **Overheating Protection:** Built-in safety feature to prevent excessive heat.
- **Leakage Protection Plug:** Enhances electrical safety.
- **IPX4 Waterproof:** Resistant to splashing water.



Image: The towel warmer features a spacious top shelf for storage and four integrated hooks for hanging towels or other items.

PACKAGE CONTENTS

Verify that all components are present and undamaged upon opening the package.

- 1 x NJDQFA Heated Towel Warmer
- 1 x Installation Accessories Kit (screws, anchors, etc.)
- 1 x User Manual (this document)

SPECIFICATIONS

Feature	Detail
Model Number	65657660-BLACK
Color	Black
Material	Aluminum Alloy
Power	95W
Voltage	110V-220V
Temperature Range	30-70°C (86-158°F)
Timer Function	1-9 Hours
Waterproof Level	IPX4
Installation Method	Punching (Screw-In) / No Punching (Self-Adhesive)
Item Weight	3 Kilograms

Feature	Detail
Dimensions (Approx.)	550mm (21.6") Width x 400mm (15.7") Height x 220mm (8.6") Depth (with shelf extended)



Image: Approximate dimensions of the towel warmer, including width, height, and shelf depth.

SETUP & INSTALLATION

The towel warmer offers two installation methods: punching (screw-in) for permanent mounting or no punching (self-adhesive) for smooth surfaces like ceramic tiles or glass walls. Choose the method suitable for your wall type.

General Installation Notes:

- Ensure the installation location is away from direct water spray and has a power outlet within reach of the cord.
- Use a level to ensure the towel warmer is mounted straight.
- Refer to the included installation accessories kit for specific hardware and instructions for your chosen method.

Punching (Screw-In) Installation:

1. Mark the desired mounting points on the wall using the towel warmer as a template.
2. Drill holes at the marked points.
3. Insert wall anchors (if required for your wall type).
4. Secure the mounting brackets to the wall with screws.
5. Attach the towel warmer to the mounting brackets.

No Punching (Self-Adhesive) Installation:

This method is suitable for smooth, non-porous surfaces such as ceramic tiles or glass. Ensure the surface is clean and dry before application.

1. Clean the wall surface thoroughly and allow it to dry completely.
2. Apply the self-adhesive pads or strips to the back of the towel warmer's mounting points as per the accessory kit instructions.
3. Carefully align the towel warmer and press it firmly against the wall for several seconds.
4. Allow the adhesive to cure for at least 24-48 hours before hanging towels or applying weight.



Image: Examples of the towel warmer installed in a bathroom and on a balcony, demonstrating its versatility.

OPERATING INSTRUCTIONS

The towel warmer features an intuitive LCD digital display with touch controls.



Image: Close-up of the LCD digital display and touch controls for timer, temperature, and power.

Power On/Off:

- To turn on: Press and hold the **Power Button** (circle with vertical line) for 1 second. The display will illuminate.
- To turn off: Press and hold the **Power Button** for 1 second. The display will turn off.

Setting the Timer:

- With the unit powered on, press the **Timer Button** (clock icon).
- Each press will cycle through the available timer settings from 1 to 9 hours. The selected time will be displayed.
- The unit will automatically shut off after the set time has elapsed.

Adjusting Temperature:

- With the unit powered on, press the **Temperature Adjustment Button** (thermometer icon).
- Each press will adjust the temperature within the range of 30-70°C (86-158°F). The current temperature will be displayed.
- The towel warmer will maintain the set temperature until the timer expires or it is manually turned off.



Image: Illustration of the constant temperature drying and even heating capabilities of the towel warmer.

MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your towel warmer.

- **Cleaning:** Always unplug the unit and allow it to cool completely before cleaning. Wipe surfaces with a soft, damp cloth. Do not use abrasive cleaners, solvents, or harsh chemicals, as these may damage the finish.
- **Inspection:** Periodically check the power cord and plug for any signs of damage. If damage is found, discontinue use and contact customer support.
- **Storage:** If storing the unit for an extended period, ensure it is clean, dry, and stored in a cool, dry place.

TROUBLESHOOTING

Refer to the following table for common issues and their solutions.

Problem	Possible Cause	Solution
Towel warmer does not turn on.	No power supply; Power button not pressed correctly; Leakage protection tripped.	Ensure the plug is fully inserted into a working outlet. Press and hold the power button for 1 second. Check the leakage protection plug for a reset button if tripped.
Towel warmer is not heating.	Temperature set too low; Timer expired; Overheating protection activated.	Increase the temperature setting. Check the timer setting. Unplug the unit, wait 15-20 minutes, and plug it back in to reset overheating protection.

Problem	Possible Cause	Solution
Display is not working.	Unit is off; Electrical issue.	Ensure the unit is powered on. If the problem persists, contact customer support.
Adhesive installation is not holding.	Surface not clean/dry; Adhesive not cured; Surface not suitable.	Ensure the surface is clean and dry. Allow sufficient curing time (24-48 hours). Consider using the punching (screw-in) method for more secure installation if the surface is unsuitable for adhesive.

WARRANTY & SUPPORT

This product comes with a standard manufacturer's warranty. For specific warranty details, please refer to the documentation provided at the time of purchase or contact your retailer.

For technical support, troubleshooting assistance, or to inquire about replacement parts, please contact NJDQFA customer service through the platform where you purchased the product or refer to the contact information provided in your purchase documentation.

Please have your model number (65657660-BLACK) and purchase date ready when contacting support.