

## Goyappin TC-SC-001

# Goyappin Handheld Steam Cleaner

## MODEL: TC-SC-001 USER MANUAL

### 1. Introduction

---

The Goyappin Handheld Steam Cleaner TC-SC-001 is a powerful and versatile cleaning device designed to effectively remove stubborn dirt and stains using high-temperature, high-pressure steam. This chemical-free cleaning solution is suitable for various surfaces around your home, car, and other areas, providing a hygienic environment.

With its 2500W power, the cleaner generates steam up to 3.0 Bar pressure and reaches 105°C (221°F) within 15 seconds. The large 1100ml water tank allows for extended cleaning sessions without frequent refills. Multiple included attachments enhance its utility for diverse cleaning tasks.



Image 1: Goyappin Handheld Steam Cleaner with included accessories.

## 2. Safety Information

- Always wear the provided heat-resistant gloves when operating the steam cleaner to prevent burns from high-temperature steam.
- Do not open the water tank cap while the unit is hot or under pressure. Allow the unit to cool down completely before refilling or emptying.
- Keep the steam nozzle away from people, pets, and electrical appliances.
- Use only distilled water to prolong the life of the unit and prevent mineral buildup.
- Ensure the power cord is not damaged before use.

## 3. Package Contents

Verify that all items are present in the package:

- 1 x High Pressure Steam Cleaner Unit
- 1 x Steam Gun with Hose
- 1 x Extension Pole

- 1 x Large Round Brush
- 1 x Small Brush
- 1 x Steel Brush
- 1 x Short Copper Nozzle
- 1 x Power Cord
- 1 pair of Heat-Resistant Gloves
- 1 x User Manual

## 4. Setup Instructions

1. **Prepare the Unit:** Place the steam cleaner on a stable, flat surface.
2. **Add Water:** Unscrew the water tank cap. Use the provided measuring cup to fill the 1100ml water tank with distilled water. Do not overfill. The unit features a convenient water inlet above and an outfall below for safer filling and emptying.
3. **Secure Cap:** Tightly screw the water tank cap back on.
4. **Connect Steam Gun:** Attach the steam gun hose securely to the unit's steam outlet.
5. **Insert Batteries (if applicable):** If using the brush attachment with a separate power source, ensure AAA batteries are correctly installed.
6. **Attach Accessories:** Select the desired cleaning attachment (e.g., large round brush, small brush, steel brush, short copper nozzle, extension pole) and securely attach it to the steam gun.
7. **Power On:** Plug the power cord into a suitable electrical outlet. The power indicator light will illuminate (orange/red) to show the unit is heating up.
8. **Wait for Heating:** Allow approximately 15 seconds for the unit to reach the optimal steam temperature of 105°C (221°F). The indicator light will change color or turn off when ready for use.

**2500W High Pressure Steamer for Cleaning**

Voltage	110V	Power	2500W
Power Cord Length	1.5m	Steam Pressure	3.0BAR
Steam Outlet Hose Length	2.0m	Water Tank Capacity	1.1L
Steam Temperature Max	105°C / 221°F	Air Output	50-400 ML/min

6 Gear Adjustable

15s Fast Heating

Leakage protection anti-dry burning

Image 2: Visual guide for safely filling and emptying the water tank.

## 5. Operating Instructions

Once the unit is heated and ready, you can begin cleaning:

1. **Select Steam Level:** The steam gun features a button to cycle through 3 different steam levels, allowing you to adjust the intensity based on the cleaning task.
2. **Release Steam:** Press and hold the steam release button on the steam gun to emit steam. For continuous steam, some models may have a lock feature.
3. **Apply to Surface:** Direct the steam nozzle or attached brush towards the surface you wish to clean. Move the attachment slowly over the area to allow the steam to penetrate and loosen dirt.
4. **Use Appropriate Attachments:**
  - **Large Round Brush:** Ideal for larger areas like walls, countertops, and hoods.
  - **Small Brush:** Suitable for toys, furniture, glass, and tile surfaces, as well as targeting bed bugs.
  - **Steel Brush:** Best for tough grime on cooktops, pots, pans, dishwashers, and other metal surfaces.
  - **Short Copper Nozzle/Extension Pole:** For concentrated steam in hard-to-reach areas or for extended reach.
5. **Wipe Clean:** After steaming, wipe the treated surface with a clean cloth to remove loosened dirt and moisture.




Image 3: Examples of wide application areas for the steam cleaner.

Your browser does not support the video tag.

Video 1: Demonstration of the Goyappin High Temperature Steamer in action, showcasing its steam output and ease of use.



Image 4: Guide to selecting the correct brush attachment for specific cleaning needs.

## 6. Maintenance

1. **Empty Water Tank:** After each use, ensure the unit has cooled down and is no longer under pressure. Unscrew the water tank cap and carefully empty any remaining water.
2. **Clean Attachments:** Rinse all used attachments with clean water and allow them to air dry before storing.
3. **Store Properly:** Store the steam cleaner and its accessories in a cool, dry place.

# 2500W High Pressure Steamer for Cleaning

Voltage	110V	Power	2500W
Power Cord Length	1.5m	Steam Pressure	3.0BAR
Steam Outlet Hose Length	2.0m	Water Tank Capacity	1.1L
Steam Temperature Max	105°C /221°F	Air Output	50-400 ML/min



6 Gear Adjustable



15s Fast Heating



Leakage protection anti-dry burning



Image 5: Instructions for emptying the water tank after cleaning.

## 7. Troubleshooting

- **No Steam/Weak Steam:**
  - Check if the water tank is sufficiently filled.
  - Ensure the unit has fully heated up (indicator light should be ready).
  - Verify that the steam gun and attachments are securely connected.
- **Water Spraying Instead of Steam:**
  - This can occur if the unit has not fully heated up. Allow more time for the water to reach optimal temperature.
  - Ensure only distilled water is used to prevent mineral buildup that can affect steam production.
- **Unit Not Turning On:**
  - Check if the power cord is securely plugged into a working electrical outlet.
  - Ensure the main power switch on the unit is in the 'On' position.

## 8. Specifications

Feature	Specification
Brand	Goyappin
Model Name	TC-SC-001
Wattage	2500 watts
Voltage	110 Volts
Tank Volume	1.1 Liters (1100 Milliliters)

Maximum Temperature	221 Degrees Fahrenheit (105°C)
Steam Pressure	Up to 3.0 Bar
Heat-up Time	15 seconds
Power Cord Length	1.5m
Steam Outlet Hose Length	2.0m
Item Weight	4.24 pounds
Product Dimensions	7.8"D x 5.7"W x 5.1"H
Included Components	1 pair of Heat-Resistant Gloves, 1* steamer Cleaner, 1*Large Round Brush, 1*Small Brush, 1*Steel Brush, Short Copper Nozzle, Power Cord, Introduction

## High Temperature Steam Cleaner

Voltage	110V	Power	2500W
Power Cord Length	1.5m	Steam Pressure	3.0BAR
Steam Outlet Hose Length	2.0m	Water Tank Capacity	1.1L
Steam Temperature Max	105°C /221°F	Air Output	50-400 ML/min



Image 6: Detailed specifications of the Goyappin Handheld Steam Cleaner.

## 9. Warranty & Support

---

The Goyappin Handheld Steam Cleaner comes with a 1-year warranty. If you have any questions or require assistance, please contact our customer service. We are committed to providing satisfactory after-sales service and will respond within 24 hours.

For support, please refer to the contact information provided on the product packaging or our official website.