

[Manuals.plus](#) /

› [Raysfung](#) /

› Raysfung 20' x 30' Party Tent Instruction Manual

Raysfung B0CPHMP433

Raysfung 20' x 30' Party Tent Instruction Manual

MODEL: B0CPHMP433

Brand: Raysfung

1. INTRODUCTION

This manual provides detailed instructions for the assembly, operation, maintenance, and troubleshooting of your Raysfung 20' x 30' Heavy Duty Party Tent. Designed for various outdoor events, this tent features a robust galvanized frame and removable sidewalls, offering a versatile shelter solution. Please read this manual thoroughly before setup and use to ensure safety and optimal performance.



Figure 1: Fully assembled Raysfung 20' x 30' Party Tent.

2. SAFETY INFORMATION

WARNING: Failure to follow these safety guidelines may result in injury or damage to the product.


- Do not use this tent in harsh weather conditions, including strong winds, blizzards, or storms.
- Promptly clear any snow accumulation from the tent canopy in winter to prevent collapse.
- For long-term use and enhanced stability, always secure the tent using ropes, ground anchors, and sandbags.
- If placing the tent on grass for an extended period, consider pouring cement around the legs and fixing them with expansion screws (not included) for maximum stability.
- Ensure all connections are secure and poles are properly seated during assembly.

3. COMPONENTS OVERVIEW

Your Raysfung Party Tent is delivered in 4 boxes and includes the following main components:

- Galvanized Steel Frame (poles, connectors, feet pads)
- Polyethylene Canopy Cover
- Removable Sidewalls (with transparent PVC windows and zippered doors)
- Ropes
- Ground Stakes
- Sandbags
- Elastic Ball Straps
- Detailed Installation Instructions

Outdoor Wedding Tent



Transparent PVC Windows



Roll-up Door With Buckle



Elastic Balls Straps



Dual Smooth Zipper

Figure 2: Key features of the tent components.


ENHANCED STABILITY



Sand Bags



Ground Stake




Rope

Figure 3: Stability accessories included.

MORE STABLE & STURDY

OURS ✓


OTHERS ✗



Heavy Duty Steel Pipes



Plastic Angle



Heavy Duty Feet Pad



Plastic Feet Pad



Spring Button



Plastic Joint

Figure 4: Comparison of frame components, highlighting durability.

4. SETUP INSTRUCTIONS

Assembly of the Raysfung Party Tent requires at least two people and approximately 2-4 hours, depending on experience. Follow the detailed installation instructions provided in the box. A general overview of the process is as follows:

1. **Unpack and Sort:** Carefully unpack all boxes and sort components according to the parts list in your manual.
2. **Assemble the Base Frame:** Connect the horizontal and vertical poles to form the rectangular base of the tent. Ensure all connections are secure using the spring buttons.
3. **Construct the Roof Frame:** Assemble the triangular roof frame sections, connecting them to the base frame.
4. **Drape the Canopy:** Carefully drape the polyethylene canopy cover over the assembled frame. Ensure it is centered and aligned.
5. **Attach Sidewalls:** Secure the removable sidewalls to the frame using the elastic ball straps.

6. **Secure the Tent:** Use the provided ropes, ground stakes, and sandbags to firmly anchor the tent to the ground. This is critical for stability, especially in varying weather conditions.

Setup Video Guide

For a visual guide on the assembly process, please refer to the official product video below:

Your browser does not support the video tag.

Video 1: Raysfung 20' x 30' Party Tent Heavy Duty, Wedding Tent - Assembly Overview. This video demonstrates the general setup process for the tent, including frame construction and canopy placement.

5. OPERATING INSTRUCTIONS

The Raysfung Party Tent is designed for versatility and ease of use:

- **Ventilation:** The tent features two zipper doors that can be rolled up and secured to provide excellent ventilation and airflow, especially on hot days.
- **Removable Sidewalls:** All sidewalls are removable, allowing you to customize the tent's configuration based on your needs. You can choose to have no sidewalls for an open canopy, roll up zippered doors, remove specific panels, or enclose the tent completely with full sidewalls.
- **Multiple Uses:** This tent is suitable for various outdoor activities, including weddings, parties, backyard BBQs, commercial events, or as a temporary shelter for vehicles or boats.

Multiples Uses



Bright




Well-Ventilated




Smooth Zipper

01



No Sidewall

02




Roll-up Zippered Doors

03



Remove 2 Panels

04



Full Sidewall

Figure 5: Various configurations for the tent.

6. MAINTENANCE

Proper maintenance will extend the lifespan of your party tent:

- **Cleaning:** Clean the canopy and sidewalls with mild soap and water. Avoid harsh chemicals or abrasive cleaners that could damage the material. Allow all parts to dry completely before storage to prevent mildew.
- **Frame Inspection:** Regularly inspect the galvanized steel frame for any signs of rust or damage. Address any issues promptly to maintain structural integrity.
- **Storage:** When not in use, disassemble the tent and store all components in a dry, cool place, away from direct sunlight and extreme temperatures. This will protect the material from degradation.
- **Weather Precautions:** As mentioned in safety, do not leave the tent erected for extended periods in extreme weather. Always take down the tent if strong winds, heavy rain, or snow are forecasted.



Figure 6: Tent material is waterproof and sun-resistant.

7. TROUBLESHOOTING

Here are some common issues and their solutions:

- **Tent Instability:** Ensure all frame connections are fully engaged and secured. Verify that ropes are taut, ground stakes are firmly driven into the ground, and sandbags are properly filled and placed. In windy conditions, additional anchoring may be required.
- **Water Pooling on Roof:** This indicates improper tensioning of the canopy or insufficient slope. Ensure the canopy is pulled taut across the frame and that the roof structure is correctly assembled to allow water runoff. Do not allow water to accumulate, as this can lead to collapse.
- **Damaged Fittings/Poles:** If any metal fittings or poles are damaged during assembly or use, contact customer service for replacement parts. Do not attempt to use damaged components as this compromises the tent's structural integrity.

- **Missing Parts:** If you find any parts missing upon delivery, please contact Raysfung customer service immediately with your order details.

8. SPECIFICATIONS

Feature	Detail
Brand	Raysfung
Model	B0CPHMP433
Material	Polyethylene, Alloy Steel, Metal
Product Dimensions	360"L x 240"W x 121.2"H (30'L x 20'W x 10.1'H)
Item Weight	293.87 Pounds
Frame Material	Alloy Steel (Powder Coated Galvanized Steel)
Water Resistance Level	Waterproof
Shape	Rectangular
Ultraviolet Light Protection	50
Assembly Required	Yes
Color	White

20FT x 30FT SPECIFICATION

Raysfung Party Tent

PACKAGE BOX : 4




Figure 7: Tent dimensions and specifications.

9. WARRANTY AND SUPPORT

Raysfung is committed to providing quality products and service. If you have any questions regarding your 20' x 30' Heavy Duty Party Tent, including assembly, missing parts, or operational concerns, please contact Raysfung customer service. Refer to your purchase documentation or the Raysfung brand store on Amazon for contact information.

For information on protection plans, please refer to the details provided at the time of purchase or on the product listing page.

© 2024 Raysfung. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question