

Universal Replacement Remote Control

User Manual for Replacement Remote Control

Model: Universal Replacement Remote Control for Promethean ActivPanel Displays

INTRODUCTION

This manual provides essential information for the setup, operation, and maintenance of your replacement remote control. This remote is designed as a functional substitute for original remote controls compatible with various Promethean ActivPanel Touch Interactive Flat Displays. Please review this manual thoroughly to ensure proper usage and to understand the capabilities and limitations of this replacement unit.

PRODUCT OVERVIEW

The replacement remote control is an infrared (IR) device designed to operate compatible Promethean ActivPanel displays. It features a standard layout of buttons for power, navigation, volume, channel control, and other common functions.



Figure 1: Front view of the remote control, showing all buttons including power, number pad, navigation, volume, and channel controls.



Figure 2: An angled perspective of the remote control, highlighting the ergonomic design and button layout.



Figure 3: Rear view of the remote control, showing the battery compartment cover in place.



Figure 4: Rear view of the remote control with the battery compartment cover removed, revealing the slots for AAA batteries.

SETUP

Battery Installation

1. Locate the battery compartment on the back of the remote control.
2. Slide the battery compartment cover downwards or outwards to open it. Refer to Figure 3 and Figure 4 for visual guidance.
3. Insert two (2) AAA batteries into the compartment, ensuring the positive (+) and negative (-) terminals align correctly with the markings inside the compartment. Incorrect insertion can prevent the remote from functioning.
4. Replace the battery compartment cover by sliding it back into position until it clicks securely.

Note: Always use new batteries of the same type. Do not mix old and new batteries, or different types of batteries.

OPERATING INSTRUCTIONS

This replacement remote control operates via infrared (IR) signals. For optimal performance, ensure there is a clear line of sight between the remote's IR emitter (located at the front tip) and the IR receiver on your Promethean ActivPanel display.

Basic Functions

- **Power Button:** Press to turn the display on or off.
- **Number Pad (0-9):** Use to directly input channel numbers or other numerical selections.
- **Volume Up/Down (+/-):** Adjust the audio volume.
- **Channel Up/Down (+/-):** Change the display channel.
- **Navigation Buttons (Up, Down, Left, Right, OK):** Use to navigate menus and confirm selections on the display.
- **Menu Button:** Access the display's main menu.
- **Source Button:** Cycle through available input sources (e.g., HDMI, VGA).
- **Mute Button:** Mute or unmute the audio.
- **Other Buttons:** Buttons such as "Home", "CH LIST", "INFO", "SYS", "ZOOM", "IMAGE", "AUDIO", "PLAY", "PAUSE", "STOP",

"PREV", "NEXT", "BACK", "ROTATE", "SCREENSHOT", "3D", "F1" are designed to replicate functions of the original remote. Their specific functionality depends on the Promethean ActivPanel model and its software.

Important Compatibility Note: This is a replacement remote. While it is designed to be compatible with the listed Promethean ActivPanel models, it may not offer every single function or button layout identical to your original remote. Please ensure your current remote has the same buttons as shown in the product images for full compatibility. Some advanced or model-specific functions may not be supported.

MAINTENANCE

Cleaning

To clean the remote control, gently wipe its surface with a soft, dry cloth. For stubborn dirt, slightly dampen the cloth with water or a mild, non-abrasive cleaner. Do not use harsh chemicals, solvents, or abrasive materials, as these can damage the remote's finish or internal components. Avoid getting moisture into the battery compartment or any openings.

Battery Replacement

Replace batteries when the remote's response becomes sluggish or stops working. Follow the battery installation steps outlined in the "Setup" section. Dispose of used batteries responsibly according to local regulations.

Storage

When not in use for extended periods, it is recommended to remove the batteries from the remote control to prevent leakage and potential damage. Store the remote in a cool, dry place away from direct sunlight and extreme temperatures.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Remote is not responding.	- Batteries are dead or inserted incorrectly. - No clear line of sight to the display's IR receiver. - Remote is too far from the display.	- Replace batteries with new AAA batteries, ensuring correct polarity. - Remove any obstructions between the remote and the display. - Move closer to the display.
Some buttons do not work or perform unexpected functions.	- The replacement remote may not support all specific functions of your original remote. - The display model may not have that specific function.	- Verify that the buttons on this replacement remote visually match those on your original remote. - Understand that some advanced or model-specific features might not be replicated.

SPECIFICATIONS

- Product Type:** Replacement Infrared (IR) Remote Control
- Power Source:** 2 x AAA Batteries (not included)
- Color:** Black
- Compatible Devices:** Promethean ActivPanel Touch Interactive Flat Displays, including models:
 - APT2-70
 - APT2-84

- APT2-65
 - APT2-55
 - AP3-65
 - AP3-70
 - AP3-55
 - AP3-84
- **Special Feature:** Ergonomic design, direct replacement functionality for listed models.



WARRANTY AND SUPPORT

This product is provided as a replacement remote control. For any questions regarding compatibility, functionality, or troubleshooting that is not covered in this manual, please contact the seller directly through the platform where the purchase was made. Please refer to your purchase documentation for specific warranty terms, if any, offered by the seller.




© 2024 Generic. All rights reserved. Promethean and ActivPanel are trademarks of their respective owners.

Related Documents - Universal Replacement Remote Control

	Busch-Jaeger ZigBee Light Link System Manual Comprehensive guide to the Busch-Jaeger ZigBee Light Link system, covering installation, configuration, features, and product range for smart wireless lighting control.
	Kidde-Fenwal Scorpio Fire Control Panel Installation, Operation & Maintenance Manual Comprehensive guide for the Kidde-Fenwal Scorpio Fire Control Panel, covering installation, operation, maintenance, safety precautions, technical specifications, and troubleshooting. Includes features like microprocessor-based design, 24 Vdc power, and compatibility with various suppression systems.
	Whirlpool Dishwasher Quick Guide - Programs, Loading, Troubleshooting Concise guide for Whirlpool dishwashers. Learn about control panel functions, first-time use, program selection, rack loading, cleaning, maintenance, and troubleshooting common issues. Includes energy and water consumption data.

	How to Manually Turn Busylights On/Off on Jabra Evolve2 Headsets Learn how to manually control the busylight indicator on your Jabra Evolve2 headset, including specific instructions for Microsoft Teams variants and configuration options via Jabra Sound+ and Jabra Direct.
	Rheem RPQL Heat Pump Parts List This document provides a comprehensive parts list for Rheem RPQL series heat pumps, detailing model explanations, serial number breakdowns, and part numbers for various components including sheet metal, electrical, fan, coil, and compressor groups, as well as accessories.
	GeneralAire Model 5500 Steam Cylinder Replacement Instructions Detailed instructions for replacing the steam cylinder in a GeneralAire Model 5500 humidifier, including safety precautions, removal, cleaning, and reassembly procedures.

Documents - Universal Replacement Remote Control – Universal Replacement Remote Control



[\[pdf\]](#) Test Report

02E0458 D Universal Replacement Remote Control Athena Test Report Altrusty Enterprise Co Ltd

AR88TX OAVAR88TX ar88tx

Report Number: 02E0458-D September 24, 2002 FCC ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT CERTIFICATION TO FCC PART 15 REQUIREMENTS for INTENTIONAL RADIATOR of **Universal Replacement Remote Control** FCC ID Number : OAVAR88TX Trade Name : ALLREMOTE Model Number : AR88 Agency Series : N/A Re...

lang:en score:33 filesize: 2.29 M page_count: 23 document date: 2002-10-03



[\[pdf\]](#) User Manual Troubleshooting Guide Warranty

User manual Jasco Congratulations on your purchase of this Philips Universal Replacement Remote Control Designed primarily for LG devices universal remote includes srp4519l 27 ensp v1 1 byjasco mw link id 2348

Home power SRP4519L/27 User manual v1 05/20 Table of Contents
Introduction..... 14 Congratulations on your purchase of this Philips **Universal Replacement Remote Control**. Designed primarily for LG devices, this universal remote inclu...
lang:en score:31 filesize: 534 K page_count: 31 document date: 2020-06-12



[\[pdf\]](#) User Manual

User Manual Universal Replacement Remote Control for Roku Express Premiere NOT Stick and TV Electronics Photo 91F d7KKQPL m media amazon images I |||


...
lang:en score:28 filesize: 607.73 K page_count: 1 document date: 0000-00-00



[Philips SRP43195/27 Universal Remote Control User Manual](#)

Comprehensive user manual for the Philips SRP43195/27 Universal Replacement Remote Control. Learn about setup, button functions, programming methods (Direct Code Entry and Auto Code Search), controlling combo devices, primary audio control, code identification, factory reset, troubleshooting, and warranty information.


lang:en score:25 filesize: 516.98 K page_count: 31 document date: 2020-06-05



[pdf] User Manual

5 Athena User Manual Altrusty Enterprise Co Ltd AR88TX Universal Replacement Remote Control
OAVAR88TX ar88tx

...
lang:en score:25 filesize: 516.91 K page_count: 1 document date: 2002-09-27



[pdf] User Manual

1 Athena User Manual Altrusty Enterprise Co Ltd AR99TX Universal Replacement Remote Control
OAVAR99TX ar99tx

...
lang:en score:25 filesize: 592.66 K page_count: 1 document date: 2002-09-27



Superior Electronics Product Catalog: Remote Controls, TV Mounts, Smart Devices & More

Explore the comprehensive range of Superior Electronics products, including universal remote controls, programmable remotes, TV wall mounts, smart home devices, audio-video accessories, and alkaline batteries. Find the perfect solution for your home entertainment and automation needs.

lang:it score:24 filesize: 13.4 M page_count: 44 document date: 2021-03-26



[pdf] User Manual Troubleshooting Guide Warranty

User manual Jasco Home power Congratulations on your purchase of this Philips Universal Replacement Remote Control Designed primarily for Vizio devices universal remote includes remote 5 Button Functions 1 Power Turns ON OFF 2 Input Selects video inputs 3 TV B RAY STRM AUD the device to control 4 Streaming app hotkeys Access top apps like Netflix Amazon Prime Hulu and more Record play stop rewind fast forward pause srp4419v 27 ensp v1 byjasco mw link id 2345

Home power SRP4419V/27 User manual v1 05/20 Table of Contents Introduction

..... 14 Congratulations on your purchase of this Philips **Universal Replacement Remote Control**. Designed primarily for Vizio devices, this universal remote in...

lang:en score:21 filesize: 553.6 K page_count: 31 document date: 2020-06-05

From: etcemi [etcemi@ms29.hinet.net]
Sent: Monday, March 25, 2002 8:49 PM
To: Mike Kuo
Subject: Re: ALTRUSTY ENTERPRISE CO., LTD. FCC ID:OAVCT68TX AN021898

Dear Mike,

Thanks for your help on above matter.
Regarding to the transmitting frequencies, this transmitter can only transmit one frequency for control use.
It can just receive specified frequencies (three frequencies in total, that is 100, 110, and 120MHz) and only transmit the selected frequency as it's one transmitting frequency. So, among the specified three frequencies, there is no other frequency can be used or received. These contents are built-in the micro processor, the end user is not able to change by other means.

If you have any further questions, please let me AFR. Thank you again.

Respect,

R. C Chen
R&D/ENG Department II

----- Original Message -----
From: Mike Kuo
To: R. C. Chen (E-mail)
Sent: Tuesday, March 26, 2002 1:13 PM
Subject: FW: ALTRUSTY ENTERPRISE CO., LTD. FCC ID:OAVCT68TX AN021898

-----Original Message-----
From: CHEN/R
To: "MikeKuo@ms29.hinet.net"
Subject: ALTRUSTY ENTERPRISE CO., LTD. FCC ID:OAVCT68TX AN021898

Re:OAVCT68TX

Question #1: FCC does not allow the transmitter to transmit simultaneous transmission of multiple control signals. While the device is in the programming mode, how many transmitting frequencies are active ? What is the response of "learning" ? Show the proposed three frequencies 100, 110, and 120 MHz are cross over restricted band, what is hardware design that prevent this transmitter to transmit any frequency in between ?

FCC will consider authorizing a multiple frequency transmitter as long as it is not capable of transmitting no more than one frequency at a time.

Best Regards

Mike Kuo / TSB Certifier
The items indicated above must be submitted before processing can continue in the above referenced application. Failure to provide the requested

[pdf]

TCB Q and A Altrusty Enterprise Co Ltd CT68TX Universal Replacement Remote Control OAVCT68TX ct68tx

From: etcemi etcemi ms29.hinet.net Sent: Monday, March 25, 2002 8:49 PM To: Mike Kuo Subject: Re: ALTRUSTY ENTERPRISE CO., LTD. FCC ID:OAVCT68TX AN02T1898 Dear Mike, Thanks for your help on above matter. Regarding to the transmitting frequencies, this transmitter can only transmit one frequency fo...

lang:en score:19 filesize: 3.63 K page_count: 2 document date: 2002-03-26

From: etcemi [etcemi@ms29.hinet.net]
Sent: Monday, March 25, 2002 8:49 PM
To: Mike Kuo
Subject: Re: ALTRUSTY ENTERPRISE CO., LTD. FCC ID:OAVCT67TX AN021900

Dear Mike,

Thanks for your help on above matter.
Regarding to the transmitting frequencies, this transmitter can only transmit one frequency for control use.
It can just receive specified frequencies (three frequencies in total, that is 100, 110, and 120MHz) and only transmit the selected frequency as it's one transmitting frequency. So, among the specified three frequencies, there is no other frequency can be used or received. These contents are built-in the micro processor, the end user is not able to change by other means.

If you have any further questions, please let me AFR. Thank you again.

Respect,

R. C Chen
R&D/ENG Department II

----- Original Message -----
From: Mike Kuo
To: R. C. Chen (E-mail)
Sent: Tuesday, March 26, 2002 1:13 PM
Subject: FW: ALTRUSTY ENTERPRISE CO., LTD. FCC ID:OAVCT67TX AN021900

-----Original Message-----
From: CHEN/R
To: "MikeKuo@ms29.hinet.net"
Subject: ALTRUSTY ENTERPRISE CO., LTD. FCC ID:OAVCT67TX AN021900

Re:OAVCT67TX

Question #1: FCC does not allow the transmitter to transmit simultaneous transmission of multiple control signals. While the device is in the programming mode, how many transmitting frequencies are active ? What is the response of "learning" ? Show the proposed three frequencies 100, 110, and 120 MHz are cross over restricted band, what is hardware design that prevent this transmitter to transmit any frequency in between ?

FCC will consider authorizing a multiple frequency transmitter as long as it is not capable of transmitting no more than one frequency at a time.

Best Regards

Mike Kuo / TSB Certifier
The items indicated above must be submitted before processing can continue in the above referenced application. Failure to provide the requested

[pdf]

TCB Q and A Altrusty Enterprise Co Ltd CT67TX Universal Replacement Remote Control OAVCT67TX ct67tx

From: etcemi etcemi ms29.hinet.net Sent: Monday, March 25, 2002 8:49 PM To: Mike Kuo Subject: Re: ALTRUSTY ENTERPRISE CO., LTD. FCC ID:OAVCT67TX AN02T1900 Dear Mike, Thanks for your help on above matter. Regarding to the transmitting frequencies, this transmitter can only transmit one frequency fo...

lang:en score:19 filesize: 3.63 K page_count: 2 document date: 2002-03-26



[pdf] Test Report

Test Report Altrusty Enterprise Co Ltd AR99TX Universal Replacement Remote Control OAVAR99TX ar99tx

...
lang:en score:19 filesize: 92 K page_count: 0 document date: 0000-00-00

ALTRUSTY ENTERPRISE CO., LTD.
#FLOOR, #EY, #EY #LANE 235 SHAU CHAU ROAD, Hsin-Tien City, Taipei, Taiwan, R.O.C.
TEL: 886-2-8665-9969 FAX: 886-2-8665-3838 E-Mail: altrusty@ms16.hinet.net

Federal Communications Commission
FCC ID: OAVCT68TX

Dear Sir:

This is to request confidentiality on information submitted for above application. We would like to request confidentiality on some exhibits we submitted for above original application for the reason of trade secret. If those exhibits are available for public inspection, any person who once gets the information contained in those exhibits will be able to design and to make the same products very easily. This is a very serious problem and huge loss for us, because we did invest so much on it.

Please be not made the Exhibit Types listed below routinely available for public inspection:
Block Diagram and Schematics.

By: Claire Chiu By: Claire Chiu
Title: President
Applicant: ALTRUSTY ENTERPRISE CO., LTD.
Address: 4th FLOOR, NO. 1, ALLEY 16, LANE 235 SHAU CHAU ROAD,
HSIN-TIEN CITY, TAIPEI, TAIWAN, R.O.C.
Tel: (02)8665-9969 Fax: (02)8665-3838
Date: MAR 20th 2002

[pdf] Confidentiality Request Letter

Request for confidentiality letter Altrusty Enterprise Co Ltd CT68TX Universal Replacement Remote Control OAVCT68TX ct68tx

...
lang:en score:19 filesize: 69.35 K page_count: 2 document date: 2002-03-20

ALTRUSTY ENTERPRISE CO., LTD.
#FLOOR, #EY, #EY #LANE 235 SHAU CHAU ROAD, Hsin-Tien City, Taipei, Taiwan, R.O.C.
TEL: 886-2-8665-9969 FAX: 886-2-8665-3838 E-Mail: altrusty@ms16.hinet.net

Federal Communications Commission

Dear Sir:

We, the undersigned, hereby authorize ELECTRONICS TESTING CENTER, TAIWAN to act on our behalf in all matters relating to application for Model: CT-67, FCC ID No. OAVCT67TX authorization, including the signing of all documents relating to these matters. Any and all acts carried out by ELECTRONICS TESTING CENTER, TAIWAN TESTING LAB on our behalf shall have the same effect as acts of our own.

The applicant certifies that in the case of an individual applicant (e.g., corporation), no party to the applicant is subject to a denial of federal benefits, that includes FCC benefits pursuant to section 531 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. 862. For a definition of a "party," for these purposes See 47 C.F.R. 1.2001(b).

By: Claire Chiu By: Claire Chiu
Title: President
Applicant: ALTRUSTY ENTERPRISE CO., LTD.
Address: 4th FLOOR, NO. 1, ALLEY 16, LANE 235 SHAU CHAU ROAD,
HSIN-TIEN CITY, TAIPEI, TAIWAN, R.O.C.
Tel: (02)8665-9969 Fax: (02)8665-3838
Date: MAR 20th 2002

[pdf] Confidentiality Request Letter


Rquest for confidentiality letter Altrusty Enterprise Co Ltd CT67TX Universal Replacement Remote Control OAVCT67TX ct67tx

...
lang:en score:19 filesize: 135.42 K page_count: 2 document date: 2002-03-20



[pdf] Instructions Datasheet

SMART TV REPLACEMENT Superior Electronics TELEFUNKEN® Data sheet telefunken Remote control instructions guarantee READY TO USE SUITABLE FOR ALL COMPATIBLE CON ORIGINAL FUNCTIONS TVs AND No programming necessary Universal replacement remote for all Telefunken® AMSTRAD AUTOVOX BLOOM BLUESKY CLATRONIC CRANKER DIGIHOME DIGIQUEST DIKOM EUROVISION FENNER CONTENT BLISTER All mentioned product names logos and brands are property of their respective owners Telefunken Replacement Smart Sheet EN filename* UTF 8 superior electronics website 398 datasheet 25776 smart data en DATA SHEET: TELEFUNKEN SMART TV REPLACEMENT SUPERIOR ELECTRONICS LARGO LANCIANI, 24 - 00162 ROMA TELEFUNKEN SMART TV REPLACEMENT SUITABLE FOR ALL COMPATIBLE CON TELEFUNKEN AMSTRAD AUTOVOX BLOOM BLUESKY CLATRONIC CRANKER DIGIHOME DIGIQUEST DIKOM EUROVISION FENNER FERGUSON FINLUX FIRST LINE ... lang:en score:19 filesize: 546.6 K page_count: 1 document date: 2019-09-26



[pdf] Product Photos Teardown

02E0458 D Universal Replacement Remote Control Athena Internal Photos Altrusty Enterprise Co Ltd AR88TX OAVAR88TX ar88tx Internal of EUT Report Number: 02E0458-D September 24, 2002 Page 12 Rev. 00 Report Number: 02E0458-D September 24, 2002 Page 13 Rev. 00 ... lang:en score:18 filesize: 535.27 K page_count: 2 document date: 2002-09-27



[pdf] Product Photos

02E0457 D Universal Replacement Remote Control Athena External Photos Altrusty Enterprise Co Ltd AR99TX OAVAR99TX ar99tx External of EUT Report Number: 02E0457-D September 23, 2002 Page 11 Rev. 00 ... lang:en score:18 filesize: 241.66 K page_count: 1 document date: 2002-09-27

lang:en score:18 filesize: 534.03 K page count: 1 document date: 2018-11-30

From: Sarah [csarah@cclab.com.tw]
Sent: Friday, October 01, 2002 12:33 AM
To: MikeKuo@CCSEMC.com
Subject: FW: ALTRUSTY ENTERPRISE CO., LTD., FCC ID:OAVAR99TX, AN02T2265

Dear Mike,

Regarding the AN02T2265 question please see attached reply file .

Regards,
Sarah

----- Original Message -----
From: "Mike Kuo" <mikekuo@ccsemc.com>
To: "Sarah Kuo (E-mail)" <csarah@cclab.com.tw>, <james@cclab.com.tw>
Cc: "MikeKuo@CCSEMC.com" <MikeKuo@CCSEMC.com>
Sent: Thursday, September 12, 2002 9:48 AM
Subject: FW: ALTRUSTY ENTERPRISE CO., LTD., FCC ID:OAVAR99TX, AN02T2265

>
>
> -----Original Message-----
> From: CCSEMC
> Sent: Friday, September 17, 2002 4:43 PM
> To: mikes@ccsemc.com
> Subject: ALTRUSTY ENTERPRISE CO., LTD., FCC ID:OAVAR99TX, AN02T2265
>
>
> Re:air_question
> -----
> Question #1: Page 2 of test report indicates this device is Security
> Equipment (Supplemental Radiated 1 and 100-1200 MHz Radioregulation
> device). Does your test method demonstrate this device should be a
> transmitter. Please make necessary correction.
>
> Question #2: Page 2 bottom portion, is mentioned Compliance Engineering
> Service, Inc. Has this test report is prepared by C & I Laboratory Co.,
> Ltd.? Please explain.
>
> Question #3: What is instrument setting RBW? For radiated emission
> below 100K.
>
> Best Regards
>
> Mike Kuo, FCC Certified
> The items indicated above must be submitted before processing can continue
> on the above referenced application. Failure to provide the requested
> information within 45 days of the original e-mail date may result in:
> application disapproval and forfeiture of the filing fee. Also, please note
> that partial responses (inclosure processing time and should not be
> submitted.
> Any questions about the content of this correspondence should be directed
> to

[pdf] Declaration of Conformity Test Report

Microsoft Word 274290 DOC Administrator TCB Q and A Altrusty Enterprise Co Ltd AR99TX Universal

Replacement Remote Control OAVAR99TX ar99tx

From: Sarah csarah cclab.com.tw Sent: Tuesday, October 01, 2002 12:33 AM To: MikeKuo CCSEMC.com Subject: FW: ALTRUSTY ENTERPRISE CO., LTD., FCC ID:OAVAR99TX, AN02T2265 Dear Mike, Regarding the AN02T2265 question please see attached reply file . Regards, Sarah ----- Original Message ---From: Mike... lang:en score:18 filesize: 39.82 K page_count: 2 document date: 2002-10-03

Report Number: 02E0458-D
September 14, 2002

8. RADIATED EMISSION LIMITS

GENERAL REQUIREMENTS	SECTION 15.209
RESTRICTED BANDS OF OPERATION	SECTION 15.205
PERIODIC OPERATION IN THE BAND 40.66 -40.70 MHz AND ABOVE 70 MHz.	SECTION 15.231

9. SYSTEM TEST CONFIGURATION

Use a block of foam and combined it with EUT wrapping rubber band around it. This way it can test X, Y, and Z axis. To activate continuous transmission, place a small plastic block between rubber band and EUT push button.



Radiated Open Site Test Setup

Page 6
Rev. 00

[pdf] Product Photos

02E0458 D Universal Replacement Remote Control Athena Test Setup Photos Altrusty Enterprise Co Ltd AR88TX OAVAR88TX ar88tx

Report Number: 02E0458-D September 24, 2002 8. RADIATED EMISSION LIMITS GENERAL REQUIREMENTS RESTRICTED BANDS OF OPERATION PERIODIC OPERATION IN THE BAND 40.66 -40.70 MHz AND ABOVE 70 MHz. SECTION 15.209 SECTION 15.205 SECTION 15.231 9. SYSTEM TEST CONFIGURATION Use a block of foam and combined ...

lang:nl score:18 filesize: 41.88 K page_count: 1 document date: 2002-10-03

Report Number: 02E0457-D
September 23, 2002

8. RADIATED EMISSION LIMITS

GENERAL REQUIREMENTS	SECTION 15.209
RESTRICTED BANDS OF OPERATION	SECTION 15.205
PERIODIC OPERATION IN THE BAND 40.66 -40.70 MHz AND ABOVE 70 MHz.	SECTION 15.231

9. SYSTEM TEST CONFIGURATION

Use a block of foam and combined it with EUT wrapping rubber band around it. This way it can test X, Y, and Z axis. To activate continuous transmission, place a small plastic block between rubber band and EUT push button.



Radiated Open Site Test Setup


Page 6
Rev. 00

[pdf] Product Photos

02E0457 D Universal Replacement Remote Control Athena Test Setup Photos Altrusty Enterprise Co Ltd AR99TX OAVAR99TX ar99tx

Report Number: 02E0457-D September 23, 2002 8. RADIATED EMISSION LIMITS GENERAL REQUIREMENTS RESTRICTED BANDS OF OPERATION PERIODIC OPERATION IN THE BAND 40.66 -40.70 MHz AND ABOVE 70 MHz. SECTION 15.209 SECTION 15.205 SECTION 15.231 9. SYSTEM TEST CONFIGURATION Use a block of foam and combined ...

lang:nl score:18 filesize: 42.21 K page_count: 1 document date: 2002-09-27




[\[pdf\]](#) Diagram

4 Athena Schematic Diagram Altrusty Enterprise Co Ltd AR99TX Universal Replacement Remote Control OAVAR99TX ar99tx

...

lang:nl **score:17** filesize: 219.23 K page_count: 1 document date: 2002-09-27




[\[pdf\]](#)

2 Athena Operational Description Altrusty Enterprise Co Ltd AR99TX Universal Replacement Remote Control OAVAR99TX ar99tx

...

lang:nl **score:17** filesize: 87.85 K page_count: 1 document date: 2002-09-27




[\[pdf\]](#)

6 Athena Operational Description Altrusty Enterprise Co Ltd AR88TX Universal Replacement Remote Control OAVAR88TX ar88tx

...

lang:nl **score:17** filesize: 92.73 K page_count: 1 document date: 2002-09-27




[\[pdf\]](#) Diagram

3 Athena Block Diagram Altrusty Enterprise Co Ltd AR99TX Universal Replacement Remote Control OAVAR99TX ar99tx

...

lang:nl **score:17** filesize: 614.28 K page_count: 1 document date: 2002-09-27




[\[pdf\]](#) Diagram

7 Athena Block diagram Altrusty Enterprise Co Ltd AR88TX Universal Replacement Remote Control OAVAR88TX ar88tx

...

lang:nl **score:17** filesize: 549.61 K page_count: 1 document date: 2002-09-27



[\[pdf\]](#) Diagram

8 Athena Schematic Diagram Altrusty Enterprise Co Ltd AR88TX Universal Replacement Remote Control OAVAR88TX ar88tx

...


lang:nl **score:17** filesize: 219.42 K page_count: 1 document date: 2002-09-27



[pdf] Declaration of Conformity Label

FCC IDLAB doc Athena ID label format and location Altrusty Enterprise Co Ltd AR99TX Universal Replacement Remote Control OAVAR99TX ar99tx


FCC ID LABEL FORMAT AND LOCATION Applicant: ALTRUSTY ENTERPRISE CO., LTD. FCC ID: OAVAR99TX FCC ID: OAVAR99TX This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: 1 This device may not cause harmful interference, and 2 this device must accept ...
lang:nl score:17 filesize: 38.04 K page_count: 1 document date: 2002-09-27



[pdf] Declaration of Conformity Label

FCC IDLAB doc Athena ID label format and location Altrusty Enterprise Co Ltd AR88TX Universal Replacement Remote Control OAVAR88TX ar88tx


FCC ID LABEL FORMAT AND LOCATION Applicant: ALTRUSTY ENTERPRISE CO., LTD. FCC ID: OAVAR88TX FCC ID: OAVAR88TX This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: 1 This device may not cause harmful interference, and 2 this device must accept ...
lang:nl score:17 filesize: 37.2 K page_count: 1 document date: 2002-09-27



[pdf] Declaration of Conformity

Microsoft Word Dismiss FCC doc mkuo CRN 5828 Request the Commission to dismiss application Altrusty Enterprise Co Ltd CT68TX Universal Replacement Remote Control OAVCT68TX ct68tx

...
lang:nl score:16 filesize: 59.2 K page_count: 1 document date: 2003-06-19



[pdf] Declaration of Conformity

Microsoft Word Dismiss FCC doc mkuo CRN 5829 Request the Commission to dismiss application Altrusy Enterprise Co Ltd CT67TX Universal Replacement Remote Control OAVCT67TX ct67tx

...

lang:nl score:16 filesize: 58.27 K page_count: 1 document date: 2003-06-19



[pdf] User Manual Troubleshooting Guide Warranty

Manual SRP4419V 37Philips 4 Device Universal Vizio Replacement Remote Black JascoManual 37byjasco cdn shop files 37 v 13367222587694479246 |||

Home power SRP4419V/27 User manual v1 05/20 Table of Contents

Introduction..... 14 Congratulations on your purchase of this Philips **Universal Replacement Remote Control**. Designed primarily for Vizio devices, this universal remote in...

lang:en score:15 filesize: 553.6 K page_count: 31 document date: 2020-06-05



[\[pdf\]](#) User Manual Troubleshooting Guide Warranty

Manual SRP4319S 27 b1629629 63b5 4fb5 aca5 6a4f0f856857Philips 4 Device Universal Samsung Replacement Remote Black JascoManual 6a4f0f856857byjasco cdn shop files 6a4f0f856857 v 3512170168283554467 |||

Home power SRP4319S/27 User manual v1 05/20 Table of Contents

Introduction..... 14 Congratulations on your purchase of this Philips **Universal Replacement Remote Control**. Designed primarily for Samsung devices, this universal remote ...

lang:en score:14 filesize: 516.98 K page_count: 31 document date: 2020-06-05

SUPERIOR REPLACEMENT RC for Philips TVs DATA SHEET



CODE: SUP034
BARCODE: 8054242080346
TYPE: Universal Ready-to-Use Remote Control
ITEM: Replacement universal RC for Philips TVs - 57 Keys
DESCRIPTION: Universal remote control for all Philips TVs produced after year 2000. Ready to use, no programming necessary. 4 All standard & advanced functions and keys of your original remote control are included. Soft large keypad.

EXTRA: 4 different memory banks will turn your new remote control immediately suitable for any Philips TV produced after year 2000.

FEATURES:

SETUP: Ready to use, just place the batteries, select the memory and use it with your Philips TV.

BATTERIES: 2x1.5V - AAA (not included)

BLISTER: Universal Replacement Remote Control for CONTENT: Philips TVs, Instructions and 2 years warranty.

PACKAGE: ABS/PC Carton with 4 inner boxes (X10pcs boxes inside each carton)

DIMENSIONS: 60 X 35 X 32,5 cm
WEIGHT: 7 Kg



Music for your business



[\[pdf\]](#) Instructions Datasheet Dimension Guide Warranty

Replacement Philips DataSheet ENG Superior EN superior electronics 80 en file replacement philips datasheet wpdmdl 3101 es 3105

SUPERIOR REPLACEMENT RC for Philips TVs DATA SHEET CODE: SUP034

BARCODE: 8054242080346 TYPE: Unive ... , select the memory and use it with your Philips Tv. BATTERIES: 2x1,5V - AAA not included BLISTER **Universal Replacement Remote Control** for CONTENT: Philips TVs, Instructions and 2 years warranty. PA...

lang:en score:12 filesize: 189.26 K page_count: 1 document date: 2017-01-23



CODE: SUP033
BARCODE: 8054242080259
TYPE: Universal Ready-to-Use Remote Control
ITEM: Replacement universal RC for Sony TVs - 57 Keys
DESCRIPTION: Universal remote control for all Sony TVs produced after year 2000. Ready to use, no programming necessary. All standard & advanced functions and keys of your original remote control are included. Soft large keypad.

EXTRA: Special IR transmission that makes your new remote control immediately suitable for any Sony TV produced after year 2000.

FEATURES:

SETUP: Ready to use, just place the batteries and use it with your Sony TV.

BATTERIES: 2x1.5V - AAA (not included)

BLISTER: Universal Replacement Remote Control for CONTENT: Sony TVs, Instructions and 2 years warranty.

PACKAGE: ABS/PC Carton with 4 inner boxes (X10pcs boxes inside each carton)

DIMENSIONS: 60 X 35 X 32,5 cm
WEIGHT: 7 Kg



Music for your business



[\[pdf\]](#) Instructions Datasheet Dimension Guide Warranty

Replacement Sony DataSheet ENG superior electronics 80 en file replacement sony datasheet eng wpdmdl 7534

DATA SHEET: SUPERIOR REPLACEMENT RC FOR SONY TVS SUPERIOR SRL LARGO LANCIANI 24, 00162 ROMA CODE: SU ... st place the batteries and use it with your Sony Tv. BATTERIES: 2x1,5V - AAA not included BLISTER **Universal Replacement Remote Control** for CONTENT: Sony TVs, Instructions and 2 years warranty. PACKA...

lang:en score:12 filesize: 240.74 K page_count: 1 document date: 2017-03-09



[\[pdf\]](#) Instructions Datasheet Dimension Guide Warranty

Replacement Sony DataSheet ENG SonySmart 3D superior electronics 80 en file replacement sony datasheet eng 2 wpdmdl 7994

DATA SHEET: SUPERIOR REPLACEMENT RC FOR SONY TVS SUPERIOR SRL LARGO LANCIANI 24, 00162 ROMA CODE: SU ... st place the batteries and use it with your Sony Tv. BATTERIES: 2x1,5V - AAA not included BLISTER **Universal Replacement Remote Control** for CONTENT: Sony TVs, Instructions and 2 years warranty. PACKA...

lang:en score:12 filesize: 206.13 K page_count: 1 document date: 2017-02-07



[\[pdf\]](#) Instructions Datasheet Dimension Guide Warranty

Replacement Sony DataSheet ENG Data sheet EN SUPERIOR Universālā TV pults televizoriem ražotiem pēc 2000 g ar 3D vadību Superior LEMONA Smart Sheet lemona It Files Instrukcijas Pdf |||

DATA SHEET: SUPERIOR REPLACEMENT RC FOR SONY TVS SUPERIOR ELECTRONICS LARGO LANCIANI 24, 00162 ROMA ... st place the batteries and use it with your Sony Tv. BATTERIES: 2x1,5V - AAA not included BLISTER **Universal Replacement Remote Control** for CONTENT: Sony TVs, Instructions and 2 years warranty. PACKA...

lang:en score:12 filesize: 241.05 K page_count: 1 document date: 2017-05-02



[\[pdf\]](#) Instructions Datasheet Dimension Guide Warranty

Replacement Philips DataSheet ENG superior electronics 80 en file replacement philips datasheet eng wpdmdl 7546

DATA SHEET: SUPERIOR REPLACEMENT RC FOR PHILIPS TVS SUPERIOR SRL LARGO LANCIANI 24, 00162 ROMA CODE: ... , select the memory and use it with your Philips Tv. BATTERIES: 2x1,5V - AAA not included BLISTER **Universal Replacement Remote Control** for CONTENT: Philips TVs, Instructions and 2 years warranty. PA...

lang:en score:12 filesize: 258.88 K page_count: 1 document date: 2017-03-09



[\[pdf\]](#) Instructions Datasheet Dimension Guide Warranty

Replacement Philips DataSheet ENG Data sheet EN SUPERIOR Universâlă TV pults televizoriem

ražotiem pēc 2000 g ar 3D vadību Superior LEMONA Smart Sheet lemona It Files Instrukcijas Pdf |||

DATA SHEET: SUPERIOR REPLACEMENT RC FOR PHILIPS TVS SUPERIOR ELECTRONICS LARGO LANCIANI 24, 00162 RO ... , select the memory and use it with your Philips Tv. BATTERIES: 2x1,5V - AAA not included BLISTER **Universal Replacement Remote Control** for CONTENT: Philips TVs, Instructions and 2 years warranty. PA...

lang:en **score:12** filesize: 257.68 K page_count: 1 document date: 2017-05-02



[\[pdf\]](#) Datasheet Dimension Guide

Ready5 Smart Extended EN Schede tecniche Superior Electronics superior electronics website 398

datasheet 33876 ready5 smart extended en |||

DATASHEET: READY 5 SMART EXTENDED SUPERIOR ELECTRONICS LARGO LANCIANI, 24 - 00162 ROME UNIVERSAL FOR ALL LG SONY SAMSUNG PANASONIC PHILIPS TVs / SMART TVs READY TO USE Universal replacement remote control. No programming necessary. All functions PRONTO ALL USO Telecomando di ricambio. Non richiede ...

lang:en **score:12** filesize: 243.51 K page_count: 1 document date: 2022-02-18




[\[pdf\]](#) Datasheet

Grundig Smart datasheet IT superior electronics website 398 25708 grundig smart it |||

SCHEDA TECNICA: GRUNDIG SMART TV REPLACEMENT SUPERIOR ELECTRONICS LARGO LANCIANI, 24 - 00162 ROMA GRUNDIG SMART TV REPLACEMENT READY TO USE Universal replacement remote control for all Grundig TVs No programming necessary PRONTO ALL USO Telecomando di ricambio universale: sostituisce il vostro tel...

lang:it **score:12** filesize: 552.25 K page_count: 1 document date: 2018-11-30



[\[pdf\]](#) Datasheet

Ready5 Smart Extended IT Schede tecniche Superior Electronics superior electronics website 398 datasheet 33875 ready5 smart extended it |||

SCHEDA TECNICA: READY 5 SMART EXTENDED SUPERIOR ELECTRONICS LARGO LANCIANI, 24 - 00162 ROMA UNIVERSAL FOR ALL LG SONY SAMSUNG PANASONIC PHILIPS TVs / SMART TVs READY TO USE Universal replacement remote control. No programming necessary. All functions PRONTO ALL USO Telecomando di ricambio. Non rich...

lang:it **score:12** filesize: 244 K page_count: 1 document date: 2022-02-18



[\[pdf\]](#) Datasheet

ready5 smart replacement engeosat fr WebRoot LaPoste Shops box89369 180411 631F 6084 5593 C019 29EC 0A0C 0710 58A0 en |||

DATA SHEET: READY 5 SMART REPLACEMENT SUPERIOR ELECTRONICS LARGO LANCIANI, 24 - 00162 ROMA READY 5 SMART REPLACEMENT LG, SAMSUNG, SONY, PHILIPS, PANASONIC UNIVERSAL FOR ALL PER TUTTE LE TV LG SONY SAMSUNG PANASONIC PHILIPS TV / SMART TV Universal replacement remote control. No programming necessar...

lang:en **score:12** filesize: 655.58 K page_count: 1 document date: 2019-05-28




[\[pdf\]](#) Datasheet

Telefunken Replacement Smart Data Sheet IT superior electronics website 398 datasheet 25766 telefunken replacement smart data sheet it

SCHEDA TECNICA: TELEFUNKEN SMART TV REPLACEMENT SUPERIOR ELECTRONICS LARGO LANCIANI, 24 - 00162 ROMA TELEFUNKEN SMART TV REPLACEMENT SUITABLE FOR ALL COMPATIBILE CON TELEFUNKEN AMSTRAD AUTOVOX BLOOM BLUESKY CLATRONIC CRANKER DIGIHOME DIGIQUEST DIKOM EUROVISION FENNER FERGUSON FINLUX FIRST L...

lang:it **score:12** filesize: 547 K page_count: 1 document date: 2019-09-26



[\[pdf\]](#)

How do i change the battery in my bose wave radio Basil Gutmann 60268057835 irp cdn multiscreensite
4d6b5787 files uploaded |||

How do i change the battery in my bose wave radio How do i reset my bose radio.

How to change batte ... f automatically after 20 minutes without interaction. Is there a
replacement for the Bose remote . **Universal Replacement Remote Control** for
Bose Wave Sound Touch Music Radio System I II III IV Witho...

lang:en score:11 filesize: 198.77 K page_count: 2 document date: 2023-07-19