

VIVOSUN HR-0003B

VIVOSUN Outdoor Handrail Instruction Manual

Model: HR-0003B (5 Steps, Vertical Curve)

1. INTRODUCTION

Thank you for choosing the VIVOSUN Outdoor Handrail. This manual provides essential information for the safe and correct assembly, installation, and maintenance of your new handrail. Please read these instructions thoroughly before beginning installation to ensure proper setup and long-term performance.

This handrail is designed to provide stable support for outdoor steps, enhancing safety and accessibility for various users, including the elderly and children. Its robust iron construction and powder-coated finish ensure durability in diverse weather conditions.

2. SAFETY INFORMATION

- Always wear appropriate safety gear, including gloves and eye protection, during assembly and installation.
- Ensure all components are present and undamaged before starting assembly. Do not use damaged parts.
- Verify the mounting surface is structurally sound and capable of supporting the handrail and anticipated loads.
- Use the correct tools for installation. If drilling into concrete, use a hammer drill and appropriate masonry bits.
- Keep children and pets away from the work area during installation.
- Periodically inspect the handrail for loose fasteners or signs of wear and tear. Tighten or replace components as needed.

3. PACKAGE CONTENTS

Please verify that all the following components are included in your package:

- Handrail Assembly (Main Railing and Balusters)
- Mounting Hardware (Expansion bolts, screws, washers)
- Allen Wrenches (for assembly)

- Base Covers



Image: Overview of the VIVOSUN Outdoor Handrail and its included hardware components.

4. SPECIFICATIONS

Attribute	Detail
Brand	VIVOSUN
Model Number	HR-0003B
Material	Iron
Product Dimensions	69"L x 36"W
Style	Vertical Curve (5 Steps)
Finish Type	Powder Coated
Adjustable Angle	0-45 Degrees
Weight Capacity	Minimum 250 Pounds
Item Weight	27.9 pounds

Mounting Type

Wall Mount (for base plates)

Product Specifications

- Name: Five Steps Outdoor Handrails
- Material: Premium Iron
- Adjustable Angle: 0-45 Degrees
- Product Size: 69" x 36"





Image: Detailed product specifications and dimensions.

5. SETUP AND INSTALLATION

The VIVOSUN Outdoor Handrail is designed for straightforward installation. Follow these steps carefully:

Tools Required (Not Included):

- Drill (Hammer drill recommended for concrete)
- 3/8" Drill Bit (for concrete/masonry)
- Measuring Tape
- Pencil or Marker
- Wrench (for tightening bolts)

Installation Steps:

1. **Assemble the Handrail:** Connect the main railing sections and balusters using the provided screws and Allen wrenches. Ensure all connections are secure.

- Position and Mark:** Place the assembled handrail in the desired position on your steps. Ensure it is level and at the correct angle (adjustable from 0-45 degrees). Use a pencil or marker to mark the drilling points through the base plates onto the mounting surface.

Secure the screws using a wrench.

Attach the base cover to hide the fasteners.

Specifications

Name: Five Steps Outdoor Handrails

Material: Premium Iron

Adjustable Angle: 0-45 Degrees




Diagram illustrating the dimensions and components of the handrail system. The handrail is shown installed on a set of steps. Key dimensions include: 13" top rail width, 58" total length, 45° angle, 25" baluster spacing, 69" height, 5" base plate offset, 36" total height, and 40" step width.

Image: Marking the installation points.

- Drill Holes:** Using a 3/8" drill bit, drill holes at the marked positions. For concrete steps, a hammer drill is recommended. Ensure the holes are drilled to an appropriate depth for the expansion bolts.

Product Size: 69" x 36"





Diagram illustrating the minimum width requirements for the handrail installation: Min. Width 46" and Min. Width 62".

Four photographs showing the handrail installed on different types of steps: brick, stone, concrete, and wood.

Image: Drilling the mounting holes.

- Insert and Tighten Fasteners:** Insert the expansion bolts into the drilled holes. Place the handrail over the bolts, aligning the base plates. Use a wrench to securely tighten all screws and bolts. Ensure the handrail is firmly attached and does not wobble.



Image: Securing the handrail.

- Attach Base Covers:** Once the handrail is securely mounted, place the decorative base covers over the fasteners to conceal them and provide a finished look.



Image: Attaching base covers.

6. OPERATION

The VIVOSUN Outdoor Handrail is designed to provide a stable and secure grip for users ascending or descending stairs. Simply grasp the handrail firmly for support. Its ergonomic design and sturdy construction ensure reliable assistance, especially in challenging weather conditions such as rain or ice.



Image: Handrail providing reliable safety on outdoor steps.

7. MAINTENANCE

To ensure the longevity and appearance of your VIVOSUN Outdoor Handrail, follow these simple maintenance guidelines:

- **Cleaning:** The handrail's powder-coated finish makes it easy to clean. Wipe it down periodically with a damp cloth and mild soap. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Inspection:** Regularly inspect all mounting points and connections for tightness. Re-tighten any loose screws or bolts to maintain stability.
- **Damage Check:** Check for any signs of rust, scratches, or discoloration. While the powder coating is designed to resist these, prompt attention to any damage can prevent further deterioration. Touch-up paint can be used for minor scratches.
- **Seasonal Care:** During winter months or periods of heavy precipitation, ensure snow and ice are cleared from the handrail and surrounding steps to prevent accumulation and maintain accessibility.



Image: Durable material construction for long-lasting performance.

8. TROUBLESHOOTING

If you encounter any issues with your VIVOSUN Outdoor Handrail, consider the following common solutions:

- **Handrail feels wobbly:**

- Ensure all mounting bolts are fully tightened.
- Verify that the mounting surface is solid and not compromised.
- Check if the handrail sections are securely connected.
- **Difficulty adjusting angle:**
 - Loosen the adjustment bolts slightly before attempting to change the angle.
 - Ensure no debris is obstructing the adjustment mechanism.
- **Scratches on finish:**
 - Minor scratches can often be touched up with black outdoor-grade paint.

If problems persist, please contact VIVOSUN customer support for further assistance.

9. WARRANTY AND SUPPORT

VIVOSUN stands behind the quality of its products. For specific warranty details, please refer to the warranty card included with your purchase or visit the official VIVOSUN website. For technical support, replacement parts, or any other inquiries, please contact VIVOSUN customer service through their official channels.

Contact Information: Please refer to the VIVOSUN official website or product packaging for the most current customer support contact details.