Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

onerbl PS1L-A29018-2

onerbl 29V AC/DC Adapter Instruction Manual

Model: PS1L-A29018-2

Introduction

This manual provides essential instructions for the safe and efficient use of your onerbl 29V AC/DC Adapter. This adapter is designed to be compatible with Leggett & Platt 50 Series wired adjustable beds and Richmat PS1L-A29018-2 power supplies. Please read this manual thoroughly before installation and operation.

Safety Information

- Ensure the adapter is used with compatible devices only. Refer to the specifications section for details.
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to strong impacts.
- Do not attempt to open or repair the adapter. Refer servicing to qualified personnel.
- Unplug the adapter from the power outlet when not in use for extended periods.
- Keep out of reach of children.



The adapter features built-in protections against short-circuit, over-voltage, and over-current to ensure electrical safety.

Setup

1. **Verify Compatibility:** Before connecting, ensure your device requires a 29V DC input and has a compatible 2-prong connector. This adapter is specifically designed for Leggett & Platt 50 Series adjustable beds and Richmat PS1L-A29018-2 power supplies.
2. **Connect the Power Cord:** Insert the 2-prong end of the AC power cord into the adapter's AC input port.



The detachable AC power cord connects to the adapter.

3. **Connect to Device:** Plug the DC output connector of the adapter into the corresponding power input port on your adjustable bed or compatible device.
4. **Connect to Power Outlet:** Insert the standard 2-prong plug of the AC power cord into a grounded electrical wall

outlet (AC 100-240V, 50/60Hz).



Proper connection of the adapter to a wall outlet and the device.

5. **Power On:** Once connected, your device should receive power. Some adapters may have an indicator light to show power status.

Operating Instructions

The onerbl 29V AC/DC Adapter operates automatically once connected to a power source and a compatible device. It provides a stable 29V DC output for your adjustable bed or other compatible equipment.

- Ensure all connections are secure before operating your device.
- If the adapter has an LED indicator, it will typically illuminate when power is supplied.
- The adapter is designed for continuous use within its specified operating parameters.

Maintenance

Proper maintenance ensures the longevity and safe operation of your adapter.

- **Cleaning:** Disconnect the adapter from the power outlet and the device before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** Store the adapter in a cool, dry place away from direct sunlight and extreme temperatures when not in use. Avoid coiling the cables too tightly.
- **Inspection:** Periodically inspect the adapter and cables for any signs of damage, such as frayed wires, cracks, or loose connections. If damage is found, discontinue use and replace the adapter.



The adapter features durable construction with quality components like copper wiring for reliability.

Troubleshooting

If you encounter issues with your onerbl 29V AC/DC Adapter, please refer to the following common solutions:

- **No Power to Device:**
  - Ensure the adapter is securely plugged into a working wall outlet.
  - Verify that the DC output connector is firmly inserted into your device's power input.
  - Check if the wall outlet is functional by plugging in another appliance.
  - Inspect the adapter and cables for any visible damage.
- **Device Not Functioning Correctly:**
  - Confirm that your device's power requirements match the adapter's output specifications (29V DC, 1.8A).
  - Ensure the adapter is not overheating. Disconnect it and allow it to cool if it feels excessively hot.
- **Adapter Overheating:**
  - Ensure the adapter is in a well-ventilated area and not covered.
  - Verify that the connected device is not drawing more power than the adapter is rated for.
  - If overheating persists, discontinue use and contact support.

Specifications

Feature	Description
Model Number	PS1L-A29018-2
Input Voltage	AC 100-240V, 50/60Hz
Output Voltage	DC 29V
Output Current	1.8A
Output Power	52.2W
Plug Format	Type A (US Standard)
Color	Black
Protections	Over Voltage Protection, Over Heat Protection, Short-Circuit Protection, Over-Current Protection
Cable Length	Approximately 127.8 inches (3.25 meters) total



Detailed dimensions and cable length of the adapter.



The extended cord design provides flexibility in placement.

Warranty and Support

For warranty information and customer support, please refer to the documentation provided with your purchase or contact the seller directly. Keep your purchase receipt for warranty claims.
Manufacturer: Shenzhen Waweis Technology Co., Ltd
Brand: onerbl

© 2023 onerbl. All rights reserved.
This manual is for informational purposes only. Specifications are subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CPPPPFJ1

More documents and user manuals: **https://manuals.plus/**