

[Manuals.plus](#) /

› [ADECAB](#) /

› ADECAB 59" Acrylic Freestanding Bathtub Instruction Manual

ADECAB AD-6250

ADECAB 59" Acrylic Freestanding Bathtub Instruction Manual

Model: AD-6250 | Brand: ADECAB

1. PRODUCT OVERVIEW

The ADECAB 59" Acrylic Freestanding Bathtub is designed to provide a luxurious and comfortable bathing experience. This soaking tub features a classic oval design with soft curves, ergonomic lumbar support, and an integrated overflow and drain system. Constructed from 100% acrylic thickening material reinforced with resin and fiberglass, it offers durability, strength, and excellent thermal insulation to keep bath water warm for extended periods. The surface is dirt, scratch, corrosion, and rust resistant, ensuring a long-lasting high-gloss finish.



Image: The ADECAB 59-inch freestanding bathtub, showcasing its elegant design and gloss white finish within a contemporary bathroom environment.

2. SETUP AND INSTALLATION

Proper installation is crucial for the optimal performance and longevity of your freestanding bathtub. It is highly recommended to have this product installed by a qualified professional plumber.

2.1 Package Contents

Before beginning installation, verify that all components are present in the package:

- 1 x ADECAB 59" Freestanding Bathtub
- 1 x Drain Pop-up Assembly
- 1 x Specification Manual (Installation Guide)

Note: A pipe for connection is not included and must be purchased separately.

What a product contains



Image: An illustration detailing the contents of the product package, including the bathtub, specification manual, and highlighting that the connecting pipe is not supplied.

2.2 Installation Steps

For detailed, step-by-step installation instructions, please refer to the official Installation Manual provided with your product. A digital version of the installation guide is also available for download:

[Download Installation Manual \(PDF\)](#)

Key considerations during installation include:

- **Leveling:** Ensure the bathtub is perfectly level to allow for proper drainage.
- **Drain Connection:** Securely connect the drain assembly to your plumbing system, ensuring all seals are watertight.
- **Stability:** Confirm the bathtub is stable and does not rock after placement.



Image: A technical diagram illustrating the precise dimensions of the 59-inch freestanding bathtub, including length, width, and height measurements.

3. OPERATING INSTRUCTIONS

Your ADECAB freestanding bathtub is designed for comfort and relaxation. Follow these guidelines for optimal use:

3.1 Filling the Bathtub

Ensure the drain pop-up assembly is closed before filling the tub. The tub has an effective soaking capacity of 57.2 gallons and a water depth of 17 inches, providing a deep and immersive bathing experience.

ERGONOMIC AND COMFY
DLIVERING UNPARALLELED BATHING
FITS YOUR BODY, LUXURY SOAK



Image: A visual representation of the bathtub's ergonomic design, demonstrating how it comfortably supports the body for a relaxing soak.

3.2 Thermal Insulation

The double-walled construction with fiberglass and resin reinforcement provides superior thermal insulation, helping to maintain the water temperature for longer periods. This allows for extended, warm baths.

SAFE AND SMOOTH CURVED EDGE



Image: A diagram illustrating the bathtub's advanced thermal insulation, which helps retain water temperature for a longer, more enjoyable bath.

3.3 Drain Operation

The integrated toe-tap drain allows for easy opening and closing. Simply press the drain cover with your foot to open or close it.

4. MAINTENANCE AND CARE

To ensure your ADECAB bathtub remains in pristine condition and provides years of enjoyment, follow these maintenance guidelines:

4.1 Cleaning the Bathtub

The acrylic surface is designed to be dirt, scratch, corrosion, and rust resistant, making it easy to clean. For daily cleaning, simply use water, a mild shower gel, and a soft rag. Avoid abrasive cleaners, harsh chemicals, or scouring

pads, as these can damage the surface.

SIZE&DIMENSION




Image: A visual guide demonstrating the ease of cleaning the bathtub's smooth acrylic surface with a soft cloth and mild cleaning solution.

4.2 Preventing Fading and Yellowing

The bathtub's 100% fade-resistant acrylic surface is engineered to maintain its gloss white appearance over time, resisting yellowing and discoloration common with other materials.



**YOUR PRIVATE BATH
SPACIOUS SPACE** ★



COMFORTABLE ★
ERGONOMIC DESIGN

Image: A comparative illustration highlighting the superior fade and yellowing resistance of the ADECAB bathtub's acrylic material compared to conventional tubs.

4.3 Material Composition

The bathtub is constructed with multiple layers for enhanced durability and performance:

- **100% Fade-Resistant Acrylic Surface Layer:** Provides a smooth, high-gloss, and easy-to-clean finish.
- **Resin Reinforcement Layer:** Adds strength and rigidity to the structure.
- **Fiberglass Reinforcement Layer:** Further enhances structural integrity and load-bearing capacity.



Detail Show

- STRENGTH UPGRADE
- NOT EASY TO DEFORMATION




Image: A detailed cross-section diagram illustrating the multi-layered construction of the bathtub, including the acrylic surface, resin, and fiberglass reinforcement layers.

5. TROUBLESHOOTING

While your ADECAB bathtub is built for durability, occasional issues may arise. Here are some common concerns and general advice:

5.1 Leaks

If you notice any leaks, first check the drain assembly and plumbing connections. Ensure all connections are tight and properly sealed. Leaks often occur due to improper installation of the drain or P-trap. If the leak persists, contact a qualified plumber.

5.2 Surface Scratches or Damage

Minor surface scratches on acrylic can sometimes be buffed out with a non-abrasive acrylic polish. For deeper

scratches or cracks, professional repair may be necessary. Avoid dropping heavy objects into the tub.

5.3 Water Draining Slowly

A slow-draining tub typically indicates a clog in the drain or plumbing. Remove the drain cover and clear any visible debris. If the issue persists, a plumbing snake or professional drain cleaning may be required.

For any issues not resolved by these steps, please contact ADECAB customer service for assistance.

6. SPECIFICATIONS

Detailed specifications for the ADECAB 59" Acrylic Freestanding Bathtub (Model AD-6250):

Feature	Specification
Model Number	AD-6250
ASIN	B0CPSCZR45
UPC	764773123280
Color	Gloss White
Material	Acrylic, Fiberglass, Resin
Product Dimensions (L x W x H)	59"L x 31"W x 23"H
Item Weight (empty)	88 Pounds (112.4 Lbs for effective soaker tub)
Installation Type	Freestanding
Effective Soaker Tub Capacity	57.2 Gallons
Water Depth	17 inches
Load Capacity of Bathtub	820-1300 Lbs
Shape	Oval
Certifications	cUPC Certified

7. WARRANTY AND SUPPORT

ADECAB stands behind the quality of its products. Your soaking bathtub comes with a comprehensive warranty and dedicated customer support.

7.1 Warranty Information

ADECAB provides a **10-year warranty service** for defective products from the date of purchase. This warranty covers manufacturing defects and ensures your product meets quality standards.

7.2 Customer Support

If you encounter any issues, have questions about installation, operation, or maintenance, or need to claim warranty service, please contact ADECAB customer service. Our team is committed to resolving your problems within 24 hours and providing a satisfactory solution, including exchanges or refunds for eligible defective products.

For more information or to contact support, please visit the official ADECAB store or refer to the contact details provided in your product's specification manual.

[Visit the ADECAB Store on Amazon](#)