

VEVOR BA2-306010-MB

VEVOR 13x25 Inch Double Layer Black Stainless Steel Shower Niche

Model: BA2-306010-MB | Brand: VEVOR

1. PRODUCT OVERVIEW

The VEVOR 13x25 inch double layer black stainless steel shower niche is designed to provide convenient, recessed storage in bathrooms and other areas. Constructed from high-quality 304 stainless steel, it offers durability, rust resistance, and a sleek appearance. Its waterproof design and sloped interior promote efficient drainage and easy cleaning.

Key Features:

- **100% Sealed Waterproofing:** Features X-line precision machine bending and full welding for a seamless, waterproof surface, protecting walls from moisture.
- **High-Quality 304 Stainless Steel:** Resistant to rust, fading, and corrosion, ensuring long-term performance in humid environments. Includes pre-fixed perforated shelves to prevent water residue.
- **92° Inner Corner Design:** A slight slope facilitates rapid drainage, reducing water pooling and making cleaning easier.
- **Versatile Application:** Suitable for bathrooms, cabinets, shelves, kitchens, and more, offering flexible storage solutions.




Figure 1: VEVOR 13x25 Inch Double Layer Black Stainless Steel Shower Niche.

2. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- 1 x VEVOR 13x25 Inch Double Layer Black Stainless Steel Shower Niche
- 1 x Foam Double-Sided Adhesive Tape (78.74 inches/2 meters long, 0.16 inches/4mm thick, 0.39 inches/10mm wide)
- 1 x Installation Warning Sticker



Item Model Number: **BA2-306010-MB**

Operating Temperature Range: **0-104°F / 0-40°C**

Item Dimensions: **4x13x25 inches / 10x33.02x63.5 cm**

Layers: **Double-layer**

Material: **304 Stainless Steel**

Color: **Black**

Item Weight: **7.19 lbs / 3.26 kg**

Figure 2: Dimensions and included accessories for the shower niche.

3. SPECIFICATIONS

Feature	Detail
Model Number	BA2-306010-MB
Material	304 Stainless Steel
Color	Black
Finish	Polished
Product Dimensions (D x W x H)	4" x 13" x 25" (10 x 33.02 x 63.5 cm)
Number of Shelves	2 (Double Layer)
Item Weight	7.19 lbs (3.26 kg)
Installation Type	Wall Mount, Recessed

Feature	Detail
Special Feature	Weather Resistant, Waterproof, 92° Sloped Drip Edge
Operating Temperature Range	0-104°F / 0-40°C
UPC	197988557913

4. INSTALLATION INSTRUCTIONS

This shower niche is designed for easy, tile-free installation. It can be installed horizontally or vertically.


Required Tools (Not Included):

- Measuring tape
- Pencil or marker
- Utility knife or saw (for cutting drywall/backer board)
- Waterproof sealant (e.g., silicone caulk)
- Caulking gun


Installation Steps:

1. **Step 1: Determine Height and Mark.** Choose the desired installation height for the shower niche. Using a measuring tape and pencil, draw a horizontal line on the base layer (e.g., drywall or cement board) where the top or bottom edge of the niche will sit. Ensure the marked area is free of studs or plumbing.
2. **Step 2: Cut Opening.** Carefully cut along the marked lines to create an opening in the wall. Remove the cut-out section of the base layer. The opening should match the outer dimensions of the niche.
3. **Step 3: Secure Niche.** Apply a continuous bead of waterproof sealant around the perimeter of the niche's flange. Insert the niche into the prepared wall opening. Press firmly to ensure good adhesion. Secure the niche to the wall studs using appropriate fasteners (not included) if necessary, or rely on the adhesive tape and sealant for a secure fit.
4. **Step 4: Seal Seams.** Apply waterproof sealant to all seams around the niche's flange where it meets the wall. This creates a watertight seal, preventing moisture penetration. Allow the sealant to cure completely according to the manufacturer's instructions before proceeding with tiling or finishing the wall.


4-STEP QUICK INSTALLATION



Step 1 : Measure and mark the desired height on the base.



Step 2 : Cut along the marked line and remove the top layer.



Step 3 : Secure the niche to the studs with waterproof sealant.



Step 4 : Apply mortar and tile the niche.

- **Install Horizontally or Vertically**
- **With Foam Double-Sided Tape for Easy Mounting**
- **Cost-Efficient, No Tile Required**
- **Complimentary Warning Sticker for Safety Reminders**

Figure 3: Visual representation of the 4-step installation process.

PRECISION-CRAFTED 92° CORNER INNOVATION

Eliminates Corner Water Accumulation



Figure 4: The 92-degree sloped corner design facilitates water drainage.

5. OPERATION AND USAGE

Once installed, the VEVOR shower niche provides a convenient and organized space for storing various items. The double-layer design allows for separation of items, such as shampoo, conditioner, soap, and other toiletries.

Recommended Uses:

- Shower storage for shampoo, soap, and toiletries.
- Recessed shelving in bathrooms, kitchens, or other rooms.
- Decorative display niche.

ENDLESS POSSIBILITIES

Tailored For Diverse Niche Applications



Figure 5: The shower niche can be used in various applications beyond the bathroom.

6. MAINTENANCE

To ensure the longevity and appearance of your VEVOR shower niche, follow these simple maintenance guidelines:

- **Regular Cleaning:** Wipe the surface with a damp cloth to remove soap scum, water spots, and general grime. For stubborn stains, a mild, non-abrasive cleaner designed for stainless steel can be used.
- **Avoid Abrasives:** Do not use abrasive cleaners, scouring pads, or harsh chemicals, as these can scratch the polished finish and damage the stainless steel.
- **Dry After Use:** While the niche is designed for drainage, wiping it dry after each use can help prevent water spot buildup and maintain its pristine appearance.
- **Check Sealant:** Periodically inspect the waterproof sealant around the niche's edges for any signs of wear, cracking, or deterioration. Reapply sealant as needed to maintain a watertight barrier.

7. TROUBLESHOOTING

If you encounter any issues with your VEVOR shower niche, consider the following:

- **Water Accumulation:** Ensure the niche is installed correctly with the 92° sloped drip edge facing

downwards to facilitate drainage. Verify that the wall behind the niche is properly sealed and waterproofed.

- **Loose Installation:** If the niche feels loose, inspect the sealant and fasteners. Reapply sealant or add additional fasteners if necessary to secure it firmly to the studs.
- **Rust or Discoloration:** While made of 304 stainless steel, prolonged exposure to harsh chemicals or abrasive cleaning agents can affect the finish. Refer to the maintenance section for proper cleaning. If rust appears, it may be surface rust from external sources; clean immediately with a stainless steel cleaner.

For further assistance, please contact VEVOR customer support.

8. WARRANTY AND SUPPORT

VEVOR products are manufactured to high-quality standards and are backed by a manufacturer's warranty. For specific warranty details, product support, or to report any issues, please refer to the warranty information provided with your purchase or visit the official VEVOR website.

VEVOR Customer Service: Please visit www.vevor.com for contact information and support resources.