

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [WUPRO](#) /

› [WUPRO LeApex Series 72-inch Electric Retractable Projector Screen User Manual](#)

WUPRO LeApex Series 72-inch

WUPRO LeApex Series 72-inch Electric Retractable Projector Screen User Manual

Model: LeApex Series 72-inch | Brand: WUPRO

1. INTRODUCTION

This manual provides essential information for the safe and efficient operation of your WUPRO LeApex Series 72-inch Electric Retractable Projector Screen. Please read this manual thoroughly before installation and use, and retain it for future reference.

2. SAFETY INFORMATION

Observe the following safety precautions to prevent damage to the product or injury to yourself:

- Ensure the power supply matches the screen's requirements before connecting.
- Do not attempt to disassemble or repair the screen yourself. Contact qualified service personnel.
- Keep the screen away from water, moisture, and direct heat sources.
- Avoid placing heavy objects on the screen casing.
- Ensure proper ventilation around the motor housing.

3. PACKAGE CONTENTS

Verify that all items are present in the package:

- WUPRO LeApex Series Electric Retractable Projector Screen
- Remote Control
- USB Trigger (Complimentary)
- Power Cable
- User Manual

4. SPECIFICATIONS

The WUPRO LeApex Series 72-inch Electric Retractable Projector Screen offers advanced features for an optimal viewing experience.

4.1 General Specifications

- **Screen Type:** Electric Retractable Floor Rising Screen
- **Diagonal Size:** 72 inches (16:9 aspect ratio)
- **Screen Material:** White Matt (MAT-PVC)
- **Gain:** 1.2
- **Thickness:** 0.4mm
- **Viewing Angle:** 160°
- **Color:** White Front, Black Rear
- **Projection Mode:** Front Projection
- **Recommended Environment:** Dark Environment
- **Connectivity:** USB (for trigger)
- **Display Resolution Support:** Up to 3840 x 2160 (4K)
- **Item Weight:** Approximately 42.2 pounds

4.2 Dimensions


Refer to the diagram and table below for detailed dimensions of the 72-inch model and other available sizes.

PARAMETERS

WUPRO[®]Cinema

LeApex Smart Motorized Floor Rising Screen

- Standard Throw



Diag. Size	L	H(max)	W	h1	h2(max)	h3	w1	w2	w3	N.W.(kg)	G.w.(kg)	Package Size
72" 16:9	1777	1321	1669	112	300	890	230	149	1590	16.5	19.2	250*180*1855
84" 16:9	2047	1531	1939	112	350	1050	230	149	1860	19	22.5	250*180*2125
92" 16:9	2222	1626	2114	112	350	1145	230	149	2035	21	24.8	250*180*2300
100" 16:9	2397	1776	2289	112	400	1245	230	149	2210	22	25.5	250*180*2475
110" 16:9	2622	1851	2514	112	350	1370	230	149	2435	23	27	250*180*2700
120" 16:9	2847	1975	2739	112	350	1494	230	149	2657	25	29.5	250*180*2925
133" 16:9	3132	2118	3024	112	330	1657	230	149	2945	28	32	250*180*3210
150" 16:9	3507	2118	3399	112	120	1867	230	149	3320	31	35	250*180*3585

Image Description: A detailed diagram showing the dimensions (L, H, W, h1, h2, h3, w1, w2, w3) and a table listing various diagonal sizes (72" to 150") with corresponding net weight, gross weight, and package sizes for the LeApex Smart Motorized Floor Rising Screen.

PARAMETERS
LeApex Smart Motorized Floor Rising Screen
 - Standard Throw

Diag. Size	L	H(max)	W	h1	h2(max)	h3	w1	w2	w3	N.W.(kg)	G.w.(kg)	Package Size
72" 16:9	1777	1321	1669	112	300	890	230	149	1590	16.5	19.2	250*180*1855
84" 16:9	2047	1531	1939	112	350	1050	230	149	1860	19	22.5	250*180*2125
92" 16:9	2222	1626	2114	112	350	1145	230	149	2035	21	24.8	250*180*2300
100" 16:9	2397	1776	2289	112	400	1245	230	149	2210	22	25.5	250*180*2475
110" 16:9	2622	1851	2514	112	350	1370	230	149	2435	23	27	250*180*2700
120" 16:9	2847	1975	2739	112	350	1494	230	149	2657	25	29.5	250*180*2925
133" 16:9	3132	2118	3024	112	330	1657	230	149	2945	28	32	250*180*3210
150" 16:9	3507	2118	3399	112	120	1867	230	149	3320	31	35	250*180*3585

Image Description: An alternative view of the technical specifications and dimensions table for the WUPRO LeApex Smart Motorized Floor Rising Screen, providing measurements for various screen sizes.

4.3 Screen Material Comparison

The LeApex series offers various screen materials to suit different viewing preferences and environments.

VARIOUS MATERIALS AND VARIOUS EXPERIENCES

Different materials will have different visual experience, if you need special materials, please contact customer service



Image Description: This image illustrates the visual characteristics of different screen materials available for WUPRO projectors, including White Matt for high brightness, Black Crystal for enhanced contrast, Gray Fabric for improved contrast and level, and Gray Crystal for more realistic colors.

5. SETUP AND INSTALLATION

The WUPRO LeApex Series screen is designed for versatile installation options.

5.1 Placement Options

This screen is compatible with floor, wall, cabinet, or recessed mounting. Ensure the chosen location provides adequate space for the screen's dimensions and allows for proper projection distance from your projector.



Image Description: The WUPRO LeApex Series 72-inch Electric Retractable Projector Screen in its fully extended position, showcasing the white matte projection surface and the sleek base unit.

5.2 Connecting Power

Connect the provided power cable to the screen's power input port, located on the side of the base unit. Ensure the power outlet is easily accessible.



Image Description: Detail view of the screen's control panel, featuring the power input port and manual control buttons for screen operation.

5.3 Mobility and Handling

The screen base features hidden handles for easier and safer movement. When relocating the screen, ensure it is fully retracted and use the handles to lift and carry.



Image Description: This image highlights the new design of bilateral hidden handles on the screen's base, intended to make

movement safer, lighter, and quicker.

6. OPERATING INSTRUCTIONS

Control your WUPRO projector screen using the integrated control panel, remote control, or smart synchronization features.

6.1 Control Methods

The screen can be operated via the control panel on the base unit or the included remote control. The remote control allows for pairing, transmitter button reversal, upper and lower limit settings, and a reset function.



Image Description: This image displays the two primary control methods for the screen: the physical control panel on the base unit and the wireless remote control, detailing their respective functions.

6.2 Automatic Leveling System

The screen features an automatic leveling system. When the screen reaches its maximum height during deployment, it will descend approximately 5 cm. This is normal operational behavior.

6.3 Smart Control with USB Trigger

Utilize the complimentary USB trigger for smart control, allowing synchronization with your projector and voice functions. Connect the USB trigger to a compatible port on your projector.



Image Description: This image illustrates the complimentary USB trigger, which enables one-touch synchronization for a seamless home cinema experience.




Image Description: A smartphone screen showing a voice assistant command 'OK, opening the Wupro Cinema Screen,' indicating smart home integration and voice control capabilities for the projector screen.

6.4 Projector Compatibility

The White Matt screen is universally compatible with long-throw, short-throw, and ultra-short-throw projectors. It is ideal for use in low light and dark environments.



Image Description: This image demonstrates the universal compatibility of the White Matt/Gray Fabric screen with different types of projectors, including long-throw, short-throw, and ultra-short-throw models.

7. MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your projector screen.

- **Cleaning the Screen Surface:** Gently wipe the screen surface with a soft, damp cloth. Do not use abrasive cleaners or harsh chemicals, as these can damage the screen material.
- **Cleaning the Casing:** Use a dry, soft cloth to clean the exterior casing.
- **Wrinkles:** Some screens may develop creases during use. This is normal and usually reduces gradually. The screen features an elastic support rod and flexible tension cords to maintain a naturally taut and wrinkle-free surface.



Image Description: This diagram illustrates the internal elastic support rod and flexible tension cords that work to ensure the screen lifts smoothly and maintains a naturally taut, wrinkle-free projection surface.

8. TROUBLESHOOTING

If you encounter issues with your WUPRO projector screen, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Screen does not extend/retract	No power; Remote control battery low; Limit settings incorrect	Check power connection; Replace remote batteries; Reset limit settings using the remote control.
Screen stops prematurely	Upper/lower limit settings are incorrect	Adjust the upper or lower limit settings using the remote control.
Wrinkles on screen surface	Normal during initial use; Environmental factors	Minor creases usually reduce gradually over time. Ensure proper room temperature and humidity.
USB trigger not working	Incorrect connection; Projector not compatible	Ensure USB trigger is fully inserted into a compatible projector port. Consult projector manual for USB trigger compatibility.

9. WARRANTY AND SUPPORT

WUPRO products are manufactured to high-quality standards. For warranty information, technical support, or service inquiries, please contact WUPRO customer service through the retailer where the product was purchased or visit the official WUPRO website.

Please retain your proof of purchase for warranty claims.