

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [CASR](#) /

› [CASR Glow LED Helmet User Manual for Bicycle and Scooter](#)

## CASR Glow

# CASR Glow LED Helmet User Manual

Model: Glow | Brand: CASR

## 1. INTRODUCTION

Thank you for choosing the CASR Glow LED Helmet. This manual provides essential information for the safe and effective use, setup, operation, and maintenance of your helmet. Please read this manual thoroughly before first use and retain it for future reference.

## 2. PRODUCT OVERVIEW

The CASR Glow LED Helmet is designed for enhanced visibility and comfort during cycling and scooter use. It features an integrated 180° LED rear light with turn signals, controlled by a wireless remote. The helmet includes an XL transparent visor for eye protection and removable earmuffs for comfort in varying weather conditions. A magnetic fastening system ensures quick and secure attachment.



Image 2.1: Front view of the CASR Glow LED Helmet with its remote control.

### 3. SAFETY INFORMATION

---

- Always wear your helmet correctly fitted and securely fastened.
- Ensure the helmet fits snugly and does not obstruct your vision.
- The LED lights enhance visibility but are not a substitute for safe riding practices or awareness of your surroundings.
- Regularly inspect the helmet for any signs of damage. If damaged, replace the helmet immediately.
- Do not modify the helmet or its components.
- Clean the helmet only with mild soap and water. Harsh chemicals can damage the materials.

### 4. PACKAGE CONTENTS

---

Verify that all items are present in the package:

- CASR Glow LED Helmet (Anthracite Matte, Size L)

- Wireless Remote Control
- XL Transparent Visor
- Pair of Removable Earmuffs
- Detachable Chin Protector
- USB Charging Cable (for helmet LED)



Image 4.1: View of the CASR Glow LED Helmet packaging, showing the helmet and its components.

## 5. SETUP

### 5.1. Helmet Fitting

Proper fit is crucial for safety. The helmet should sit level on your head, covering your forehead. The straps should form a 'V' shape under your ears, and the chin strap should be snug but comfortable.

1. **Adjusting the Dial:** Use the adjustment dial at the back of the helmet to achieve a snug fit around your head.
2. **Strap Adjustment:** Adjust the side straps to ensure they meet just below your earlobes.
3. **Magnetic Fastening:** Secure the chin strap using the magnetic buckle. Ensure it is tight enough so the helmet does not move excessively when you shake your head, but not so tight as to cause discomfort.



Image 5.1: Size guide for CASR Glow helmets, indicating head circumference for Medium (55-58 cm) and Large (58-61 cm).

## 5.2. Attaching the Visor

The XL transparent visor attaches to the helmet via designated slots. Align the visor's attachment points with the helmet's slots and press firmly until it clicks into place. Ensure it is securely fastened before riding.

## 5.3. Attaching/Removing Earmuffs and Chin Protector

The earmuffs and chin protector are detachable for seasonal comfort. They typically attach with snaps or hook-and-loop fasteners inside the helmet. To attach, align and press firmly. To remove, gently pull them away from their attachment points.



### ACCESSOIRES DÉTACHABLES *Removable Accessories*



### CLIP FERMETURE MAGNETIQUE *Magnetic Fastening Clip*



### MATÉRIAUX RÉSISTANTS *Robust Materials*



Image 5.2: Detachable accessories including the visor and earmuffs, alongside the magnetic fastening clip.

## 5.4. Charging the LED System

The helmet's rear LED light is rechargeable. Locate the charging port (usually at the back of the helmet) and connect it to a USB power source using the provided USB cable. The indicator light will show charging status (e.g., red for charging, green for fully charged). The remote control uses a replaceable button cell battery (type not specified, refer to remote for details).

## 6. OPERATING INSTRUCTIONS

### 6.1. Powering On/Off the LED Light

Press the central button on the remote control to turn the rear LED light on or off. The light will typically default to a steady mode upon activation.



Image 6.1: The CASR Glow LED Helmet's rear light illuminated in a dark environment.

## 6.2. Using Turn Signals

The remote control allows you to activate left and right turn signals. Mount the remote control on your handlebars for easy access.

- Press the **left arrow button** on the remote to activate the left turn signal.
- Press the **right arrow button** on the remote to activate the right turn signal.
- The turn signal will flash for a set duration or until you press the corresponding button again to deactivate it.

# INDIQUEZ OÙ VOUS ALLEZ !

## LED arrière clignotante contrôlée par une télécommande



Image 6.2: The CASR Glow LED Helmet's rear LED light displaying a turn signal, controlled by the remote.

### 6.3. Changing Light Modes

If your helmet supports multiple light modes (e.g., steady, flashing, pulsating), repeatedly press the central button on the remote control to cycle through the available modes.

### 6.4. Visor Adjustment

The visor can be adjusted up or down to suit your preference and riding conditions. Gently push or pull the visor to the desired position.

## 7. MAINTENANCE

### 7.1. Cleaning the Helmet

- **Exterior:** Wipe the helmet shell with a soft, damp cloth and mild soap. Rinse with clean water and air dry.
- **Interior Padding:** Remove the interior padding if possible and hand wash with mild soap. Air dry completely before reinserting.
- **Visor:** Clean the visor with a soft cloth and water. Avoid abrasive cleaners or cloths that could scratch the surface.

## 7.2. Battery Care

- Recharge the helmet's LED system regularly, especially if not used for extended periods.
- Replace the remote control battery when its performance diminishes.
- Do not expose batteries to extreme temperatures.

## 7.3. Storage

Store the helmet in a cool, dry place away from direct sunlight and extreme temperatures. Avoid placing heavy objects on the helmet.

## 8. TROUBLESHOOTING

- **LED Light Not Working:** Ensure the helmet's LED system is fully charged. If the issue persists, check if the remote control battery needs replacement or if the remote needs re-pairing with the helmet.
- **Remote Control Not Responding:** Replace the remote control battery. If still unresponsive, attempt to re-pair the remote with the helmet (refer to specific pairing instructions if provided with the product).
- **Helmet Feels Loose/Uncomfortable:** Re-adjust the rear dial and chin straps for a secure and comfortable fit. Refer to Section 5.1.
- **Visor Issues:** Ensure the visor is correctly attached and free from obstructions. Clean the visor if visibility is impaired.


## 9. SPECIFICATIONS

<b>Model</b>	Glow
<b>Brand</b>	CASR
<b>Model Number</b>	3662515038755
<b>Material (Shell)</b>	PC + EPS + POM
<b>Material (Exterior)</b>	Plastic
<b>Material (Interior)</b>	Foam
<b>Color</b>	Anthracite Matte (Gray)
<b>Size</b>	Large (Head circumference 58-61 cm)
<b>Special Features</b>	Integrated 180° LED Rear Light, Turn Signals, Remote Control, XL Visor, Removable Earmuffs, Magnetic Fastening
<b>Recommended Uses</b>	Cycling, Scooter Use

## 10. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation provided at the time of purchase or contact CASR customer service directly. Keep your proof of purchase for warranty claims.

## Related Documents - Glow

	<p><a href="#"><u>CASR HELMET STYLE User Guide - Cyclist and Skater Protection</u></a></p> <p>Comprehensive user guide for the CASR HELMET STYLE, providing instructions on usage, safety precautions, cleaning, and warranty information for cyclists, skateboarders, and roller skaters.</p>
 <p><b>Glow OS795 LED Tube Light - 60cm, 9W, 220V, Cold White</b> Model: OS795</p> <p>Dimensions: 1. Higher luminous efficacy, lower energy usage 2. Environment friendly, no mercury content 3. Suitable for indoor and outdoor use 4. Convenient design</p> <p>Specifications: Acute: 220V Lamp: 60cm Color: 6500K Power: 9W Lumen: 600LM Beam Angle: 120 degrees Light Color: 6500K Input Voltage: 220V AC Total Length: 60cm</p>	<p><a href="#"><u>Glow OS795 LED Tube Light - 60cm, 9W, 220V, Cold White</u></a></p> <p>Product overview and installation guide for the Glow OS795 LED Tube Light. Features include high luminous efficacy, energy efficiency, and mercury-free operation. Specifications cover power, lumen output, color temperature, and dimensions. Installation steps are provided.</p>
 <p><b>GLOW</b> BASTION CHIMNEA GLOW2417</p>	<p><a href="#"><u>Glow Bastion Chimenea GLOW2417: Outdoor Fire Pit User Manual &amp; Safety Guide</u></a></p> <p>Comprehensive instructions for the Glow Bastion Chimenea GLOW2417, covering pre-use preparation, safety guidelines, operation, maintenance, assembly, and fuel usage for outdoor use. Includes detailed diagrams and parts list.</p>
	<p><a href="#"><u>Glow EZ Lock Quick Softbox User Manual and Specifications</u></a></p> <p>Comprehensive guide to the Glow EZ Lock Quick Softbox, including setup instructions, features, specifications, and warranty information. Learn how to use this portable lighting modifier for studio and location photography.</p>
	<p><a href="#"><u>Glow EZ Lock Octa Quick Softbox User Guide and Specifications</u></a></p> <p>Detailed user guide for the Glow EZ Lock Octa Quick Softbox, covering setup instructions, features, included accessories, and technical specifications. Learn how to optimize your lighting with this versatile and portable softbox from Adorama Camera.</p>
 <p><b>Glow 3-in-1 15W MagClick Wireless Charging Stand Instruction Manual</b></p> <p>Instruction manual for the Glow 3-in-1 15W MagClick Wireless Charging Stand, detailing its functions, technical specifications, safety precautions, and FCC/IC compliance information.</p>	

## [\[pdf\] Dimension Guide Accessories Catalog](#)



CASR Mobility GLOW Helmet Visière Transparent Catalog copie 3662515038755 f 0 boulanger scene7 is content Boulanger |||

**HELMET GLOW CASQUE DE PROTECTION LED AVEC VISIRE TRANSPARENTE POUR CYCLISTES, UTILISATEURS DE PLANCHES ROULETTES, DE PATINS ROULETTES, ETC...** Copyrights Modelabs Mobiles, 2023. All rights reserved, tous droits réservés. Copie partielle ou complète interdites. CasR et Made For Xiaomi sont des marques ...

lang:fr score:24 filesize: 3.76 M page\_count: 5 document date: 2023-10-12



## [\[pdf\] Instructions](#)

deutsch български bâlgarskiGeneral Instructions Please read all instructions carefully before assembling and using the item Keep safety information assembly in 91IMgIZy9rLm media amazon images |

91IMgIZy9rL ref dp product quick view |||

deutsch: Sicherheitshinweise fr Teillartikel mit Artikelnummer 73395 Dieser Artikel ist ein Wanddekor ... rby, nie powinny by w rkach dzieci. Prosz trzyma z dala od niemowlt i malych dzieci Nie zaklada na **glow** Uwaga: ryzyko polknicia Ten produkt moe zawiera male czci, ktre mona polkn Trzymaj male czci...

lang:de score:21 filesize: 819.3 K page\_count: 17 document date: 2024-12-18




## [\[pdf\] User Manual](#)

Sony Playstation Manuals 35815 us Legacy of Kain Soul Reaver video games museum en manual Reaver |||

FHiySwtlen WARNING: READ BEFORE USING YOUR PLAYSTATION GAME CONSOLE A very small percentage of ind ... YIHlfITIDM featiie ontoff from the Options Menu See page 4 -m he sure the finding bill Inn is M **glowing** red in order to use the Left RnaiQQ Stick Setting Options Saving a Same 1. To open the ...

lang:en score:19 filesize: 2.51 M page\_count: 32 document date: 2018-12-15




### [\[pdf\] Guide](#)

DnD 5e Dungeon Masters Guide orkerhulen dk 5th

CREDITS D D Lead Designers: Mike Mearls , jeremy Crawford Dungeon Master s Guide Leads: Jeremy Craw ... Where a volcano stands on the Material Plane, a mountain topped with skyscrapersized crystals that **glow** with internal fire towers in the Feywild. A wide and muddy river on the Material Plane might be...

lang:de **score:18** filesize: 85.7 M page\_count: 320 document date: 2014-12-08




### [\[pdf\] User Manual Guide](#)

DD5e Dungeon Masters guide 1manual internal 2022 09 1 |||

CREDITS D D Lead Designers: Mike Mearls , jeremy Crawford Dungeon Master s Guide Leads: Jeremy Cr ... Where a volcano stands on the Material Plane, a mountain topped with skyscrapersized crystals that **glow** with internal fire towers in the Feywild. A wide and muddy river on the Material Plane might be...

lang:de **score:18** filesize: 85.7 M page\_count: 320 document date: 2014-12-08



### [\[pdf\] User Manual](#)

Lost Wax Casting A Practitioners Manual 1983 indianapolisunderground Blacksmithing |||

MICRMOEFTIICCEHE LIBRARY r , A .project of Volunteers in Asia Lost-Wax Castins. 9 by WiJburt Fkinbe ... Surface detail Fig. 47 Half-section through drums, showing brick-a - mortar base. 36 c COLOUR **GLow/HUES OF METALS AT VARIOUS DEGREES OF TEMPERATURE** J Colour Barely visible Visible r Dull r...

lang:en **score:17** filesize: 3.12 M page\_count: 78 document date: 2018-03-24




### [\[pdf\] Guide Catalog](#)

The magic wand and medical guide archive org details magicwandmedical00youn Young R F from old catalog |||

1 v.-, / -IJK- ov o V . sm - o .:k Va i or i THE AND i Containin ... persons to almost imagine that they are in a sea of bliss, where all trouble ceases, and the soul **glows** in eternal happiness. It strengthens the nerves, and cures timidity, as well as nervousness...

lang:en **score:16** filesize: 21.04 M page\_count: 338 document date: 2012-05-21



### [\[pdf\] User Manual Borchure](#)

OLDSMOBILE 3 speed manual Manual steering Transmisston a futly synchronized floer shift e Low friction manual Integr l body frame construction Front cradle Oldsmobile US ModelRange 1980 md auto brochures makes oldsmobile

THE OLDSMOBILE COMMITMENT ..to build one carriage in as nearly perfect a marmer as possible... ... ted significant improvements in diesel performance. FAST STARTS IN COLD WEATHER First, a remarkable **glow**-plug sysren dramatically reduces the cold start timefrom 60 seconds or more at 0 F for earlier...

lang:en **score:15** filesize: 8.8 M page\_count: 28 document date: 2008-10-22



### [\[pdf\] User Manual Guide](#)

v78 Exhibit 2113 Adobe Photoshop 5 0 User Guide 629 Part1 ptabdata blob core windows net files 2019 IPR2019 00629 |||

Adobe Photoshop S.O User Guide Windows/Macintosh Page 1 Adobe v. RAH Color Technologies IPR2019-0062 ... , and click the image in You can enhance any layer by adding a shadow, l the upper right corner. **glow**, bevel, or emboss special effect from the 9 Choose a font from the Font menu in the Type Tool ...

lang:en **score:14** filesize: 24.94 M page\_count: 287 document date: 2019-11-12



### [\[pdf\] User Manual Guide](#)

v74 Exhibit 2113 Adobe Photoshop 5 0 User Guide 646 Part1 ptabdata blob core windows net files 2019 IPR2019 00646 |||

Adobe Photoshop S.O User Guide Windows/Macintosh Page 1 Adobe v. RAH Color Technologies IPR2019-0064 ... , and click the image in You can enhance any layer by adding a shadow, l the upper right corner. **glow**, bevel, or emboss special effect from the 9 Choose a font from the Font menu in the Type Tool ...

lang:en **score:14** filesize: 24.94 M page\_count: 287 document date: 2019-11-12

## [pdf] User Manual Guide

Adobe Photoshop S.O User Guide Windows/Macintosh

Page 1 Adobe v. RAH Color Technologies IPR2019-00627 RAHCT 2113

v79 Exhibit 2113 Adobe Photoshop 5.0 User Guide 627 Part1 ptabdata blob core windows net files 2019 IPR2019 00627 |||

Adobe Photoshop S.O User Guide Windows/Macintosh Page 1 Adobe v. RAH Color Technologies IPR2019-00627 ... , and click the image in You can enhance any layer by adding a shadow, I the upper right corner. **glow**, bevel, or emboss special effect from the 9 Choose a font from the Font menu in the Type Tool ...

lang:en **score:14** filesize: 24.94 M page\_count: 287 document date: 2019-11-12

## [pdf] User Manual Dimension Guide

LPX 160 Gonstant Potential Spellman High Voltage This manual describes the LORAD LpX portable Industrial X ray Unit and contains crystal display LCD screens exposure control pushbutton LPX160 Service Manual spellmanhv media en Technical Resources Manuals |||


LPX-160 Gonstant Potential Industrial X-Ray System T.O. 3383-3 -31-11 MAN-00375 Revision 003 Servic ... N indicator is a light emitting diode LED array located next to the MAINS ON/OFF switch. This LED **glows** green when line power is applied to the system. 4.4.3 SAFETY Switch 3 The SAFETY switch, a t...

lang:en **score:14** filesize: 17.55 M page\_count: 143 document date: 2016-01-22

## [pdf] User Manual

entire manual Navy Radio Jun 30 2021 — essential to the functioning of By each advancement you increase your value in two ways First become more valuable rm32 10228g navy radio manuals Index ||| PREFACE This Rate Training Manual and Nonresident Career Course RTM/ NRCC form a self-study pa ... SUSC E PT ANC E A T R ES ON A N C E IIC R E C T I F I E R; V O L T A G E R E G U L A T O R s e e L A M P, **GLOW** T R A V E L I N G - W A V E T U B E typ; c a I F O R W A R D - W A V E T R A V E L I N G - W A V E - T U B E A M P...

lang:en **score:11** filesize: 39.38 M page\_count: 404 document date: 2015-01-19




### [\[pdf\] User Manual](#)

Wireless Experimenter s Manual Bucher 1920 mirror thelifeofkenneth sites americanradiohistory Archive Bookshelf Early Radio Technology |||

THE WIRELES S EXPERIMENTERS HANUA12 BY ELMER E. BUCHER, THE. WIRELESS EXPERIMENTERS HANUA12 BY ELM ... mmeter in the antenna circuit of the amateur transmitter. Resonance is indicate, I I ,y the maximum **glow** of a small incandescent lamp which is shunted by a variable inductance. RESONANCE INDICATOR.-To...


lang:en **score:11** filesize: 20.51 M page\_count: 366 document date: 2016-12-27



### [John F. Rider's Perpetual Trouble Shooter's Manuals: Radio & Electronics Service Guides](#)

Comprehensive collection of service manuals, schematics, and troubleshooting guides for vintage radio and electronic equipment from various manufacturers, published by John F. Rider.

lang:it **score:10** filesize: 12.85 M page\_count: 131 document date: 2016-07-11




### [\[pdf\] User Manual Owner's Manual Quick Start Guide Guide Accessories](#)

022RXS602 Yamaha RX S602 CRUTCHFIELD COM HNEWBERRY What you can do with the unit 9

Part names and functions 11 of front View accessories4less mas assets theme images manuals |||

YAMAHA AV Receiver RX-S602 Owner s Manual music -:::::- Casr This unit is a product for enjoyin ... asskey is required, enter the number 0000 . When the connection is established, the indicator will **glow** in the front display. 3 Select a song and start playback on the Bluetooth device. YAMAHA En 2...

lang:en **score:10** filesize: 18.48 M page\_count: 184 document date: 2019-08-13



[pdf]

10 août 2022 —

c news2732473898 audixtech upfiles

ADUpload |||


1005114 0286488058-259 ct.wu bsmi.gov.tw 0286489256 111810 11 ... 9 CNS

13783-1102 CNS 15663 5 102 111 6 0 0 0 0 0 2 TV SD 4-6mm CNS 60335-1 **Glow**

wire test 850/750 TV SD 3D IH 2021 TAIDM\_\_.mp4 3DIH .mp4 1. 2. 3. 15-20 3 1.

30.1 ...

lang:da **score:9** filesize: 2.35 M page\_count: 17 document date: 2022-08-10



[pdf] User Manual

Alpine VGA Family CL GD543X 4X Technical Reference Manual 4ed Feb95 bitsavers informatik uni stuttgart de components cirrusLogic graphics

CL-GD543X/ 4X Extended Video Modes Summary Mode VESA No. No. Colors 14,55 109 16/256K 54 1 ... , and made to strike a phosphor coating on the inside of an evacuated glass enclosure. The phosphor **glows** as a result of the energy imparted by the beam. By preCisely controlling the position and inte...

lang:en **score:9** filesize: 27.04 M page\_count: 700 document date: 2014-03-26