Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Redragon M916 PRO

Redragon M916 PRO 3-Mode Wireless Gaming Mouse

User Instruction Manual

1. Introduction

Thank you for choosing the Redragon M916 PRO 3-Mode Wireless Gaming Mouse. This ultra-lightweight gaming mouse is designed for precision and comfort, offering versatile connectivity options and customizable features to enhance your gaming and productivity. Please read this manual carefully to ensure proper setup and optimal performance.


REDRAGON

Figure 1: Redragon M916 PRO 3-Mode Wireless Gaming Mouse (Black)

2. Package Contents

- Redragon M916 PRO 3-Mode Wireless Gaming Mouse
- USB Nano Receiver (for 2.4GHz wireless mode)
- USB-C Charging Cable
- User Manual

3. Setup

3.1. Charging the Mouse

Before first use, it is recommended to fully charge the mouse. Connect the supplied USB-C cable to the mouse's charging port and the other end to a USB power source (e.g., computer USB port, USB wall adapter). The LED indicator will show charging status.



Figure 2: Mouse battery capacity and estimated usage time.

3.2. Connectivity Modes

The Redragon M916 PRO supports three connection modes:

- **2.4GHz Wireless Mode:** For high-performance gaming. Insert the USB Nano Receiver into an available USB port on your computer. The mouse will automatically connect.
- **Bluetooth (BT) Mode:** For efficiency and broader compatibility. Turn on Bluetooth on your device and put the mouse into Bluetooth pairing mode (refer to the mouse's physical switch or button combination for this). Select "Redragon M916 PRO" from your device's Bluetooth list to pair.
- **Wired Mode (USB-C):** For direct connection and charging. Connect the mouse to your computer using the USB-C cable. The mouse will function as a wired mouse and charge simultaneously.



Figure 3: Tri-Mode Silky Connection options.

4. Operating Instructions

4.1. DPI Adjustment

The mouse features 5 redefinable DPI levels (default: 1000/2000/4000/8000/26000). Use the dedicated DPI button (usually located behind the scroll wheel) to cycle through these settings. Each DPI level may be indicated by a different LED color or pattern (refer to software for customization).



Figure 4: DPI levels and their corresponding colors.

4.2. Programmable Buttons

The M916 PRO features 5 programmable buttons. These buttons can be customized using the Redragon dedicated software to assign tactical keybinds, macros, or multimedia functions.

4.3. Software Support

For advanced customization, including DPI options (50-26000), macro settings, and button remapping, download the Redragon dedicated software from the official Redragon website.



Figure 5: The mouse supports PRO Software for customization.

Your browser does not support the video tag.

Video 1: Official product video showcasing the Redragon M916 PRO 3-Mode Wireless Gaming Mouse features and design.

5. Maintenance

5.1. Cleaning

To maintain the mouse's performance and appearance, regularly clean its surface with a soft, dry cloth. For stubborn dirt, a slightly damp cloth can be used, ensuring no liquid enters the mouse. Avoid using harsh chemicals or abrasive materials.

5.2. Storage

When not in use for extended periods, store the mouse in a cool, dry place away from direct sunlight and extreme temperatures. Ensure the mouse is powered off to conserve battery life.

6. Troubleshooting

Problem	Possible Cause	Solution
Mouse not responding	Low battery; Incorrect connection mode; Receiver not plugged in (2.4GHz); Bluetooth not paired.	Charge the mouse; Ensure correct mode is selected (2.4GHz/BT/Wired); Re-insert USB receiver; Re-pair Bluetooth.
Lag or intermittent connection	Interference; Distance from receiver/device; Low battery.	Move closer to receiver/device; Remove sources of interference; Charge the mouse.
DPI not changing	DPI button malfunction; Software issue.	Ensure DPI button is clean; Reinstall mouse software.
Buttons not working as expected	Incorrect software settings; Button malfunction.	Check and reset button assignments in the software; Test buttons on another device.

7. Specifications

- **Model:** M916 PRO
- **Connectivity:** 3-Mode (2.4GHz Wireless, Bluetooth, USB-C Wired)
- **Sensor:** PAW 3395 Optical Sensor
- **DPI:** 50-26000 (Adjustable via software, 5 default levels)
- **Acceleration:** 50G Max ACC
- **IPS:** 650 Max IPS
- **Polling Rate:** 1K Hz (1000Hz)
- **Weight:** Approximately 49 grams
- **Battery:** 400mAh Lithium Polymer (Included)
- **Switch Type:** HUANO Switch (50 Million Clicks)
- **Dimensions:** 7.09 x 4.72 x 1.97 inches
- **Item Weight:** 1.73 ounces
- **Manufacturer:** Redragon
- **Country of Origin:** China

8. Warranty and Support

Redragon products are designed and manufactured to the highest quality standards. For warranty information, technical support, or further assistance, please visit the official Redragon website or contact their customer service. Keep your purchase receipt as proof of purchase for warranty claims.

Note: Product specifications and features are subject to change without prior notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CPXZHF8F

More documents and user manuals: **https://manuals.plus/**