

[Manuals.plus](#) /

> [Zejoot](#) /

> Zejoot 100 FT Sewer Jetter Kit Instruction Manual

## Zejoot Sewer Jetter Kit -004

# Zejoot 100 FT Sewer Jetter Kit

Model: Sewer Jetter Kit -004

Brand: Zejoot

## INTRODUCTION

---

Thank you for choosing the Zejoot 100 FT Sewer Jetter Kit. This kit is designed to provide an efficient and effective solution for clearing clogged drains and pipes using your pressure washer. It is suitable for various applications, including indoor and outdoor sewers, sinks, and toilets. This manual provides essential information on the kit's components, setup, operation, maintenance, and troubleshooting to ensure safe and optimal performance.

## PACKAGE CONTENTS

---

Please verify that all items listed below are included in your package:

- 1 x 100ft Sewer Jet Hose
- 1 x Button Nose Nozzle
- 1 x Rotating Sewer Nozzle
- 1 x Corner Sewer Nozzle
- 1 x Forward Jet and 6 Rear Jets Nozzle
- 1 x M22 Female to 1/4" Female NPT Coupler
- 1 x 1/4" Quick Connect Plug
- 1 x Waterproof Tape
- 2 x Spanners
- 1 x Box of Pearl Corsage Pins (for clearing nozzles)
- 1 x Handle Strap (for storage and carrying)



Image: All components included in the Zejoot 100 FT Sewer Jetter Kit.

## PRODUCT FEATURES

The Zejoot Sewer Jetter Kit is engineered with several features to enhance its performance and durability:


- **High-Quality Hose:** The 100ft hose is designed to withstand working pressures up to 5800 PSI. It features an inner thermoplastic polyester tubing reinforced with a 1/4" high-tenacity polyester braid, and an outer thermoplastic polyester tubing. These materials ensure resistance to sunlight, oils, ozone, and abrasion, contributing to a prolonged product lifespan.
- **Versatile Utility Tools:** The kit includes accessories to facilitate various cleaning tasks. It can be used for cleaning cars, motorcycles, driveways, roofs, bathrooms, toilets, kitchens, swimming pools, siding, windows, floors, and gutters.
- **Specialized Nozzles:** The kit comes with four distinct sewer jetting nozzles, each designed for specific cleaning needs:
  - *Button Nose Sewer Jet Nozzle:* Features a 0° front spray and three 33° rear jets for clearing clogs and flushing debris.
  - *Corner Sewer Jet Nozzle:* Designed with sideways spray and three 33° angled rear nozzles to clear clogs in pipe

corners.


- *Rotating Sewer Jet Nozzle*: Provides even cleaning with three backward rotating jets, ideal for clogged pipes.
- *Pointed Nozzle (1 Front, 6 Rear Jets)*: The front jet cuts through debris, while the six rear jets propel the nozzle forward and flush out materials.

- **Quick Connect Plug**: Includes an M22 female to 1/4" NPT quick connect plug for easy and secure attachment and detachment of the sewer jetter hose to compatible pressure washer pumps, lances, and nozzles.


## PRODUCT FEATURE



High Quality Materials



High Pressure



Complete Kit



Corrosion Resistance

**Length:** 100 Feet(blue)

**Connection:** 1/4 M-NPT

**Max working Pressure:** 5800 PSI

**Burst Pressure:** 11000 PSI

**Hose I.D/O.D:** 0.26"/0.48"

**Temperature Range:** -40°F/+210°F

Image: Illustration of the four different sewer jetting nozzles and their spray patterns.




Image: Diagram showing the hose connections and included accessories.

## SETUP

Follow these steps to set up your sewer jetter kit:

1. **Connect the Coupler:** Attach the M22 female to 1/4" NPT coupler to your pressure washer's outlet. Ensure it is securely tightened using one of the provided spanners.
2. **Attach the Hose:** Connect the 1/4" quick connect plug on the sewer jetter hose to the coupler. Ensure a firm connection.
3. **Select and Install Nozzle:** Choose the appropriate sewer jetting nozzle for your task. Apply the waterproof tape to the nozzle threads before screwing it onto the end of the sewer jetter hose. Tighten with a spanner to prevent water leakage.
4. **Prepare Pressure Washer:** Connect your pressure washer to a water source and power supply according to its manufacturer's instructions. Ensure the pressure washer is off before proceeding.



Image: Visual guide for connecting the kit components.

## OPERATING INSTRUCTIONS

Always wear appropriate safety gear, including eye protection and gloves, when operating the sewer jetter kit.

1. **Insert Hose:** Carefully feed the nozzle end of the sewer jetter hose into the drain or pipe you intend to clean. Push it as far as possible towards the clog before activating the pressure washer.
2. **Activate Pressure Washer:** Turn on your pressure washer. Slowly depress the trigger on your pressure washer gun to allow water to flow through the hose and nozzle.
3. **Advance the Hose:** The rear-facing jets on the nozzle will propel the hose forward. Guide the hose into the pipe, allowing the water pressure to break up and flush away blockages.
4. **Clear Clogs:** Move the hose back and forth slightly to ensure thorough cleaning. For stubborn clogs, you may need to retract the hose slightly and then re-advance it.
5. **Retract Hose:** Once the clog is cleared and the pipe is clean, slowly pull the hose out of the drain while maintaining water flow to flush out any remaining debris.

6. **Shut Down:** Release the pressure washer trigger, turn off the pressure washer, and disconnect the hose.



Outdoor Sewer



Indoor Sewer



Sink Sewer



Toilet Sewer

Image: Examples of where the sewer jetter kit can be used.



Image: Depiction of the nozzle clearing a clog inside a pipe.

## MAINTENANCE

---

Proper maintenance will extend the life of your sewer jetter kit:

- **Clean Nozzles:** After each use, inspect the nozzles for any debris or blockages. Use the provided pearl corsage pins to clear any clogged orifices in the nozzles.
- **Rinse Hose:** Rinse the sewer jetter hose thoroughly with clean water to remove any residue from the inside and outside.
- **Inspect for Damage:** Regularly check the hose for any signs of wear, cuts, or abrasions. Inspect all connectors and nozzles for damage or leaks. Replace any damaged components immediately.
- **Storage:** Coil the hose neatly and secure it with the handle strap for easy carrying and storage. Store the kit in a cool, dry place away from direct sunlight and extreme temperatures.

## TROUBLESHOOTING

---

If you encounter issues while using your sewer jetter kit, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No water flow or weak pressure from nozzle	Nozzle orifices are clogged; insufficient water supply to pressure washer; pressure washer malfunction.	Clear nozzle orifices with pearl corsage pin; ensure adequate water supply to pressure washer; check pressure washer manual for troubleshooting.
Water leakage at connections	Loose connections; worn O-rings; insufficient waterproof tape.	Tighten all connections with spanners; inspect and replace O-rings if damaged; reapply waterproof tape to threaded connections.
Hose not advancing in pipe	Nozzle clogged; severe blockage; incorrect nozzle for application.	Clear nozzle; try a different nozzle type (e.g., pointed nozzle for cutting); retract and re-advance hose; consider professional help for severe blockages.
Hose appears damaged	Abrasion from pipe edges; excessive bending; manufacturing defect.	Discontinue use immediately; inspect for cuts or bulges; replace hose if damaged to prevent rupture.

## SPECIFICATIONS

---

Key technical specifications for the Zejoot 100 FT Sewer Jetter Kit:

Specification	Value
Brand	Zejoot
Model Number	Sewer Jetter Kit -004
Color	Blue
Hose Length	100 Feet
Maximum Working Pressure	5800 PSI
Burst Pressure	11000 PSI
Hose Inside Diameter	0.24 Inches
Hose Outside Diameter	0.48 Inches
Nominal Wall Thickness	0.25 inches
Connection Type	1/4 Inch NPT
Temperature Range	-40°F to +210°F
Item Weight	6.34 pounds

# FOUR DIFFERENT SEWER NOZZLES




Image: Summary of product features and specifications.

## WARRANTY AND SUPPORT

For warranty information or technical support regarding your Zejoot Sewer Jetter Kit, please refer to the contact information provided with your purchase or visit the official Zejoot website. Keep your purchase receipt as proof of purchase for any warranty claims.