

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

› [COMOMY](#) /

› COMOMY 36" Extra Tall Baby Gate Instruction Manual - Model BG-43-92CMW

COMOMY BG-43-92CMW

COMOMY 36" Extra Tall Baby Gate Instruction Manual

Model: BG-43-92CMW

INTRODUCTION AND OVERVIEW

This manual provides essential information for the safe and effective installation, operation, and maintenance of your COMOMY 36" Extra Tall Baby Gate. Designed for versatility, this gate is suitable for stairs, doorways, and hallways, offering a secure barrier for children and pets. Please read all instructions carefully before assembly and use.

PRODUCT FEATURES

- **Extra Tall Design:** Standing at 36 inches tall, this gate is designed to prevent pets and children from climbing over.
- **Adjustable Width:** Fits openings from 29.5 inches to 43.3 inches wide, adaptable with included extensions.
- **Double Safety Lock:** Features a double-lock system to prevent accidental opening by toddlers.
- **Auto-Close Function:** The gate automatically closes when opened less than 90 degrees, ensuring constant security.
- **Dual-Direction Opening:** Gate swings open 180 degrees in both directions for convenient access.
- **Sturdy Construction:** Built with durable metal to withstand up to 100 lbs of force.
- **Easy Installation:** Offers both pressure-mounted (no tools/drilling required) and hardware-mounted options for versatile placement.



Figure 1: COMOMY 36" Extra Tall Baby Gate installed in a doorway.

Auto Close & Dual Direction Opening

Convenient access, No pinching



Figure 2: Auto-close and dual-direction opening features for convenient access and safety.

SETUP AND INSTALLATION

Before beginning installation, measure your opening to ensure proper fit. The gate is designed for openings between 29.5" and 43.3" wide. Do not cut the belt on the gate until installation is complete.

Included Components:

Fits Opening between 29.5" to 43.3"




Figure 3: Gate components and installation methods (Pressure Mounted and Hardware Mounted).

- Gate Door (x1)
- Extensions (x2)
- Y-Shape Tension Bolt (x2, optional for round banisters)
- Tension Bolt (x4)
- Wall Cup (x4)
- Screw (x4)
- Dry Wall Anchor (x4)
- Wrench (x1)

Method 1: Pressure Mounted Installation

1. Insert the 4 tension bolts into the 4 corners of the gate/extension.
2. Place the gate in the desired opening. Ensure the bottom of the gate frame is close to the floor and does not hang on the ground.
3. Rotate the tension bolts clockwise to tighten them against the walls. Adjust until the gap between the gate door and frame is approximately 0.078 inches (2mm).
4. Once the gate is securely installed and stable, cut the belt.

Method 2: Hardware Mounted Installation (for stairs)

For stairway installations, hardware mounting is recommended for added safety.

1. Pre-assemble the gate and position it in the desired location. Mark the four points for drilling where the wall cups will be placed.
2. Remove the gate. Drill pilot holes and insert dry wall anchors if needed.
3. Secure the wall cups with screws.
4. Re-insert the tension bolts into the gate and place the gate into the wall cups.
5. Tighten the tension bolts until the gate is secure and stable.
6. Once the gate is securely installed and stable, cut the belt.

Important: If the gate is used at the bottom of the stairs, it must be placed on the lowest stair. If used at the top of the stairs, it must be placed on any stair below the level of the top stair.

OPERATING INSTRUCTIONS

Opening the Gate:

1. Press the lower button first.
2. Then, lift the upper button/panel.
3. Push or pull the gate to open.



Figure 4: One-hand operation for easy passage.

Closing the Gate:

- Simply release the gate. If opened less than 90 degrees, it will automatically swing shut and latch.
- Ensure the gate is fully latched for maximum safety.

MAINTENANCE

Regular maintenance ensures the longevity and safety of your COMOMY Baby Gate.

- **Cleaning:** Wipe the gate regularly with a damp cloth and mild soap. Avoid abrasive cleaners or harsh chemicals that could damage the finish.

- **Inspection:** Periodically check all components, including tension bolts, locks, and hinges, to ensure they are secure and functioning correctly.
- **Tightening:** Re-tighten tension bolts as needed to maintain a secure fit, especially if the gate feels loose.

TROUBLESHOOTING

- **Gate feels loose:** Re-tighten all tension bolts until the gate is firmly secured in the opening. Ensure the gap between the gate door and frame is minimal (approx. 0.078 inches).
- **Gate does not auto-close/latch:** Check if the gate is installed correctly and is level. Ensure there are no obstructions preventing the gate from swinging freely. The auto-close function works when the gate is opened less than 90 degrees.
- **Difficulty opening the gate:** Ensure both the top and bottom buttons are pressed simultaneously as instructed.
- **Gate is too wide/narrow for opening:** Verify the correct extensions are used for your opening width. Refer to the installation diagrams for proper configuration.

SPECIFICATIONS

Feature	Detail
Brand Name	COMOMY
Model Number	BG-43-92CMW
Item Dimensions (W x H)	43.3"W x 36"H
Fits Openings	29.5" to 43.3" Wide
Item Weight	15.71 Pounds
Material Type	Metal
Color	White
Mounting Type	Pressure Mounted/Hardware Mounted
Target Species	Pets, Cats, Dogs, Baby, Child
Closure Type	Latch

WARRANTY AND SUPPORT

For any issues, questions, or warranty claims regarding your COMOMY 36" Extra Tall Baby Gate, please contact our dedicated customer service team. We are committed to providing a satisfactory response and solution. Please refer to your purchase documentation for specific warranty period details and contact information.