Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

onerbl S9512, MD98138, MD99200

Onerbl AC/DC Adapter Instruction Manual

For Medion Lifetab S9512, MD98138, MD99200 Tablet PCs

1. Introduction

This manual provides essential information for the safe and effective use of your Onerbl AC/DC Adapter. Please read these instructions carefully before using the product and retain them for future reference. This adapter is designed to provide power to compatible Medion Lifetab S9512, MD98138, and MD99200 Tablet PCs.

2. Safety Information

- Ensure the adapter is used with devices that match its voltage and current specifications.
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to strong impacts.
- Do not attempt to disassemble or modify the adapter. Refer servicing to qualified personnel.
- Keep the adapter away from children.
- Unplug the adapter from the power outlet when not in use for extended periods.
- If the adapter or cable is damaged, discontinue use immediately.



Image: The adapter features a smart chip providing multiple protections including short-circuit, over-voltage, and over-current protection for enhanced safety.

3. Product Overview

The Onerbl AC/DC Adapter is a high-quality replacement power supply designed for specific Medion Lifetab tablet models. It features a wide input voltage range for worldwide use and incorporates safety mechanisms to protect your device.

Key Features:

- **Input:** AC 100-240V, 50/60Hz (Automatic worldwide voltage compatibility)
- **Protections:** Over Voltage Protection, Over Heat Protection, Short-Circuit Protection
- **Quality:** Tested units ensuring reliable performance.




Image: The main Onerbl AC/DC adapter unit.



Image: The detachable power cord that connects the adapter to the wall outlet.



Image: A diagram illustrating the dimensions of the adapter and the total cable length, which is approximately 127.8 inches (324.6 cm).




Image: A cross-section view of the power cable highlighting its durable design with copper wire and a PVC jacket.

4. Setup

1. **Unpack:** Carefully remove the AC/DC adapter and its power cord from the packaging.

2. **Connect Power Cord:** Insert the figure-8 connector of the power cord firmly into the corresponding port on the AC/DC adapter unit.
3. **Connect to Tablet:** Plug the DC output connector (the smaller, round connector) from the adapter into the power input port of your Medion Lifetab S9512, MD98138, or MD99200 Tablet PC.
4. **Plug into Outlet:** Insert the AC plug of the power cord into a standard wall electrical outlet (100-240V AC, 50/60Hz).



Image: The AC/DC adapter properly set up, connected to a wall outlet and ready to power a device.

5. Operating Instructions

Once properly connected, the adapter will begin supplying power to your tablet. If your tablet is powered off, it will begin charging. If your tablet is powered on, it will operate using the adapter's power and charge its battery simultaneously.

- A small indicator light on the adapter may illuminate to show it is receiving power and operating.
- Always ensure a secure connection between the adapter, power cord, and your tablet.

6. Maintenance

- **Cleaning:** Disconnect the adapter from the power outlet and your device before cleaning. Use a soft, dry cloth to wipe the surface. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and moisture. Avoid tightly winding the cable to prevent damage.
- **Inspection:** Periodically inspect the adapter and cables for any signs of wear, cuts, or damage. If damage is found, replace the adapter.

7. Troubleshooting

No Power to Tablet:

- **Check Connections:** Ensure all connections (wall outlet, adapter to power cord, adapter to tablet) are secure and fully inserted.
- **Test Outlet:** Plug another device into the wall outlet to confirm it is functional.
- **Inspect Cable:** Check the power cord and adapter cable for any visible damage.
- **Compatibility:** Verify that your tablet model (Medion Lifetab S9512, MD98138, MD99200) is compatible with this adapter.

Adapter Overheating:

- Unplug the adapter immediately.
- Ensure the adapter is in a well-ventilated area and not covered by anything that could trap heat.
- If overheating persists, discontinue use and consider replacing the adapter.

8. Specifications

Brand	Onerbl
Manufacturer	Shenzhen Waweis Technology Co., Ltd
Input Voltage	AC 100-240V
Input Frequency	50/60Hz
Protections	Over Voltage, Over Heat, Short-Circuit
Compatible Models	Medion Lifetab S9512, MD98138, MD99200
Cable Length (Approx.)	127.8 inches (324.6 cm)

9. Warranty and Support

Specific warranty information is not provided in the product details. For warranty claims or technical support, please refer to the seller's return policy or contact the seller directly through the platform where the product was purchased. Keep your purchase receipt as proof of purchase.

© 2023 Onerbl. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CQR8G2S2

More documents and user manuals: **https://manuals.plus/**