



[Manuals.plus](#) /

> [UKSUP](#) /

> UKSUP Add-on Baby Camera Unit Instruction Manual for SM650, SM651, SM652, SM653, SM660, SM663

## UKSUP SM652TX

# UKSUP Add-on Baby Camera Unit Instruction Manual

Models: SM650, SM651, SM652, SM653, SM660, SM663 Compatible

## 1. INTRODUCTION

This manual provides essential instructions for the setup, operation, maintenance, and troubleshooting of your UKSUP Add-on Baby Camera Unit. This camera unit is designed to expand your existing UKSUP baby monitor system, compatible with parent units SM650, SM651, SM652, SM653, SM660, and SM663. Please read this manual thoroughly before use to ensure proper functionality and safety.

**Important: This product is an add-on camera unit and requires a compatible UKSUP parent unit (sold separately) to function.**

## 2. PRODUCT OVERVIEW

The UKSUP Add-on Baby Camera Unit (Model SM652TX) enhances your monitoring capabilities, allowing you to observe multiple rooms or children from a single parent unit.

### Key Features:

- **Multi-Camera Expandability:** Pair up to four cameras with your existing parent unit.
- **Remote Pan & Tilt:** Motorized camera allows for remote adjustment of viewing angle.
- **Flexible Mounting:** Designed for tabletop placement or wall mounting.
- **Night Vision:** Equipped with special features for clear viewing in low-light conditions.
- **Wireless Connectivity:** Utilizes Wi-Fi for communication with the parent unit.



**Figure 1:** The UKSUP Add-on Baby Camera Unit, showing its compact design and integrated antenna.



**Figure 2:** The camera unit illustrating its 355-degree pan and 120-degree tilt capabilities, allowing for comprehensive room coverage.

## 3. SETUP INSTRUCTIONS

---

### 3.1. Powering the Camera Unit

1. Place the camera unit in the desired location within the nursery or monitoring area. Ensure it is on a stable, flat surface or securely mounted to a wall.
2. Connect the power adapter to the camera unit's power input port.
3. Plug the power adapter into a standard electrical outlet. The camera unit will power on automatically.

### 3.2. Pairing with Your Parent Unit

To add the new camera unit to your existing monitoring system, you must pair it with your parent unit. The exact pairing process may vary slightly depending on your specific parent unit model (SM650, SM651, etc.). Refer to your parent unit's manual for detailed instructions. A general pairing procedure is as follows:

1. Ensure both the parent unit and the new add-on camera unit are powered on and within range of each other.
2. On your parent unit, navigate to the 'Camera Settings' or 'Add Camera' menu. This is typically found in the main menu or settings options.
3. Select the option to 'Add Camera' or 'Pair Camera'. The parent unit may display a countdown or a message indicating it is searching for a new camera.
4. While the parent unit is searching, locate the 'Pair' button on the back or bottom of the add-on camera unit. Press and hold this button for approximately 3-5 seconds.
5. Release the button. The camera unit's indicator light may flash, and the parent unit should display a confirmation message once pairing is successful.
6. If pairing fails, ensure the units are close together and repeat the steps. If issues persist, consult the troubleshooting section.

### 3.3. Mounting Options

The camera unit can be placed on a flat surface or mounted to a wall.

- **Tabletop Placement:** Ensure the camera is placed on a stable, flat surface away from the edge to prevent accidental falls.
- **Wall Mounting:** Use appropriate screws and anchors (not included) to securely attach the camera to a wall. Position the camera at a height that provides a clear view of the monitoring area, ensuring the power cable is safely routed and out of reach of children.

## 4. OPERATING INSTRUCTIONS

---

Once the add-on camera unit is successfully paired, you can control and monitor it using your parent unit.

### 4.1. Switching Between Cameras

If you have multiple cameras paired, your parent unit will have an option to switch between them. Refer to your parent unit's manual for specific button presses or menu navigation to cycle through connected cameras or view them in a split-screen mode (if supported).

### 4.2. Remote Pan and Tilt

Use the directional controls on your parent unit to remotely adjust the camera's viewing angle. The camera supports 355-degree horizontal pan and 120-degree vertical tilt.

### 4.3. Night Vision

The camera unit automatically activates its night vision feature in low-light conditions, providing a clear black-and-white image on your parent unit.

## 5. MAINTENANCE

### 5.1. Cleaning the Camera Unit

- Ensure the camera unit is powered off and unplugged before cleaning.
- Wipe the camera unit and lens with a soft, dry, lint-free cloth.
- Do not use abrasive cleaners, solvents, or chemical cleaning agents, as these can damage the unit.

### 5.2. Storage

If storing the camera unit for an extended period, ensure it is clean, dry, and stored in a cool, dry place away from direct sunlight and extreme temperatures.

## 6. TROUBLESHOOTING

If you encounter issues with your add-on camera unit, please refer to the following common solutions:

Problem	Possible Cause	Solution
Camera unit does not power on.	Power adapter not connected or faulty outlet.	Ensure the power adapter is securely connected to the camera and a working electrical outlet. Try a different outlet.
Camera unit will not pair with parent unit.	Incorrect pairing procedure, units out of range, or interference.	Review Section 3.2 for pairing steps. Ensure parent unit and camera are close during pairing. Reduce distance between units. Check for other wireless devices causing interference.
No video/audio from camera.	Camera not paired, out of range, or signal interference.	Verify camera is paired. Move camera closer to the parent unit. Ensure no large obstructions (e.g., thick walls) are between units.
Remote pan/tilt not working.	Camera not fully connected or mechanical obstruction.	Ensure a stable connection. Check if anything is physically blocking the camera's movement.

If the problem persists after attempting these solutions, please contact UKSUP customer support for further assistance.

## 7. SPECIFICATIONS

Feature	Specification
Model Number	SM652TX
Brand	UKSUP
Manufacturer	SMARTBABY
Power Source	Corded Electric
Connectivity Technology	Wireless (Wi-Fi)
Special Feature	Night Vision
Control Method	Remote
Number of Channels	4
Product Dimensions (L x W x H)	3.7 x 3.7 x 6.5 inches
Item Weight	10.8 ounces
Room Type	Nursery
International Protection Rating	IP65
UPC	741412215896, 735851817131

## 8. WARRANTY AND SUPPORT

UKSUP products are manufactured by SMARTBABY. For warranty information and customer support, please refer to the documentation included with your original parent unit or visit the official UKSUP website. Keep your proof of purchase for warranty claims.

For technical assistance or inquiries regarding your add-on camera unit, please contact UKSUP customer service directly. Contact details are typically found on the product packaging or the brand's official support page.