

Quictent 189

Quictent Advanced Series Large Metal Chicken Coop Run

Model: 189

INTRODUCTION

The Quictent Advanced Series Large Metal Chicken Coop Run (Model 189) is designed to provide a secure and spacious outdoor enclosure for poultry and other small animals. This manual provides essential information for the safe assembly, operation, and maintenance of your coop.

Key features include:

- **Durable Welded Hardware Cloth & Ground Skirt:** Features 1" x 1" (20 gauge) square welded hardware cloth on side walls with thickened PVC coating for superior durability and predator resistance. The extended ground skirt provides a professional safeguard.
- **Enhanced Weather Protection & Customization:** A waterproof UV-resistant PE roof cover plus protective hexagonal roof chicken wire keeps animals dry and protected from sun, rain, and snow. The frame supports optional side/back covers (not included).
- **Advanced Series Stability & Security:** Constructed with 1" diameter rust-free poles, reinforced with 8 support bars and triangular corner poles. A sturdy dual-latch door with a narrow gap prevents prying.
- **Complete Accessories & Easy Assembly:** Includes heavy-duty 0.2" breadth cable ties (approx. 750 pieces) for securing hardware cloth. Easy installation is provided by the push-button frame and detailed manual.

SAFETY INFORMATION

- **High Wind Precaution:** Due to the natural and inevitable "sail effect" caused by the tarp in high winds, it is recommended to remove the roof cover or secure it tightly with additional weights or ground anchors during high winds. This precaution helps protect your coop and ensures the safety of your poultry.
- **Predator Protection:** While designed for predator resistance, regular inspection of the hardware cloth and latches is crucial to maintain security.
- **Assembly Safety:** Always wear appropriate safety gear, such as gloves, during assembly to prevent injury from sharp edges of metal components or wire.
- **Stability:** Ensure the coop is assembled on level ground and properly anchored to prevent tipping.

COMPONENTS LIST

Please verify that all components are present before beginning assembly:


- Galvanized Steel Frame Poles (1" diameter)
- Connectors and Bolts
- Welded Hardware Cloth (1" x 1", 20 gauge, PVC coated)
- Hexagonal Roof Chicken Wire
- Waterproof UV-resistant PE Roof Cover
- Heavy-duty Cable Ties (approx. 750 pieces)
- Dual-latch Door mechanism
- Ground Skirt components
- Support Bars (8 pieces)
- Triangular Corner Poles

ASSEMBLY INSTRUCTIONS


Follow these steps for proper assembly. It is recommended to have at least two people for installation.

1. **Frame Assembly:** Connect the galvanized steel poles using the push-button frame system and secure with bolts. Ensure all connections are tight and the frame is stable. Refer to the detailed diagram in your printed manual for specific pole configurations.

Corner Assembly



Door & Coop Assembly



This image illustrates the connection points for the frame poles and the initial setup for the door frame.

2. **Hardware Cloth Installation:** Attach the 1" x 1" welded hardware cloth to the side walls of the frame using the provided heavy-duty cable ties. Ensure the cloth is taut and covers all openings, minimizing gaps. Secure ties every 4-6 inches for optimal protection.



750 pcs

VS

400 pcs



More Ties

**Better
Protection**



Fewer Ties

**Easier
Entry**



- ✔ Secure sides and bottom with zip ties every 4-6 inches.
- ✔ Use wider spacing for zip ties on the roof.
- ✔ More zip ties for better protection and future maintenance.

This image shows the proper method of securing the hardware cloth to the frame using cable ties, emphasizing tight spacing for better protection.

- Roof Chicken Wire Installation:** Install the hexagonal roof chicken wire over the top section of the frame.
- Roof Cover Installation:** Place the waterproof UV-resistant PE roof cover over the roof chicken wire. Secure it using the provided buckle balls or ties, ensuring it is taut to prevent water pooling.

Perfect For Any Weather

Durable Tarp

100% Waterproof

Reduce sunlight

Chicken never get wet
Reduce the probability of illness

Shade support for hot weather

This image demonstrates the waterproof roof cover in place, protecting the interior from rain and sun.

- 5. Door Assembly:** Assemble the dual-latch door and integrate it into the designated frame opening. Ensure the latches function correctly and the door closes securely with a narrow gap.

Safe & Secure++

Keep small predators out of the coop

Quicent



Narrowed Gap




Latches x2



This image highlights the dual-latch door mechanism and the narrow gap design for enhanced security against predators.

- Ground Skirt Deployment:** Position the extended ground skirt around the base of the coop to deter digging predators and enhance stability.



Extended Length



This image shows the extended ground skirt designed to prevent predators from digging under the coop.

OPERATION

- **Access:** Use the dual-latch door for entry and exit. Always ensure the door is securely latched when not in use.
- **Animal Capacity:** The coop is designed for 30+ poultry. Ensure adequate space for your flock to prevent overcrowding.
- **Ventilation:** The open mesh design provides natural ventilation.
- **Customization:** Optional side and back covers (not included) can be added for additional shelter as needed.

MAINTENANCE

- **Regular Cleaning:** Periodically clean the interior and exterior of the coop to maintain hygiene and prevent disease.
- **Hardware Inspection:** Regularly check all frame connections, hardware cloth, and door latches for any signs of wear, damage, or loosening. Replace or repair components as necessary.
- **Roof Cover Care:** Inspect the waterproof cover for tears or damage. In snowy conditions, remove heavy snow accumulation to prevent structural strain.
- **Anchoring:** Verify that ground anchors or weights are secure, especially after strong winds or heavy rain.

TROUBLESHOOTING

- **Issue: Coop instability or movement in wind.**

Solution: Ensure all frame connections are tightened. Remove the roof cover during high winds or secure the coop with additional ground anchors or weights (e.g., sandbags).

- **Issue: Gaps in hardware cloth or loose ties.**

Solution: Re-tighten or replace cable ties. Add more ties if necessary, ensuring a tight fit every 4-6 inches. Consider using stronger, weather-resistant ties if plastic ones fail.

- **Issue: Predators attempting to dig under the coop.**

Solution: Ensure the extended ground skirt is properly deployed. Consider burying the ground skirt or placing heavy objects along its perimeter for added deterrence.

- **Issue: Difficulty with assembly.**


Solution: Refer to the detailed manual provided with the product. Ensure all parts are correctly identified and oriented. Contact customer support if parts are missing or damaged.

SPECIFICATIONS

Feature	Detail
Product Dimensions	214.5"L x 107.3"W x 78"H (18x9x6.6FT)
Item Weight	127.3 Pounds
Material	Galvanized Steel, Polyethylene (PE)
Gap Size (Hardware Cloth)	0.78 Inches
Number of Doors	1
Target Species	Chicken (also suitable for duck, rabbit, dog, hen)
Model Number	189
Additional Features	Advanced Series, Durable, Easy Assembly, Hardware Cloth, Weather Resistant

Product Size

18.04' L x 9.02' W x 6.56' H



Note:

The product will be delivered **in two boxes**. please wait patiently.

This image provides a visual representation of the product dimensions.

WARRANTY AND SUPPORT

Quicent is committed to providing reliable service for your Advanced Series Chicken Coop:

- **365-day complimentary components:** For parts such as the frame, poles, and connectors.
- **180-day complimentary components:** For parts such as covers and hardware cloth.
- **Favorable parts support:** Available both during and after the service period.

For any inquiries, parts requests, or support, please contact us at: sales@quicentents.com