

manuals.plus /

- › [Graco](#) /
- › [Graco True3Fit LX 3-in-1 Slimfit Car Seat Instruction Manual](#)

Graco True3Fit LX

Graco True3Fit LX 3-in-1 Slimfit Car Seat Instruction Manual

Model: True3Fit LX | Brand: Graco

INTRODUCTION

The Graco True3Fit LX 3-in-1 Slimfit Car Seat is designed to adapt to your child's growth, offering three modes of use: rear-facing harness, forward-facing harness, and highback booster. This manual provides essential information for proper installation, operation, and maintenance to ensure your child's safety and comfort.



Front view of the Graco True3Fit LX 3-in-1 Slimfit Car Seat.

SETUP AND INSTALLATION

Car Seat Modes

- **Rear-Facing Harness:** For infants weighing 5-40 lb.
- **Forward-Facing Harness:** For toddlers weighing 22-65 lb.
- **Highback Booster:** For children weighing 40-100 lb.

3 in a row & room to grow



Rear-facing
harness



Forward-facing
harness




Highback
booster

Visual representation of the car seat in its three configurations: rear-facing, forward-facing, and highback booster.

Installation Guidelines

Always refer to your vehicle's owner's manual and the car seat's full instruction manual for detailed installation steps. The car seat features an integrated belt lock-off for easy vehicle seat belt installation in forward-facing mode. It is designed to fit three car seats across in most vehicles, providing a slim fit without compromising safety.



The car seat's slim design allows for three car seats to fit across the back row of a vehicle.

Anti-Rebound Bar

The Anti-Rebound Bar provides an additional layer of safety when the car seat is installed in the rear-facing position. Ensure it is properly engaged according to the full instruction manual.



A child seated in the rear-facing position, highlighting the anti-rebound bar feature.

OPERATING THE CAR SEAT

Harness and Headrest Adjustment

The 10-position No-Rethread Simply Safe Adjust Harness System allows the headrest and harness to adjust together, ensuring a proper fit as your child grows. To adjust, locate the adjustment lever at the top of the headrest and move it up or down to the desired position.



The easy-adjust harness system ensures a perfect fit for your growing child.

Cup Holders

The car seat includes integrated cup holders for convenience. These can be removed for cleaning or adjusted to optimize space.

MAINTENANCE AND CLEANING

The car seat features a "Rapid Remove" cover for easy cleaning. To remove the cover, follow the instructions in the full manual. Most fabric components are machine washable on a delicate cycle with cold water. Air dry only. Do not use bleach. The metal and plastic parts can be spot cleaned with mild soap and cool water.

TROUBLESHOOTING

If you encounter any issues with installation or operation, first consult the detailed troubleshooting section in your full Graco True3Fit LX instruction manual. Ensure all straps are correctly routed and tightened, and that the car seat is

securely installed in your vehicle. For further assistance, contact Graco customer support.

Safety Information

The Graco True3Fit LX is Graco ProtectPlus Engineered, meaning it has undergone a combination of the most rigorous crash tests to help protect your child in frontal, side, rear, and rollover crashes. Always ensure your child is properly secured in the harness or seat belt according to their size and the car seat mode being used.



America's #1 Car Seat Brand*

*Based on units sold according to 2019 Market Data by the NPD Group

Graco ProtectPlus Engineered for comprehensive crash protection.

Specifications

Product Dimensions	16 x 24 x 20 inches
Item Weight	27 pounds
Maximum Weight Recommendation	100 Pounds
Rear-Facing Minimum Child Weight	5 Pounds
Forward-Facing Maximum Child Weight	65 Pounds
Material Type	Polyester
Installation Type	Latch
Additional Product Features	3-across fit

Warranty and Support

For detailed warranty information and customer support, please refer to the warranty card included with your product or visit the official Graco website. Keep your purchase receipt for warranty claims.

