

VRURC T1173

VRURC Mini Portable Charger User Manual

Model: T1173 | Brand: VRURC

INTRODUCTION

Thank you for choosing the VRURC Mini Portable Charger. This compact and powerful 10000mAh power bank is designed for convenience, featuring built-in cables for various devices and fast charging capabilities. This manual provides essential information for safe and efficient use of your portable charger.

PRODUCT OVERVIEW

The VRURC Mini Portable Charger is engineered for portability and versatility. Key features include:

- **Pocket Size:** Measuring just 3.6 x 3.23 x 0.7 inches and weighing only 6.87 Oz (195g), it's designed for easy portability without adding significant weight.
- **4 Built-in Cables:** Includes 3 output cables (USB-C, Lightning for iPhone, Micro USB) and 1 fast-charging input cable (USB-A), supporting a wide range of devices.
- **Fast Charging (22.5W):** Capable of charging your phone to 60% in approximately 30 minutes. It can power up to 4 devices simultaneously.
- **Fast Re-charge:** The power bank itself can be fully recharged in just 2.5 hours via the built-in USB Type-C cable (18W QC/PD 3.0 input) or in 6 hours via the built-in USB Type-A cable.
- **LED Digital Display:** Provides an accurate power level display, showing the battery percentage from 0% to 100%.
- **Airline-Approved Safety:** Meets stringent aviation safety standards and includes intelligent safeguards against overcharge, overvoltage, overcurrent, short-circuits, and overtemperature.



Image: The VRURC Mini Portable Charger showcasing its compact design and integrated charging cables.

Multiple Built-in 4 Cables and 2 Ports



4
Cables

USB C
Cable (In/Out)

Micro
Cable

Cable for
iPhone

USB
Cable

2
Ports

USB C
Input

USB
Output

Image: Detailed view of the power bank highlighting its four built-in cables and two additional ports for versatile charging.

SETUP

Before first use, it is recommended to fully charge your VRURC Mini Portable Charger.

1. **Unpack:** Carefully remove the portable charger from its packaging.
2. **Initial Charge:** Connect the built-in USB Type-C cable or USB Type-A cable to a compatible power adapter (not

included) and plug it into a wall outlet. The LED digital display will show the charging progress.

- 3. **Full Charge:** Allow the power bank to charge until the LED display shows "100%". This ensures optimal performance for its first use.



Image: Visual representation of the three recharging methods for the power bank: via external USB-C input, built-in USB-C cable, and built-in USB-A cable.


Using your VRURC Mini Portable Charger to power your devices is straightforward:

1. **Check Battery Level:** Press the power button once to view the current battery percentage on the LED digital display.
2. **Connect Device:**
 - For USB-C devices (e.g., iPhone 15 series, Samsung Galaxy S23/S22, Google Android phones): Use the built-in USB-C cable.
 - For iPhone devices (e.g., iPhone 14/13/12 series): Use the built-in Lightning cable.
 - For Micro USB devices: Use the built-in Micro USB cable.
 - For other devices: Use your device's original USB cable and connect it to the USB-A output port on the power bank.
3. **Start Charging:** Once connected, your device should begin charging automatically. The power bank can charge up to 4 devices simultaneously.
4. **Disconnect:** When your device is fully charged or you wish to stop charging, simply disconnect the cable.

PD 20W



VRURC



QC/PD 20W

50 %

Others



10W

25 %

Image: A user demonstrating the fast charging capability of the power bank with a smartphone, indicating PD 20W output.



Image: The power bank connected and charging a tablet, a smartphone, and another device simultaneously, demonstrating its multi-device charging capability.

MAINTENANCE

To ensure the longevity and optimal performance of your VRURC Mini Portable Charger, follow these maintenance guidelines:

- **Storage:** Store the power bank in a cool, dry place away from direct sunlight and extreme temperatures.
- **Cleaning:** Use a soft, dry cloth to clean the exterior of the power bank. Do not use liquid cleaners or abrasive materials.
- **Avoid Drops:** Protect the device from drops and impacts, which can damage internal components.
- **Regular Use:** If not used for extended periods, charge and discharge the power bank at least once every three months to maintain battery health.

TROUBLESHOOTING

If you encounter issues with your VRURC Mini Portable Charger, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Power bank not charging	Cable not properly connected; faulty adapter; power bank battery depleted.	Ensure cables are securely connected. Try a different power adapter or wall outlet. Allow sufficient time for charging.
Device not charging from power bank	Power bank battery low; incorrect cable used; device not compatible; power bank in auto-shutoff mode.	Recharge the power bank. Ensure you are using the correct built-in cable or a compatible external cable. Check device compatibility. Press the power button to reactivate.
Slow charging	Cable issue; device drawing less power; multiple devices charging simultaneously.	Ensure cables are not damaged. Some devices may charge slower. Charging multiple devices can reduce individual charging speed.
LED display not working	Power bank is off; internal malfunction.	Press the power button to activate the display. If the issue persists, contact customer service.

If the problem persists after trying these solutions, please contact VRURC customer service for further assistance.

SPECIFICATIONS

Model Number	T1173
Battery Capacity	10000 Milliamp Hours (mAh)
Product Dimensions	3.6 x 3.23 x 0.71 inches
Item Weight	6.3 ounces (195g)
Input (USB Type-C)	18W (QC/PD 3.0)
Output (Max)	22.5W
Built-in Cables	USB-C, Lightning (for iPhone), Micro USB (Output); USB-A (Input)
Special Features	Digital Display, Auto Shut-Off, Lightweight, Fast Charging, Built-in Cable
Battery Type	Lithium Polymer

Lighter

Easily to carry around.



195g/6.88oz



3.6*3.22*0.7 inch

Image: The power bank held in a hand, illustrating its compact size and lightweight design, with dimensions and weight noted.

LED Display

Accurately shows the power, even 1%



Image: A close-up view of the LED digital display on the power bank, showing the battery percentage.

WARRANTY AND SUPPORT

VRURC provides reliable support for its products. Your VRURC Mini Portable Charger comes with:

- **12 Months of Reliable Support Service:** For any product-related issues or inquiries.
- **24 Hours Friendly Customer Service:** Dedicated support available to assist you.

For assistance, please refer to the contact information provided in your product packaging or visit the official VRURC website.



Image: The VRURC Mini Portable Charger alongside its packaging and included manual, indicating what comes in the box.

© 2025 VRURC. All rights reserved.
For more information, visit [VRURC Store](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question