

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Superay](#) /

› [Superay Twin Metal Bed Frame Instruction Manual](#)

Superay B0CR19GFGL

Superay Twin Metal Bed Frame Instruction Manual

Model: B0CR19GFGL

INTRODUCTION

This manual provides detailed instructions for the assembly, usage, and maintenance of your Superay Twin Metal Bed Frame. Designed for durability and ease of use, this 6-leg bed base offers robust support for your box spring and mattress. Please read all instructions carefully before beginning assembly to ensure proper setup and safe operation.




Image: The Superay Twin Metal Bed Frame, fully assembled and ready for use.

SAFETY INFORMATION

Please observe the following safety guidelines to prevent injury and ensure the longevity of your bed frame:

- Users should follow assembly instructions carefully.

- Be aware of the maximum weight recommendation. For the Twin size, the maximum weight capacity is 3000 lbs.
- Use caution when attaching headboards to ensure they are securely fastened.
- Handle the steel frame with care during assembly to avoid injury from potential sharp edges or points.
- Ensure all bolts are tightened securely before use. Periodically check and retighten bolts as needed.
- This bed frame requires a box spring or bunkie board for proper mattress support. Do not place a mattress directly on the frame without a box spring or bunkie board.

PACKAGE CONTENTS

Before beginning assembly, please verify that all components are present and undamaged. The package includes:

- Metal Bed Frame components
- All necessary assembly hardware (screws, bolts, washers)
- Assembly wrench/tool
- Instruction Manual


If any parts are missing or damaged, please contact Superay customer support for assistance.

SPECIFICATIONS

Feature	Detail
Size	Twin
Product Dimensions (L x W x H)	74.5" x 38" x 8"
Compatible Mattress Size	75"L x 39"W (Twin)
Box Spring Size	73.3"L x 38.4"W x 8"H
Maximum Weight Capacity	3000 lbs
Color	Black
Material	Metal
Special Feature	Squeak Resistant, Headboard Compatible
Ground to Item Distance (Under-bed Clearance)	8 Inches
Item Weight	13.32 pounds

TWIN

For Box Spring:
75"L x 39" W



Note: Please confirm whether the size is compatible with your box spring/mattress.

Image: Detailed dimensions for the Twin size bed frame.

Size Chart				
Item Size	Box Spring Size	For Mattress Size	Max Weight Capacity	Box Content
Twin	73.3"L x 38.4"W x 8"H	75"L x 39" W	3000 LBS	Bed Frame. Instruction.Screws, Wrench.
Twin XL	78.2"L x 38.4"W x 8"H	80"L x 39" W	3000 LBS	Bed Frame. Instruction.Screws, Wrench.
Full	73.3"L x 53.5"W x 8"H	75"L x 54" W	3000 LBS	Bed Frame. Instruction.Screws, Wrench.
Queen	78.2"L x 60" W x 8"H	80"L x 60"W	3000 LBS	Bed Frame. Instruction.Screws, Wrench.
King	78.2"L x 76" W x 8"H	80"L x 76" W	3000 LBS	Bed Frame. Instruction.Screws, Wrench.
Cal King	82.5"L x 72"W x 8"H	84"L x 72" W	3000 LBS	Bed Frame. Instruction.Screws, Wrench.

Image: Comprehensive size chart for Superay metal bed frames.

ASSEMBLY INSTRUCTIONS

The Superay Twin Metal Bed Frame is designed for easy assembly, typically taking less than 30 minutes.

All necessary tools are included.

Assembly Video Guide

Your browser does not support the video tag.

Video: Official Superay assembly guide for the metal bed frame.

Step-by-Step Guide

1. **Unpack Components:** Carefully remove all parts from the packaging. Lay them out on a clean, soft surface to prevent scratches. Identify all frame sections, legs, and hardware.
2. **Assemble Main Frame:** Connect the main frame sections together using the provided bolts and the included wrench. Ensure the connections are secure but do not fully tighten all bolts until the frame is fully assembled.
3. **Attach Legs:** Securely attach the support legs to the designated points on the frame. The legs feature anti-slip caps for stability and floor protection.
4. **Install Headboard Brackets:** If you plan to attach a headboard, install the headboard compatible brackets to the front of the frame using the provided hardware. These brackets have two slots for versatile headboard attachment.
5. **Tighten All Bolts:** Once the entire frame is assembled, go back and securely tighten all bolts. Ensure the frame is stable and level.
6. **Verify Stability:** Gently shake the frame to ensure there is no wobbling or loose connections. Adjust as necessary.



Image: The bed frame assembled in a room, ready for a box spring and mattress.




1

Noise free and
Anti-slip

Headboard
Compatible

2



3

Anti-slip Baffle



Image: Close-up of the anti-slip leg caps and headboard compatible brackets.

USAGE GUIDELINES

This Superay Metal Bed Frame is designed to provide a stable foundation for your sleeping setup. Please note the following:

- **Box Spring Required:** This frame is specifically designed to support a box spring or bunkie board, which then supports your mattress. Do not place a mattress directly on this frame without a box spring or bunkie board.
- **Mattress Placement:** Once the box spring is in place, carefully position your mattress on top.
- **Under-bed Storage:** The 8-inch clearance beneath the frame provides convenient space for storage.



Image: The bed frame with a box spring and mattress properly installed.

MAINTENANCE

To keep your Superay Metal Bed Frame in optimal condition:

- **Cleaning:** Wipe the metal frame with a dry cloth to remove dust and debris. Avoid using harsh chemicals or abrasive cleaners that could damage the finish.
- **Periodic Checks:** Periodically inspect all bolts and connections to ensure they remain tight. Retighten any loose hardware to maintain stability and prevent squeaking.
- **Avoid Overloading:** Do not exceed the maximum weight capacity of 3000 lbs for the Twin size frame.

TROUBLESHOOTING

If you encounter any issues with your bed frame, consider the following common solutions:

- **Squeaking Noises:** Squeaking is often caused by loose connections. Re-tighten all bolts on the frame. Ensure the box spring is properly seated and not rubbing against the frame.
- **Instability/Wobbling:** Check that all legs are firmly on the ground and that all bolts are fully tightened.

Ensure the frame is on a level surface.

- **Difficulty Attaching Headboard:** Verify that the headboard brackets are correctly installed and aligned with your headboard's mounting holes. Some headboards may require additional hardware (not included) for attachment.

If these steps do not resolve the issue, please contact Superay customer support.

WARRANTY AND SUPPORT

Superay stands behind the quality of its products. For specific warranty details, please refer to the warranty card included with your purchase or visit the official Superay website. For any questions, technical support, or assistance with parts, please contact Superay customer service through the contact information provided in your product packaging or on the Superay brand store page.

You can visit the Superay store for more information: [Superay Store on Amazon](#)

© 2025 Superay. All rights reserved.

Related Documents - B0CR19GFGL

[illegible]