

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [Generic](#) /
- › [Ace3ds X User Manual](#)

Generic x+32

Ace3ds X Instruction Manual

For 3DS /2DS/DSi/DS Lite/DS Consoles

INTRODUCTION

The Ace3ds X is a versatile flashcart designed to enable the playback of NDS games on various Nintendo handheld consoles, including 3DS, 2DS, DSi, DS Lite, and DS. It features a unique switch mechanism to toggle between DS mode for game playback and ntrboot mode for advanced system modifications. This manual provides essential information for setting up, operating, and maintaining your Ace3ds X.

PACKAGE CONTENTS

Please verify that all items listed below are included in your package:

- Ace3ds X Cartridge (x1)
- USB MicroSD Card Reader (x1)
- Small Magnet (x1)
- BANQ 32GB MicroSD (TF) Card (x1)



Figure 1: Complete package contents of the Ace3ds X kit.

SETUP

1. Insert MicroSD Card:

Locate the MicroSD (TF) card slot on the Ace3ds X cartridge. Gently insert the included BANQ 32GB MicroSD card into the slot until it clicks into place. Ensure the card is inserted correctly to avoid damage.



Figure 2: The included BANQ 32GB MicroSD (TF) card.

2. Understand the Mode Switch:

The Ace3ds X features a physical switch on the side of the cartridge to toggle between two operational modes: DS mode and ntrbootax mode. This switch is crucial for the intended use of the device.

- **Switch Up (Default):** This position activates *ntrbootax mode*. This mode is primarily used for installing custom firmware on compatible 3DS/2DS consoles.
- **Switch Down:** This position activates *DS mode*. This mode is used for playing NDS games on all supported consoles (3DS, 2DS, DSi, DS Lite, DS).



Figure 3: Location of the mode switch on the Ace3ds X cartridge.

3. Insert Ace3ds X into Console:

With the MicroSD card inserted and the desired mode selected via the switch, insert the Ace3ds X cartridge into the game card slot of your Nintendo handheld console (3DS, 2DS, DSi, DS Lite, or DS).

OPERATING INSTRUCTIONS

Playing NDS Games (DS Mode)

1. Ensure the mode switch on the Ace3ds X cartridge is set to the **down** position (DS mode).
2. Insert the Ace3ds X into your console.
3. Power on your console. The Ace3ds X should appear as a game card icon on the console's menu.
4. Select the Ace3ds X icon to launch its menu. From here, you can navigate and select NDS game ROMs stored on the MicroSD card.

Using ntrboothax Mode (For 3DS/2DS Consoles)

The ntrboothax mode is intended for advanced users who wish to install custom firmware on their 3DS or 2DS consoles. This process typically involves specific steps and external resources not covered in detail within this manual. Users should refer to dedicated online guides for ntrboothax installation. Ensure the mode switch is in the **up** position (ntrboothax mode) before attempting any custom firmware procedures.



Figure 4: Front of the Ace3ds X cartridge.

MAINTENANCE

- Keep the Ace3ds X cartridge and MicroSD card clean and free from dust and debris. Use a soft, dry cloth for cleaning.
- Avoid exposing the device to extreme temperatures, humidity, or direct sunlight.
- Do not attempt to disassemble the cartridge, as this will void any potential warranty and may damage the device.
- Always eject the cartridge from the console before powering off or when not in use to prevent data corruption.

TROUBLESHOOTING

- **Cartridge Not Recognized:**
Ensure the Ace3ds X is fully inserted into the console's game card slot. Check if the MicroSD card is properly seated within the Ace3ds X cartridge. Clean the contacts on the cartridge with a soft, dry cloth if necessary.
- **Games Not Loading/Crashing:**
Verify that the MicroSD card contains valid NDS game ROMs. Ensure the Ace3ds X mode switch is set to the **down** position (DS mode) for playing games. Corrupted files on the MicroSD card can also cause issues; try reformatting the card and re-adding games if problems persist.
- **ntroothax Mode Issues:**
Ensure the mode switch is in the **up** position. ntroothax is a complex process; refer to specific online guides and forums for detailed troubleshooting steps related to custom firmware installation.
- **MicroSD Card Not Detected by PC:**
Use the included USB reader to connect the MicroSD card to your computer. Ensure the card is fully inserted into the reader. Try a different USB port or computer if detection issues persist.





SPECIFICATIONS


Brand	Generic
Model Name	x+32
Hardware Platform	Nintendo 3DS, Nintendo DS
Included Storage	32GB MicroSD (TF) Card
Supported Modes	DS Mode, ntroothax Mode
Color	Black
Country of Origin	China

WARRANTY AND SUPPORT

Specific warranty details for the Ace3ds X are not provided in this manual. For any product support, technical assistance, or warranty inquiries, please contact the seller or manufacturer directly through the platform where the product was purchased.



	Coachmen Chaparral Fifth Wheel RVs: Features and Training Manual Explore the Coachmen Chaparral fifth wheel RVs, detailing their advanced construction, superior towing capabilities, innovative features like Azdel sidewalls and Turn Tec engineering, and comfortable, residential-style interiors. This guide covers the Lite, X-Lite, and Mid-Profile models, emphasizing quality, durability, and customer satisfaction.
	Freedom Won LiTE Home and Business 52V Installation Manual Comprehensive installation manual for Freedom Won LiTE Home and Business 52V Lithium Iron Phosphate (LiFePO4) energy storage modules, covering product details, specifications, installation, handling, connections, and troubleshooting.
	Growatt MOD 7-15KTL3-X Series Quick Guide: Installation and Operation Concise installation and operation guide for Growatt MOD 7-15KTL3-X, MOD 7-11KTL3-X-AU, MOD 7-11KTL3-X-AU(NDS), and MOD 12-15KTL3-X(NDS) solar inverters. Covers overview, electrical connections, power on/off, status indicators, and service information.
	AXAGON CRE-SM2 USB Smart Card Reader - Quick Guide Quick guide for the AXAGON CRE-SM2 USB Smart Card, ID Card, SD, microSD, and SIM Card Reader. Features include Plug and Play, USB 2.0, and broad OS support. Learn about supported card types and specifications.
	FrSky Taranis X-Lite ACCST 2.4GHz Digital Telemetry Radio System Manual Comprehensive user manual for the FrSky Taranis X-Lite ACCST 2.4GHz digital telemetry radio system, covering setup, operation, model configuration, and safety guidelines.
	FrSky R9M Lite Telemetry Module Instruction Manual - ACCESS Protocol Instruction manual for the FrSky R9M Lite telemetry module, detailing its features, specifications, setup, binding, range check, and failsafe modes for RC systems. Includes overview, antenna information, and LED status.




[pdf] User Manual Instructions

Provided by ManualsAndMore Download User Manual ShelterKing 14 X 32 Assembly Instructions manualsandmore |||

Assembly Instructions 14 **X 32** Party Tent Style Assembly Instructions ShelterKing Party Tent Congratu ... 79 or 203-380-2703 8 AM 5 PM EST Assembly Instructions 14 **X 32** Party Tent Style Shelter King 14 x **32** Party Tent Item# 1 DIAGRAM 2 3 4 5 6 7 DESCRIPTION QTY Straight Uprights Interior L...

lang:en score:39 filesize: 310.01 K page_count: 7 document date: 2019-07-23




[pdf]

E42071 R1 FrankLi Item Model Number Oval 20 x 32 LED Mirror et2online instruction |||

Item/Model Number: E42071 Oval 20 **x 32** LED Mirror 1 x LED 41W Included 1 of 5 reach children. 2 of 5 Before getting,started,ensure the package Antes de comenzar, asegurese de que el paquete Avant de commencer, assurez-vous qu le contains the following components: contenga los siguen...

lang:en score:27 filesize: 7.13 M page_count: 5 document date: 2024-08-23




[pdf] Installation Guide Instructions Dimension Guide Warranty

Read instructions Cahaba CAMMIR32TW Mira 22 W x 32 H Inch Bathroom Mirror in White spec sheet kbauthority files |||


32 28-7/16 MIRA 22 IN. **X 32** IN. MIRROR CAMMIR32TW White 18-1/2 22 3/4 FEATURES MODEL CAMMIR32TW SIZE 32 L x 22 W x 3/4 H WEIGHT 18.3 lbs. MATERIAL Wood ORIENTATION Horizontal or vertical INSTALL Wall mounted Designed to match the Mira family of vanities in white Can be mount...

lang:en score:26 filesize: 215.92 K page_count: 4 document date: 2021-10-07




[pdf] Guide

Table Base GuideGrosfillex US48H790 Kandia Gray Marble 48 x 32 HPL Compact Tabletop282164
Grosfillex Tabletop to Guidedcdn shopify s files 1 0840 1021 282164 Guide v 1723745422 Installation
Assembly Vanguard Exterior Tabletops Expert w002969922 US32D743Installation w002971111
US32D742Table Commercial Resin Furniture US32D743 US32D744Grosfillex US32D741
US32D742Grosfillex Tabletoptable base guide 2023table 2023282164 Guidesecure img1 ag wfcdn dm
document aa3e8148 5cdf 4ca5 b0b4 b4bb56af05f5 table 2023secure 2023cdn ||| ||| TABLETOP TO BASE
EASY GUIDE Compatibilidad de cubiertas y pies de mesas Compatibilit plateaux et pieds de tables
Exterior Vanguard HPL Touch Compact rev. 11/10/22 24 x 32 32 x 32 48 x 32 24 x 32 32 x 32 36 x 36 48
x 32 Quattro Contact Dinin
TABLETOP TO BASE EASY GUIDE Compatibilidad de cubiertas y pies de mesas
Compatibilit plateaux et pieds de tables Exterior Vanguard HPL Touch Compact rev.
11/10/22 24 x 32 32 x 32 48 x 32 24 x 32 32 x 32 36 x 36 48 x 32 Quattro Contact
Dining X X Quattro Contact Bar X-One Small X ...
lang:tl score:26 filesize: 786.75 K page_count: 1 document date: 2022-11-10




[pdf] User Manual Declaration of Conformity

Microsoft Word Vocoder X 32 User Manual doc Analog Lab user manual 6429681 archive org manualzilla
id
Vocoder X32 Manuel d utilisation v 1.0 Flicitations ... et merci d avoir achet un
Vocoder **X 32** Analog-Lab. Avant d aller plus loin, dans ce manuel d utilisation, nous
vous recommandons de lire trs attentivement les consignes de scurit et les conseils d
installation. 1- Conditions de scurit et d ...
lang:fr score:26 filesize: 197.68 K page_count: 8 document date: 2005-03-12



[pdf] Instructions Specifications Dimension Guide Warranty

Read instructions PARIS MIRRORS VERAX24323000 DIMMABLE 24 X 32 INCH VERANO
ILLUMINATED MIRROR WARM COLOR 3000K 24x32 kbauthority files Paris Mirrors |||
PARIS MIRROR PRODUCT SPECIFICATION SKU
:VERA24323000D/VERA24326000D ILLUMINATED MIRROR VERANO 24 X ... e
MODELS : Base model VERA24323000D VERA24326000D Kelvin temperature
3000K 6000K Dimensions 24 W x 32 H x 1.55 D 609mm x 813mm x 40mm 24 W x 32
H x 1.55 D 609mm x 813mm x 40mm Back Power requir...
lang:en score:25 filesize: 1.73 M page_count: 3 document date: 2018-07-01



[\[pdf\]](#) Instructions Specifications Dimension Guide Warranty

Read instructions PARIS MIRRORS HARMX70326000 DIMMABLE 70 X 32 INCH HARMONY


ILLUMINATED MIRROR DAYLIGHT COLOR 6000K 70x32 kbauthority files Paris Mirrors |||

PARIS MIRROR PRODUCT SPECIFICATION SKU

:HARM70323000D/HARM70326000D ILLUMINATED MIRROR HARMONY 70 ...

MODELS : Base model HARM70323000D HARM70326000D Kelvin temperature 3000K 6000K Dimensions 70 W x 32 H x 1.55 D 1778mm x 813mm x 40mm 70 W x 32 H x 1.55 D 1778mm x 813mm x 40mm Power requireme...

lang:en score:25 filesize: 1.92 M page_count: 3 document date: 2018-07-01



[\[pdf\]](#) Instructions Specifications Dimension Guide Warranty

Read instructions PARIS MIRRORS RECTX70326000 DIMMABLE 70 X 32 INCH RECTANGLE BACKLIT

MIRROR DAYLIGHT COLOR 6000K 70x32 kbauthority files Paris Mirrors |||

PARIS MIRROR PRODUCT SPECIFICATION SKU

:RECT70323000D/RECT70326000D ILLUMINATED MIRROR RECTANGLE 7 ... k

MODELS : Base model RECT70323000D RECT70326000D Kelvin temperature 3000K 6000K Dimensions 70 W x 32 H x 1.55 D 1787mm x 813mm x 40mm 70 W x 32 H x 1.55 D 1787mm x 813mm x 40mm Power requireme...

lang:en score:25 filesize: 1.76 M page_count: 3 document date: 2018-07-01



[\[pdf\]](#) Instructions Specifications Dimension Guide Warranty

Read instructions PARIS MIRRORS HARMX24323000 DIMMABLE 24 X 32 INCH HARMONY


ILLUMINATED MIRROR WARM COLOR 3000K 24x32 kbauthority files Paris Mirrors |||

PARIS MIRROR PRODUCT SPECIFICATION SKU

:HARM24323000D/HARM24326000D ILLUMINATED MIRROR HARMONY 24 ... k

MODELS : Base model HARM24323000D HARM24326000D Kelvin temperature 3000K 6000K Dimensions 24 W x 32 H x 1.55 D 609mm x 813mm x 40mm 24 W x 32 H x 1.55 D 609mm x 813mm x 40mm Power requirement...

lang:en score:25 filesize: 1.72 M page_count: 3 document date: 2018-07-01



[\[pdf\]](#) Instructions Specifications Dimension Guide Warranty

Read instructions PARIS MIRRORS RECTX24326000 DIMMABLE 24 X 32 INCH RECTANGLE BACKLIT MIRROR DAYLIGHT COLOR 6000K 24x32 kbauthority files Paris Mirrors |||


PARIS MIRROR PRODUCT SPECIFICATION SKU

:RECT24323000D/RECT24326000D ILLUMINATED MIRROR RECTANGLE 2 ... k

MODELS : Base model RECT24323000D RECT24326000D Kelvin temperature

3000K 6000K Dimensions 24 W x 32 H x 1.55 D 609mm x 812mm x 40mm 24 W x 32 H x 1.55 D 609mm x 812mm x 40mm Power requirement...

lang:en score:25 filesize: 1.77 M page_count: 3 document date: 2018-07-01



[\[pdf\]](#) Instructions Specifications Dimension Guide Warranty

Read instructions PARIS MIRRORS AUROX24326000 DIMMABLE 24 X 32 INCH AURORA

ILLUMINATED MIRROR DAYLIGHT COLOR 6000K 24X32 kbauthority files Paris Mirrors |||

PARIS MIRROR PRODUCT SPECIFICATION SKU

:AURO24323000D/AURO24326000D ILLUMINATED MIRROR AURORA 24 X ...

model AURO24323000D AURO24326000D Front Profile Kelvin temperature 3000K

6000K Dimensions 24 W x 32 H x 1 D 609mm x 813mm x 25mm 24 W x 32 H x 1 D 609mm x 813mm x 25mm Back Power requirements...

lang:en score:25 filesize: 1.75 M page_count: 3 document date: 2018-07-02



[\[pdf\]](#) User Manual Troubleshooting Guide Warranty

Provided by ManualsAndMore Download User Manual Jettech Metal Products X 32 Technical X32 manualsandmore |||

LOW TEMP WAREWASHERS X 32 Technical Manual 2003 02 Welcome to JET TECH creating endless possibilities This manual was created specifically for you, the enduser. We have included information to help troubleshoot problems and facilitate resolving those problems. General information pertaining to ...

lang:en score:24 filesize: 2.24 M page_count: 10 document date: 2019-07-23




[\[pdf\]](#) User Manual Troubleshooting Guide Warranty

Provided by ManualsAndMore Download User Manual Jet tech X 32 Technical Jettech X32 manualsandmore |||

LOW TEMP WAREWASHERS **X 32** Technical Manual 2003 02 Welcome to JET TECH creating endless possibilities This manual was created specifically for you, the enduser. We have included information to help troubleshoot problems and facilitate resolving those problems. General information pertaining to ...

lang:en **score:24** filesize: 466.36 K page_count: 10 document date: 2019-07-23




[\[pdf\]](#) Installation Guide Guide

GS 9740 DB idw dmccracken 16 6 x 32 Grecian HydroSphere Semi Inground Pool 59911 20251392621 propools Manuals |||

STEEL WALL POOL SYSTEM 16 -6 **X 32** -6 GRECIAN DWG #: GS-9740-DB AREA SqFt : 500 DATE: 8/2/2023 PERIMETER: 88 REV: - PAGE 1 OF 3 EST. VOL US Gal : TBD 1632 GRECIAN SEMI INGROUND KIT 4 -3 TYP ST-4501CR-52 SA3-4801-52 SA3-2400-52 SA3-4801-52 SA3-4801-52 ST-4501CR-52 32 -6 24 -0 SA3-480...

lang:en **score:22** filesize: 388.93 K page_count: 3 document date: 2023-08-09




[\[pdf\]](#) Installation Guide Guide

GS 13342 DB idw dmccracken 16 x 32 Rectangle HydroSphere Semi Inground Pool Sub Assy 65317 20241217104638 propools Manuals |||

STEEL WALL POOL SYSTEM 16 **X 32** RECTANGLE - 2 R DWG #: GS-13342-DB DATE: 8/2/2023 AREA SqFt : 509 PERIMETER: 93 REV: - PAGE 1 OF 3 EST. VOL US Gal : TBD 1632 RECTANGLE SEMI INGROUND KIT STRAIGHT STEP OPTION SEE INSTALL GUIDE FOR INSTALLATION SA3-2400CR-52 SA3-4801-52 16 -0 SA3-4801-52 SA3...

lang:en **score:22** filesize: 381.43 K page_count: 3 document date: 2023-08-09




[\[pdf\]](#) Installation Guide Guide

GS 13347 DB idw dmccracken 16 x 32 Rectangle HydroSphere Semi Inground Pool Sub Assy 65312 20241218125255 propools Manuals |||

STEEL WALL POOL SYSTEM 16 **X 32** RECTANGLE - 6 R DWG #: GS-13347-DB DATE: 8/2/2023 AREA SqFt : 512 PERIMETER: 96 REV: - PAGE 1 OF 3 EST. VOL US Gal : TBD 1632 RECTANGLE SEMI INGROUND KIT ST-0601SCR-52 4PLCS ST-9001CR-52 4PLCS 32 -0 SA3-4801-52 SA3-4801-52 SA3-4801-52 SA3-4801DS IL-52 ...


lang:en **score:22** filesize: 372.93 K page_count: 3 document date: 2023-08-09



[\[pdf\]](#) User Manual Owner's Manual

Bases Owner Manual 60 W 30 D Rectangular Single Shower Base Craft Main gml1062Craft gml1062 6030R W3011983secure ag wfcdn dm document aaeaa458 4e13 7b4b 3b19 f928189e22f6 3011983 Installation Assembly gml1062Owner WCraft Winstallation assemblysecure 86bd5fed 0d8c 4864 a9c6 26341921d664 installation ||| ||| Installation Manual SQUARE RECTANGULAR BASES 32 W x 32 D 36 W x 36 D 48 W x 34 D 60 W x 30 D 60 W x 30 D 60 W x 32 D 60 W x 32 D 1 Stud Layout 32 x 32 Square Base Fits 32 rough opening 36 x 36 Square Base Fits 36 rough opening 33 6 15 6 16 Installation Manual SQUARE RECTANGULAR BASES 32 W x 32 D 36 W x 36 D 48 W x 34 D 60 W x 30 D 60 W x 30 D 60 W x 32 D 60 W x 32 D 1 Stud Layout 32 x 32 Square Base Fits 32 rough opening 36 x 36 Square Base Fits 36 rough opening 33 6 15 6 16 Floor cutout for drain 32 37 ...

lang:en **score:19** filesize: 1.31 M page_count: 5 document date: 2021-02-09




[\[pdf\]](#)

Carmen technical information web Download Tecnichal InformationCarmen PROBATH COMPANY LLCcdn shopify s files 1 0559 2589 9331 v 1667237349 LLCDownload Technical Information 1667237349cdn 1679587434 ||| ||| 3 2 CARMEN SIZES 24 x 32 32 x 32 40 x 32 48 x 32 60 x 32 Glass 5/32 Puer lines for an elegant mirror that fits perfectly in any space. Corrosion protection treatment that avoid glass oxidation. Safe packaging, fall and impact tested. Made i 3 2 CARMEN SIZES 24 x 32 32 x 32 40 x 32 48 x 32 60 x 32 Glass 5/32 Puer lines for an elegant mirror that fits perfectly in any space. Corrosion protection treatment that avoid glass oxidation. Safe packaging, fall and impact tested. Made in Spain.

WHITE LIGHT 5700 K AMBIENT LIGHT INTEGRATED ...


lang:en **score:16** filesize: 153.87 K page_count: 1 document date: 2021-12-28



[\[pdf\]](#)

Emma technical information web Download Tecnichal InformationEmma PROBATH COMPANY LLCcdn shopify s files 1 0559 2589 9331 v 1667920247 LLCDownload Technical Information 1667920247cdn 1679587435 ||| ||| EMMA SIZES 24 x 32 32 x 32 40 x 32 48 x 32 60 x 32 Glass 5/32 3 2 Elegant and decorative mirror with sandblasted edges that enhance any space. Defogger system that guarantee perfect visibility without steam. Safe packaging, fall and impact perfect visibility without steam. Safe packaging, fall and impact EMMA SIZES 24 x 32 32 x 32 40 x 32 48 x 32 60 x 32 Glass 5/32 3 2 Elegant and decorative mirror with sandblasted edges that enhance any space. Defogger system that guarantee perfect visibility without steam. Safe packaging, fall and impact tested. Made in Spain. WARM LIGHT 3000K AMBIENT LIGHT ...


lang:en **score:16** filesize: 147.7 K page_count: 1 document date: 2021-12-28



[\[pdf\]](#)

Noa technical information web Download Tecnichal InformationNoa PROBATH COMPANY LLCNoa 2cdn shopify s files 1 0559 2589 9331 2 v 1668014402 LLCDownload Technical Information 2Noa 1668014402cdn 1679587436 ||| ||| 3 2 NOA SIZES 24 x 32 32 x 32 40 x 32 48 x 32 60 x 32 Glass 5/32 It provides optimum lighting on the mirror. 2 installation options. Decorative frame. Corrosion protection treatment that avoid glass oxidation. Homogeneous light. No visible 3 2 NOA SIZES 24 x 32 32 x 32 40 x 32 48 x 32 60 x 32 Glass 5/32 It provides optimum lighting on the mirror. 2 installation options. Decorative frame. Corrosion protection treatment that avoid glass oxidation. Homogeneous light. No visible LED dots. ON/OFF Touch switch Safe and eco-friendly secu...

lang:en **score:16** filesize: 155.1 K page_count: 1 document date: 2021-12-28




[\[pdf\]](#) Dimension Guide

00018208 Sheet1 rhouston 16' x 32' 8' Deep Swimming Pool Kit Dig Sheets Warehouse 16 X 32 OVAL

poolwarehouse 2018 04 |||

MIRROR NUMBER: REVISION HISTORY REV. DESCRIPTION DATE ECO BY
MADE FROM: 00017196 CHECK IN DA ... ATION DATE: 7/15/2013 HYDRA POOLS
DETAILED DATE: 4/5/2018 LAST REVISED DATE: TITLE: LAYOUT, 16 **X 32** ,
OVAL, 8 DEEP, HS112N, LIGHT, 1084, 3- 4/5/2018 INLET, 600 SERIES PART
NUMBER: 00018208 S...

lang:i-klington **score:16** filesize: 209.35 K page_count: 4 document date: 2018-04-05




[\[pdf\]](#) Dimension Guide

22 X 32 MALIBU PI INC bumpfrey PI002271 22' x 32' 6' Deep Swimming Pool Kit Dig Sheets Warehouse

poolwarehouse 2018 01 |||

MIRROR NUMBER: MADE FROM: 00013389 6 R6 -8 /1084 6 R4 7 RR5 0 -6 6 R8 5
RR2 6 R4 5 RR3 - ... ION DATE: 7/11/2013 HYDRA POOLS DETAILED DATE:
1/18/2018 LAST REVISED DATE: TITLE: LAYOUT, 22 **X 32** , MALIBU, 6 DEEP,
HS106N, LIGHT, 2-1084, 1/18/2018 3-INLET, 600 SERIES PART NUMBER:
0001726...

lang:i-klington **score:16** filesize: 231.61 K page_count: 4 document date: 2018-01-18




[\[pdf\]](#) Dimension Guide

00018172 Sheet1 rhouston 16' x 32' 2 R 8' Deep Swimming Pool Kit Dig Sheets Warehouse 16 X 32

ROMAN poolwarehouse 2018 04 |||

MIRROR NUMBER: MADE FROM: 00010174 2 R3 -2 2186 X6 8 -6 R1 -6 8 -6 R8
/LIGHT 8 -1084 6 -5 1/8 ... TION DATE: 10/8/2015 HYDRA POOLS DETAILED
DATE: 4/4/2018 LAST REVISED DATE: TITLE: LAYOUT, 16 **X 32** , ROMAN
SINGLE, 2 RADIUS, 8 DEEP, 4/4/2018 HS110N, LIGHT, 3- INLET, 1084, 600
SERIES PART ...

lang:i-klington **score:15** filesize: 195.45 K page_count: 4 document date: 2018-04-05




[\[pdf\]](#) Dimension Guide

00018210 Sheet1 rhouston 16' x 32' 2 R 8' Deep Hampton Swimming Pool Kit Dig Sheets Warehouse 16

X 32 HAMPTON poolwarehouse 2018 04 |||

MIRROR NUMBER: MADE FROM: 00017224 2 RR3 -1 3/4 90 90 2 8 -LIGHT 8 -1084
REVISION HISTORY REV ... HPS1916 6 12/11/2014 HYDRA POOLS DETAILED
DATE: 4/5/2018 LAST REVISED DATE: TITLE: LAYOUT, 16 **X 32** , HAMPTON, 2
RADIUS REVERSE, 8 DEEP, 4/5/2018 HS110N, LIGHT, 3- INLET, 1084, 600
SERIES PA...

lang:i-klington **score:15** filesize: 178.88 K page_count: 4 document date: 2018-04-05




[\[pdf\]](#) Dimension Guide

16 X 32 GOLD COAST PI INC bumpfrey PI002271 16' x 32' 8' Deep Swimming Pool Kit Dig Sheets

Warehouse poolwarehouse 2018 01 |||

MIRROR NUMBER: MADE FROM: 00011567 8 R7 8 R1 -6 8 -1084 7 -INLET 8 R8
/LIGHT NON-DIVING DIV ... ATION DATE: 2/14/2014 HYDRA POOLS DETAILED
DATE: 1/29/2018 LAST REVISED DATE: TITLE: LAYOUT, 16 **X 32** , MARTINQUE
LEFT, 6 DEEP, HS106N, 1/29/2018 LIGHT, 2-1084, 3-INLET, 600 SERIES PART
NUMBER:...

lang:i-klington **score:15** filesize: 163.41 K page_count: 3 document date: 2018-01-29




[\[pdf\]](#) Dimension Guide

00018193 Sheet1 rhouston 16' x 32' 1" 8' Deep Left Swimming Pool Kit Dig Sheets Warehouse 16 X 32 1 KIDNEY LEFT poolwarehouse 2018 04 |||

MIRROR NUMBER: MADE FROM: 00013003 24 R8 /1084 8 R4 24 R8 /INLET 8 R8 /LIGHT TYPE-1 DIVING 24 ... EATION DATE: 8/2/2013 HYDRA POOLS DETAILED DATE: 4/5/2018 LAST REVISED DATE: TITLE: LAYOUT, 16 X 32 -1 , KIDNEY, LEFT, 8 DEEP, HS103N, 4/5/2018 LIGHT, 1084, 3-INLETS, 600 SERIES PART NUMBER: ...

lang:i-klnglon score:15 filesize: 218.79 K page_count: 5 document date: 2018-04-05




[\[pdf\]](#)

ARDEX X 32 Technical Data cyberbox bi medias s3 amazonaws |||

ME NSI A 118.11 DS ANSI A 118.1 ARDEX X 32™ MICROTEC Universal Rapid Setting and Drying Thin-to-Thick Bed Mortar The fast track, interior or exterior, thin-to-thick bed solution for every natural stone installation. Fast setting walk on and grout in 3 hours Use as a thin, medium or thick bed mor...

lang:en score:15 filesize: 280.05 K page_count: 5 document date: 2020-03-26




[\[pdf\]](#) Dimension Guide

00029189 PI INC rmiller PI002271 16' x 32' 2 R 8' Deep Swimming Pool Kit Dig Sheets Warehouse 16 X 32 2R 8D poolwarehouse 2020 03 |||

MIRROR NUMBER: MADE FROM: 2 R3 -2 2 REVISION HISTORY REV. DESCRIPTION DATE ECO BY A RELE ... 108L 00013276 1 10 STAKE STAKE , 14 GA HPSSTAKE 00003484 1 11 HL16322R8048 STANDARD LINER, 16 X 32 RECTANGLE, 2 RADIUS, 8 DEEP, 48 WALL HL16322R8048 1 12 HS4810N STEP, 8 , STRAIGHT, 4 TRE...

lang:i-klnglon score:15 filesize: 204.26 K page_count: 3 document date: 2021-03-31



[\[pdf\]](#) Dimension Guide

00029186 PI INC rmiller PI002271 16' x 32' 6 R 8' Deep Swimming Pool Kit Dig Sheets Warehouse 16 X 32 6R 8D poolwarehouse 2020 03 |||

MIRROR NUMBER: MADE FROM: 4 8 6 R 4 8 -LIGHT 8 -1084 REV. A 8 REVISION HISTORY DESCRIP ... D108L 00013276 1 8 STAKE STAKE , 14 GA HPSSTAKE 00003484 20 9 HL16326R8048 STANDARD LINER, 16 X 32 , RECTANGLE, 6 RADIUS, 8 DEEP, 48 WALL HL16326R8048 1 10 HS4810N STEP, 8 , STRAIGHT, 4 T...

lang:i-klnglon score:15 filesize: 176.97 K page_count: 3 document date: 2021-03-31



[\[pdf\]](#)

ardex x 32 microtec tds fr cyberbox bi medias s3 amazonaws ARDEX |||

ARDEX X 32MC MICROTECMD Lit de mortier universel mince pais prise et schage rapides La solution rapide pour un lit mince pais, l intrieur ou l extrieur, lors de l installation de pierre naturelle. Schage rapide praticable/jointoiment dans les 3 heures Pour lit de mortier mince, moyen ou pais;...


lang:fr **score:15** filesize: 260.34 K page_count: 5 document date: 2020-03-26

[\[pdf\]](#) Dimension Guide

16 X 32 24 LEFT 2 RADIUS PI INC bumphrey PI002271 16' x 32' 24' R 8' Deep Left L Shaped Swimming Pool Kit Dig Sheets Warehouse poolwarehouse 2018 01 |||

MIRROR NUMBER: MADE FROM: 00003347 CHECK IN DATE/TIME: Tuesday, January 02, 2018 8:25:49 AM 2 R3 ... TION DATE: 10/5/2011 HYDRA POOLS DETAILED DATE: 1/2/2017 LAST REVISED DATE: TITLE: LAYOUT, 16 X 32 X 24 , TRUE L, LEFT, 2 RADIUS, 8 DEEP, 1/2/2018 HS110N, LIGHT, 2-1084, 3-INLET, 600 SERIES...

lang:i-klnglon **score:15** filesize: 167.77 K page_count: 4 document date: 2018-01-02




[\[pdf\]](#) Dimension Guide

16 X 32 40 TRUE L LAP PI INC bumphrey PI002271 16' x 32' 40' 6"R 8' Deep Shaped Swimming Lap Pool Kit Dig Sheets Warehouse poolwarehouse 2018 01 |||

MIRROR NUMBER: MADE FROM: 90 4 8 -LIGHT 4 90 1 8 8 -1084 8 -INLET 8 90 TYPE-2 DIVING 8 ... TION DATE: 5/6/2015 HYDRA POOLS DETAILED DATE: 1/25/2018 LAST REVISED DATE: TITLE: LAYOUT, 16 X 32 X 40 , TRUE L, LEFT, LAP, 6 RADIUS, 8 1/25/2018 DEEP, HS110N, LIGHT, 2-1084, 3-INLET, 700 ...

lang:i-klnglon **score:15** filesize: 114.5 K page_count: 4 document date: 2018-01-25





[\[pdf\]](#) Dimension Guide

00023135 PI INC jrittenhouse PI002157 16' x 32' 2 R 6' Deep *ND Swimming Pool Kit Dig Sheets Warehouse 16 X 32 HAMPTON 6 DEEP 2R poolwarehouse 2019 02 |||

MIRROR NUMBER: MADE FROM: 00018210 6 2 RR3 -1 3/4 6 R 6 R 2 8 -1084 8 - LIGHT NON-DIVING DIVI ... N DATE: 12/11/2014 SAMSON STEEL DETAILED DATE: 2/13/2019 LAST REVISED DATE: TITLE: LAYOUT, 16 X 32 , HAMPTON, 2 RADIUS REVERSE, 6 DEEP, 2/13/2019 HS310N, LIGHT, 3- INLET, 1084, 600 SERIES P...

lang:i-klnglon **score:15** filesize: 116.83 K page_count: 3 document date: 2021-04-07






[pdf]

MESA530BP MESA umywalka nablatowa 53 x 32 cm mesa530bp omnires pl produkt |||

Kod produktu: MESA530BP EAN: 5902539863420 MESA umywalka nablatowa, 53 x 32 cm Kolor: biały polysk BP Umywalka nablatowa OMNIRES MESA wyróżnia się geometryczną formą o podługnym kształcie i symetrycznie zaokrąglonych bokach. Idealnie proste brzozy o wyranym konturze nadają bryle wyjątkowo lekkiej i nowoczesnej.

lang:pl score:15 filesize: 385.43 K page_count: 3 document date: 2025-07-25




[pdf] Dimension Guide

00018193 Sheet1 rhouston 16 X 32 1 KIDNEY LEFTpoolwarehouse 2018 04 LEFT |||

MIRROR NUMBER: MADE FROM: 00013003 24 R8 /1084 8 R4 24 R8 /INLET 8 R8 /LIGHT TYPE-1 DIVING 24 ... EATION DATE: 8/2/2013 HYDRA POOLS DETAILED DATE: 4/5/2018 LAST REVISED DATE: TITLE: LAYOUT, 16 X 32 -1 , KIDNEY, LEFT, 8 DEEP, HS103N, 4/5/2018 LIGHT, 1084, 3-INLETS, 600 SERIES PART NUMBER: ...

lang:i-klngon score:14 filesize: 218.79 K page_count: 5 document date: 2018-04-05




[pdf] Datasheet

MT4LS12832 File 128K x 32 SRAM MODULE Micron datasheets down M T 4 |||

MIC:RON 1- co, ,,, ,,,, PRELIMINARY MT4LS12832 128K X 32 SRAM MODULE SRAM MODULE 128K x 32 SRAM LOW VOLTAGE FEATURES High speed: 20*, 25 and 35ns High-density 512KB design High-performance, low-power, CMOS double-metal process Single 3.3V 0.3V power supply 5V-tolerant I/O Easy memo...

lang:en score:14 filesize: 469.72 K page_count: 8 document date: 2019-04-27




[pdf] Dimension Guide

00013350 PI INC mwilliams PI002153 22 x 32 Malibu poolwarehouse 2017 01


MIRROR NUMBER: REVISION HISTORY REV. DESCRIPTION DATE ECO BY MADE FROM: 6 R7 /AQUAGENIE 6 R4 ... 7/11/2013 SAMSON STEEL DETAILED DATE: 1/11/2017 LAST REVISED DATE: TITLE: 1/11/2017 LAYOUT, 22 X 32 , MALIBU, 6 RADIUS, 6 DEEP, 2-AG, LIGHT, HSS6R3LT, 600 SERIES 00013350 PART NUMBER: SCALE: ...

lang:i-klngon score:14 filesize: 627.36 K page_count: 4 document date: 2017-01-11




[\[pdf\]](#) Dimension Guide

00017450 PI INC hyeng PI002153 14' x 32' 4 R 6' Deep Left *ND Lazy L Swimming Pool Kit Dig Sheets
Warehouse 14 X 32 RADIUS LAZY LEFT poolwarehouse 2018 02 |||
MIRROR NUMBER: 4 R 6 -3 3/8 8 -1084 8 -INLET REV. A B 3 -6 1496 X6 1 -6 6 -
1084 REVISION HI ... ION DATE: 8/15/2013 HYDRA POOLS DETAILED DATE:
1/30/2018 LAST REVISED DATE: TITLE: LAYOUT, 14 X 32 LAZY L, LEFT, 4
RADIUS, 6 DEEP, 1/30/2018 HS104N, LIGHT, 3- INLET, 2- 1084, 600 SERIES PA...
lang:i-klngon **score:14** filesize: 190.94 K page_count: 3 document date: 2018-01-30




[\[pdf\]](#) Dimension Guide

00017438 PI INC hyeng PI002153 14' x 32' 2 R 6' Deep Left *ND Lazy L Swimming Pool Kit Dig Sheets
Warehouse 14 X 32 RADIUS LAZY LEFT poolwarehouse 2018 02 |||
MIRROR NUMBER: MADE FROM: 00017436 CHECK IN DATE/TIME: Tuesday,
January 30, 2018 9:24:43 AM 2 R3 - ... ION DATE: 8/15/2013 HYDRA POOLS
DETAILED DATE: 1/30/2018 LAST REVISED DATE: TITLE: LAYOUT, 14 X 32 LAZY
L, LEFT, 2 RADIUS, 6 DEEP, 1/30/2018 HS110N, LIGHT, 3- INLET, 2- 1084, 600
SERIES PA...
lang:i-klngon **score:14** filesize: 194.8 K page_count: 3 document date: 2018-01-30




[\[pdf\]](#) Dimension Guide

00017423 PI INC hyeng PI002153 14' x 32' 2 R 6' Deep Right *ND Lazy L Swimming Pool Kit Dig Sheets
Warehouse 14 X 32 RADIUS LAZY RIGHT poolwarehouse 2018 02 |||
MIRROR NUMBER: 2 R3 -2 2 2106 X6 3 -9 7 -INLET 3 -9 6 -INLET REV. 2 R3 -2 1
REVISION ... TION DATE: 3/15/2013 HYDRA POOLS DETAILED DATE: 1/29/2017
LAST REVISED DATE: TITLE: LAYOUT, 14 X 32 LAZY L, RIGHT, 2 RADIUS, 6
DEEP, 1/29/2018 HS110N, LIGHT, 3- INLET, 2- 1084, 600 SERIES P...
lang:i-klngon **score:14** filesize: 192.73 K page_count: 3 document date: 2018-01-29



[\[pdf\]](#) Dimension Guide

00017435 PI INC hyeng PI002153 14' x 32' 4 R 6' Deep Right *ND Lazy L Swimming Pool Kit Dig Sheets
Warehouse 14 X 32 RADIUS LAZY RIGHT poolwarehouse 2018 02 |||
MIRROR NUMBER: MADE FROM: 00017423 CHECK IN DATE/TIME: Monday,
January 29, 2018 3:52:25 PM 4 R 6 - ... ION DATE: 3/15/2013 HYDRA POOLS
DETAILED DATE: 1/29/2017 LAST REVISED DATE: TITLE: LAYOUT, 14 X 32 LAZY
L, RIGHT, 4 RADIUS, 6 DEEP, 1/29/2018 HS104N, LIGHT, 3- INLET, 2- 1084, 600
SERIES P...
lang:i-klngon **score:14** filesize: 186.97 K page_count: 3 document date: 2018-01-29



[\[pdf\]](#) Specifications Warranty

Exterior 48 x 32 VanGuard TopVG 48x32imgdataserver site docs GX VG 48x32 |||
Exterior 48 x 32 VanGuard Top Product Specifications Product Description Exterior 48
x 32 VanGuard Top Reference Number US48D741 US48D742 US48D743
US48D744 Color Light Oak Aged Oak Geo Concrete Dark Concrete UPC Code
014306 932620 932637 932644 932651 Weight Each lbs. 41.24 41.24 41.24 4...
lang:en **score:14** filesize: 262.41 K page_count: 1 document date: 2018-11-27



[pdf]


17 X 32 Spacer 2D17032 jettools product file id 22033 |||

17 **X 32** Spacer 2D17032 Product Images 1 <https://jettools.com/2d17032> 1/25/23

Additional Information Stock Number 2D17032 2 <https://jettools.com/2d17032> 1/25/23

...

lang:en **score:14** filesize: 364.02 K page_count: 2 document date: 2023-01-26



[pdf] Dimension Guide

00017406 PI INC hyeng PI002153 14' x 32' 6"R 6' Deep Right *ND Lazy L Swimming Pool Kit Dig Sheets


Warehouse 14 X 32 6 RADIUS LAZY RIGHT poolwarehouse 2018 02 |||

MIRROR NUMBER: MADE FROM: 00017104 CHECK IN DATE/TIME: Monday,

January 29, 2018 11:14:06 AM 90 3 ... ION DATE: 3/15/2013 HYDRA POOLS

DETAILED DATE: 1/29/2017 LAST REVISED DATE: TITLE: LAYOUT, 14 **X 32** LAZY L, RIGHT, 6 RADIUS, 6 DEEP, 1/29/2018 HS110N, LIGHT, 3- INLET, 2- 1084, 600 SERIES P...

lang:i-klngon **score:14** filesize: 171.25 K page_count: 3 document date: 2018-01-29



[pdf] Dimension Guide

00017436 PI INC hyeng PI002153 14' x 32' 6"R 6' Deep Left *ND Lazy L Swimming Pool Kit Dig Sheets

Warehouse 14 X 32 6 RADIUS LAZY LEFT poolwarehouse 2018 02 |||

MIRROR NUMBER: 90 3 8 -INLET 8 -1084 5 -6 1496 X6 3 -6 REVISION HISTORY

REV. DESCRIPTIO ... ION DATE: 8/15/2013 HYDRA POOLS DETAILED DATE:

1/29/2018 LAST REVISED DATE: TITLE: LAYOUT, 14 **X 32** LAZY L, LEFT, 6

RADIUS, 6 DEEP, 1/29/2018 HS110N, LIGHT, 3- INLET, 2- 1084, 600 SERIES PA...

lang:i-klngon **score:14** filesize: 173.96 K page_count: 3 document date: 2018-01-29



[pdf]

851 2 Z bits PH x 32 mm 4810781bb647cd65acc881465a26ef0 alliedelec m d |||

851/2 Z bits, PH 2 **x 32** mm Bits for Phillips Screws EAN: Part number: Article

number: 4013288013675 05057710001 851/2 Z PH Size: Weight: Country of origin:

Customs tariff number: 32x9x8 mm 10 g CZ 82079030 For Phillips screws Ductile and

tough for hard materials 5/16 hexagon drive Wera connec...

lang:en **score:14** filesize: 371.48 K page_count: 2 document date: 2018-08-02

