Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

ACE DECOR 56-60" W x 58" H Semi-Frameless Double Sliding Shower Door

ACE DECOR 56-60" W x 58" H Semi-Frameless Double Sliding Shower Door Instruction Manual

Model: 56-60" W x 58" H Semi-Frameless Double Sliding Shower Door

Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your ACE DECOR 56-60" W x 58" H Semi-Frameless Double Sliding Shower Door. Please read all instructions carefully before beginning installation to ensure proper function and safety. Keep this manual for future reference.



Image: The ACE DECOR semi-frameless double sliding shower door installed over a bathtub, showcasing its design and functionality.

Safety Information

Please observe the following safety precautions during installation and use of the shower door:

- Always wear safety glasses during installation.
- Handle glass panels with extreme care. Tempered glass, while strong, can shatter if struck at the edges.
- Ensure all mounting hardware is securely fastened to structural supports.
- Do not overtighten screws, as this can damage components or glass.
- Professional installation is recommended for optimal results and safety.

▶ **Watch video online**

Tempered Glass vs Ordinary Glass

Video: A demonstration comparing the durability of tempered glass used in ACE DECOR products versus ordinary glass, highlighting the safety benefits of tempered glass.



Image: Detail of the 1/4" (6mm) clear SGCC tempered glass, certified by ANSI for safety and durability.

Package Contents

Verify that all components are present and undamaged before beginning installation. If any parts are missing or damaged, contact customer support.

- Tempered Glass Panels (2)
- Aluminum Top and Bottom Tracks
- Aluminum Wall Profiles
- Roller Assemblies
- Door Handles/Towel Bars
- Waterproof Seal Strips
- Mounting Hardware (screws, anchors, gaskets)
- Installation Manual

Setup and Installation

This shower door is designed for reversible installation, allowing the sliding panels to open from either the left or right side. Ensure your bathtub or shower base is level and plumb before installation.

Installation Steps:

1. **Measure and Mark:** Carefully measure the width of your shower opening. The door is adjustable from 56 to 60 inches. Mark the desired positions for the wall profiles on both walls.
2. **Install Wall Profiles:** Drill pilot holes and secure the aluminum wall profiles to the studs using appropriate fasteners. Ensure they are plumb.
3. **Cut and Install Top/Bottom Tracks:** Measure and cut the top and bottom aluminum tracks to fit precisely between the installed wall profiles. Secure the bottom track to the bathtub rim or shower base, ensuring it is level.
4. **Insert Glass Panels:** Carefully lift and insert the tempered glass panels into the top and bottom tracks. The double sliding design allows both panels to move.
5. **Attach Rollers and Handles:** Install the roller assemblies onto the top edge of the glass panels. Attach the door handles/towel bars to the glass panels.
6. **Adjust and Secure:** Adjust the rollers to ensure smooth sliding operation. Secure any remaining fasteners and cover caps.
7. **Apply Seal Strips:** Install the waterproof seal strips along the edges of the glass panels and the bottom track to prevent water leakage.



Image: A detailed view of the bottom track and sealing mechanism, designed to prevent water leakage.



Image: A close-up of the top aluminum rail, illustrating the robust construction and smooth finish.

Operating Instructions

Your ACE DECOR shower door features a double sliding design for flexible access. Both glass panels can slide independently.

- To open the door, gently push either glass panel along the top and bottom tracks.
- The integrated towel bar on the stationary panel provides convenient access for towels.
- Ensure the door is fully closed before showering to prevent water splashes.



Image: The shower door with one panel partially open, demonstrating the smooth sliding operation.



Image: A close-up of the chrome towel bar, which also serves as a handle for the sliding door.

Maintenance

Regular cleaning and maintenance will ensure the longevity and appearance of your shower door.

- **Glass Cleaning:** The glass panels are coated with a nano waterproof layer for easy cleaning. Use a soft cloth and mild, non-abrasive glass cleaner. Avoid harsh chemicals or abrasive pads that can damage the coating.
- **Frame Cleaning:** Wipe aluminum frames with a soft, damp cloth. For stubborn spots, use a mild soap solution.
- **Track Maintenance:** Periodically clean the top and bottom tracks to remove any soap scum or debris that may hinder smooth sliding.
- **Seal Strips:** Inspect seal strips for wear and tear. Replace if necessary to maintain waterproofing.




Image: An exploded view diagram illustrating the multi-layered glass construction, including the easy-clean nano coating.

Troubleshooting

Refer to the table below for common issues and their solutions.

Problem	Possible Cause	Solution
Door does not slide smoothly	Debris in tracks, misaligned rollers, or worn rollers.	Clean tracks thoroughly. Check roller alignment and adjust if necessary. Replace worn rollers.
Water leaks from door edges	Damaged or improperly installed seal strips, gaps in wall profiles.	Inspect and re-install or replace seal strips. Ensure wall profiles are properly sealed with silicone caulk.
Door feels loose or wobbly	Loose mounting hardware.	Check and tighten all screws and fasteners on wall profiles and tracks.

Specifications

Detailed product specifications for the ACE DECOR Semi-Frameless Double Sliding Shower Door.

Feature	Detail
Brand	ACE DECOR
Model	56-60" W x 58" H Semi-Frameless Double Sliding Shower Door
Installation Width	56-60 inches (adjustable)
Height	58 inches
Walk-in Width	24 1/8" - 28 1/8"
Glass Thickness	1/4 inch (6mm)
Glass Type	Clear SGCC Tempered Glass with explosion-proof film and nano waterproof layer
Frame Material	Aluminum
Hardware Material	304 Stainless Steel
Finish	Chrome
Installation Type	Reversible (left or right opening)
Assembly Required	Yes
Item Weight	92.8 pounds




Image: A diagram detailing the overall dimensions and entry width range of the shower door.

Warranty and Support

For warranty information or technical support, please contact ACE DECOR customer service. Keep your purchase receipt as proof of purchase.

Contact information can typically be found on the product packaging or the official ACE DECOR website.

© 2025 ACE DECOR. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CR7FB74Z

More documents and user manuals: **https://manuals.plus/**