

Saved from manuals.plus.

Open the live page for links to other documents and user manuals.

[Manuals.plus](#) /

› [Lordear](#) /

› Lordear 15x17 Indoor Outdoor Kitchen Sink with Foldable Faucet Instruction Manual

Lordear UL15R1-FC

Lordear 15x17 Indoor Outdoor Kitchen Sink with Foldable Faucet Instruction Manual

Model: UL15R1-FC

INTRODUCTION

Thank you for choosing the Lordear 15x17 Inch Indoor Outdoor Kitchen Sink with Foldable Faucet. This manual provides essential information for the safe and efficient installation, operation, and maintenance of your new sink. Crafted from 16-gauge T304 stainless steel, this sink is designed for durability and versatility in various settings, including RVs, home bars, outdoor BBQ areas, and compact kitchen prep stations.



Image: A visual comparison highlighting the benefits of a workstation sink, such as undermount installation, seamless transition, easy cleaning, and space-saving features, compared to an ordinary sink.

Safety Information

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves during installation.
- Ensure all water supply lines are turned off before beginning installation to prevent water damage.
- If you are unsure about any installation steps, consult a qualified plumber or professional installer.
- Do not use abrasive cleaners or tools on the sink surface, as this may scratch the finish.
- Keep away from decoration materials when remodeling to prevent damage to the sink.

Package Contents

Verify that all components are present before beginning installation:

- 15x17 inch Undermount Bar Sink
- Folding Faucet
- Sink Cover
- Drain Strainer
- Hot and Cold Water Inlet Pipe
- Faucet Controller
- Bottom Rinse Grid
- Hardware for installation
- Template Cardboard
- Installation Instructions (this manual)

INCLUDES ACCESSORIES

Lordear®

The sink includes most of the accessories to save you money and increase efficiency in the kitchen.




Image: The comprehensive package includes the undermount sink, folding faucet, sink cover, drain strainer, hot/cold water inlet pipe, faucet controller, bottom rinse grid, hardware, template cardboard, and installation instructions.

SETUP AND INSTALLATION

1. Prepare the Cabinet and Countertop

- Ensure your cabinet base is a minimum of 18 inches wide. This is 3 inches wider than the sink width for proper fit.
- Use the provided template cardboard to mark the cutout area on your countertop. The recommended cutout size is 13"W x 15"D x 9"H.
- Carefully cut the opening in the countertop according to the template.



Image: Diagram showing sink dimensions (15"x17"x9") and recommended minimum cabinet base of 18 inches, with a cutout size of 13"x15"x9".

2. Install the Sink

- Apply a silicone sealant around the rim of the sink before placing it into the countertop opening. This ensures a watertight seal and prevents leakage.
- Secure the sink to the underside of the countertop using the provided hardware.

3. Install the Faucet and Drain Assembly

- Install the folding faucet and faucet controller into the designated holes on the sink or countertop.
- Connect the hot and cold water inlet pipes to the faucet and your water supply lines. Ensure all connections are tight to prevent leaks.
- Install the drain strainer into the sink's drain opening. The standard drain opening is 3-1/2 inches, compatible with most garbage disposals (garbage disposal flange sold separately if needed).
- Place the bottom rinse grid inside the sink to protect the surface.



Image: A Lordear 15x17 inch stainless steel sink with a foldable faucet, installed in a light-colored kitchen countertop, showcasing its compact design and integrated features.

OPERATING INSTRUCTIONS

Using the Foldable Faucet

- The faucet is 100° rotatable, allowing you to direct water flow as needed.
- To save counter space, the faucet can be fully folded down when not in use.
- Use the faucet controller to adjust water temperature (hot and cold) and flow.

Utilizing the Sink Cover and Rinse Grid

- The sink cover can be placed over the sink opening to create additional workspace when the sink is not in use.
- The bottom rinse grid protects the sink's surface from scratches and allows water to drain efficiently, keeping items elevated.



Image: The Lordear 15x17 inch sink filled with ice and bottles, demonstrating its versatility as a beverage cooler for entertaining or a temporary storage for vegetables.

MAINTENANCE

Cleaning the Sink

- Regularly wipe the sink with a soft towel and mild soap to maintain its brushed finish.
- Avoid using abrasive cleaners, steel wool, or harsh chemicals, as these can damage the stainless steel surface.
- The X-shaped drainage system and rounded corners facilitate easy cleaning and complete water removal.


Sound Dampening and Anti-Condensation

The sink features a 3mm thick noise-reducing rubber pad and an anti-condensation coating. These features minimize noise from water flow and prevent condensation buildup, contributing to a quieter and drier cabinet space.

DETAILS OF THE BACK

Lordear®

Thickened 3mm mute pads can absorb the sound of the water source, effectively reduce the noise of the water flow, to provide you with a quieter environment.



— Condensation Dripping —



— No Dripping —



Image: The underside of the sink reveals thickened 3mm mute pads and an anti-condensation coating, designed to absorb noise and prevent dripping, ensuring a quieter kitchen environment.

TROUBLESHOOTING

- **Leaking around the sink rim:** Ensure the silicone sealant was properly applied during installation and that mounting clips are securely tightened. Reapply sealant if necessary.
- **Slow drainage:** Check the drain strainer for any debris or food particles that may be obstructing water flow. Ensure the X-shaped drainage lines are clear.
- **Faucet issues (low flow, leaks):** Verify water supply lines are fully open. Check connections for tightness. If issues persist, consult the faucet's specific troubleshooting guide or a plumber.
- **Rust spots:** While T304 stainless steel is highly resistant to rust, prolonged exposure to certain chemicals or metallic particles can cause surface discoloration. Clean immediately with a non-abrasive stainless steel cleaner.

SPECIFICATIONS

Brand	Lordear
Model Number	UL15R1-FC
Material	16-Gauge T304 Stainless Steel
Color	Stainless Steel
Overall Dimensions	17"D x 15"W x 9"H
Minimum Cabinet Base	18 Inches
Drain Opening	Standard 3-1/2"
Installation Type	Undermount
Finish Type	Brushed
Item Weight	22.3 pounds

KITCHEN SINK DETAILS

Lordear®

The sink is made of high quality materials, sturdy and durable, easy to maintain and clean.






Image: Key features of the Lordear sink, including real 16-gauge stainless steel for durability, R10 round corners for easy cleaning, X-shape waterlines for efficient drainage, and a bottom slope design to prevent water pooling.

WARRANTY AND SUPPORT

Lordear stands behind the quality of our sinks, ensuring reliable performance. If you have any questions about using this sink in different scenarios, require assistance with installation, or need support, our dedicated after-sales team is available to help. Please refer to your purchase documentation for specific warranty details or contact Lordear customer service directly.

© 2024 Lordear. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question

and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0CR9VMX2B>

More documents and user manuals: **<https://manuals.plus/>**