Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Elite Kitchen Supply C55R

Elite Kitchen Supply C55R 49 cu. ft. Commercial Reach-in Refrigerator Instruction Manual

Model: C55R

1. Introduction

Thank you for choosing the Elite Kitchen Supply C55R Commercial Reach-in Refrigerator. This manual provides essential information for the safe and efficient operation, maintenance, and troubleshooting of your new appliance. Designed for commercial kitchens, restaurants, cafes, bakeries, bars, and offices, this 49 cu. ft. unit features durable stainless steel construction, precise temperature control, and energy-efficient operation.

2. Safety Information

- This appliance is ETL certified for safety and sanitation. Adhere to all local and national electrical and plumbing codes.
- Ensure the unit is properly grounded to prevent electrical shock.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- Keep ventilation openings in the appliance enclosure or in the built-in structure clear of obstruction.
- Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- Do not damage the refrigerant circuit.
- Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.

3. Setup and Installation

3.1 Unpacking and Inspection

Upon receiving your refrigerator, carefully inspect the packaging and the unit for any signs of shipping damage. Report any

damage immediately to the carrier and your supplier. Retain all packaging materials for inspection.

3.2 Placement

- This is a freestanding unit. Ensure adequate clearance around the unit for proper ventilation and maintenance.
- Avoid placing the unit in direct sunlight, near heat-producing equipment (ovens, fryers), or in areas with high humidity.
- The unit is equipped with lockable casters for easy movement. Once in position, lock the casters to secure the unit.
- **Important Note:** The warranty does not cover equipment used in food trucks, trailers, boats, residential addresses, islands, or built-in decorations. Ensure proper commercial installation.

3.3 Electrical Connection

Connect the unit to a dedicated 115 Volt, 60Hz, single-phase power supply. Ensure the outlet is properly grounded and matches the plug type. Do not use extension cords.

3.4 Dimensions and Weight

- **Exterior Dimensions (D x W x H):** 32" x 54" x 81"
- **Interior Dimensions (W x D x H):** 49.5" x 25" x 48"
- **Weight:** 463 lbs
- **Capacity:** 49 Cubic Feet

Image: Front view of the Elite Kitchen Supply C55R refrigerator highlighting features like White LED Lighting, Temperature Display, Safety Lock, and Lockable Casters. This image illustrates key components for setup and operation.

Image: Rear view of the Elite Kitchen Supply C55R refrigerator, showing the compressor unit and power cord connection point at the bottom. This view is important for understanding installation requirements.

Video: A detailed walkthrough of the Elite Kitchen Supply C55R refrigerator, demonstrating its dimensions, interior features, control panel, and rear components. This video provides a comprehensive overview for setup and initial inspection.

4. Operating Instructions

4.1 Initial Startup

After installation, allow the refrigerator to sit for at least 2-4 hours before plugging it in. This allows the refrigerant to settle. Once plugged in, the unit will begin cooling. Allow it to reach the desired temperature before loading products.

4.2 Temperature Control

The unit features digital temperature control, allowing precise temperature settings between 33°F and 41°F. Refer to the control panel instructions for specific adjustments. The digital display provides a visual indication of the current internal temperature.

4.3 Loading Products

- The refrigerator is equipped with adjustable epoxy-coated, corrosion-resistant shelves. Arrange shelves to accommodate various product sizes.
- Utilize the LED lighting for clear visibility and efficient inventory management.
- The fan-forced air circulation system ensures uniform cooling throughout the cabinet, preserving food effectively.

Image: An interior shot of the refrigerator showing a hand reaching for a bottle, demonstrating the accessibility and ample storage space provided by the adjustable shelves.

Image: A diagram illustrating the 360° circulation air cooling system within the refrigerator, emphasizing low energy consumption, self-closing design, high-density insulation, and no frost buildup.

4.4 Door Operation

- The unit features two self-closing doors to minimize temperature fluctuations and save energy.
- Each door is equipped with a safety lock to secure contents overnight or when unattended.

5. Maintenance

5.1 Cleaning

- The 430 and 304 stainless steel interior and exterior surfaces are designed for easy cleaning. Use mild soap and water with a soft cloth. Avoid abrasive cleaners or scouring pads.

- Regularly clean the interior, including shelves, to maintain hygiene and prevent odors.

5.2 Defrosting

The C55R refrigerator features an automatic defrost system, eliminating the need for manual defrosting. This ensures consistent performance and reduces maintenance effort.

5.3 Evaporator and Condenser Maintenance

The innovative top-mounted evaporator design simplifies access for maintenance. Regularly inspect and clean the condenser coils to ensure optimal cooling efficiency and prevent compressor strain. A dirty condenser coil can significantly reduce the unit's performance and lifespan.

Image: Close-up of the interior top section of the refrigerator, showing the air circulation fans and the LED light strip. This area is crucial for efficient cooling and visibility.

6. Troubleshooting

If you experience any issues with your Elite Kitchen Supply C55R refrigerator, please refer to the detailed troubleshooting guide in the full product manual (if available) or contact Elite Kitchen Supply customer support for assistance. Common issues may include:

- Unit not cooling: Check power supply, thermostat settings, and ensure condenser coils are clean.
- Excessive noise: Verify unit is level and not vibrating against other equipment.
- Door not closing properly: Inspect door gaskets for damage or obstructions.

7. Specifications

Feature	Specification
Brand Name	Elite Kitchen Supply
Model Info	13781
Item Weight	463 pounds
Product Dimensions	32 x 54 x 81 inches
Item model number	13781
Capacity	49 Cubic Feet
Refrigerator Fresh Food Capacity	49 Cubic Feet
Installation Type	Freestanding
Part Number	C55R
Form Factor	Side By Side
Special Features	Digital Temperature Control, Energy Efficient and Quiet
Color	Metallic-Silver
Voltage	115 Volts
Defrost	Automatic
Door Material Type	Stainless Steel
Shelf Type	Wire
Shelves	6
Certification	ETL
Included Components	Handles
Number Of Doors	2

8. Warranty Information

The Elite Kitchen Supply C55R Commercial Reach-in Refrigerator comes with a comprehensive warranty:

- **All Parts:** 3-year warranty
- **Compressor:** 6-year warranty
- **Labor:** 1-year warranty

Important: This warranty does not cover equipment used in food trucks, trailers, boats, residential addresses, islands, or built-in decorations. Please review the full warranty terms and conditions provided with your product for complete details.

Image: Front view of the Elite Kitchen Supply C55R refrigerator displaying badges for 3-year parts warranty and 6-year compressor warranty, highlighting the product's coverage.

9. Customer Support

For any questions, technical assistance, or warranty claims, please contact Elite Kitchen Supply customer support. Refer to your product packaging or the official Elite Kitchen Supply website for contact information.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CRCNQTDZ

More documents and user manuals: **https://manuals.plus/**