

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [FRESKO](#) /

› [FRESKO Fully Automatic Vacuum Sealer User Manual](#)

FRESKO AutoMax V8

FRESKO Fully Automatic Vacuum Sealer User Manual

Model: AutoMax V8

Brand: FRESKO

INTRODUCTION

Thank you for choosing the FRESKO Fully Automatic Vacuum Sealer. This appliance is designed to preserve your food efficiently, extending its freshness up to 8 times longer than traditional storage methods. With its powerful 95Kpa suction, automatic dry-wet detection, and user-friendly features like a built-in bag cutter and roll storage, the AutoMax V8 simplifies food preservation. Please read this manual thoroughly before operation to ensure safe and optimal performance.

IMPORTANT SAFETY INSTRUCTIONS

- Always ensure the appliance is unplugged before cleaning or maintenance.
- Do not immerse the appliance, power cord, or plug in water or other liquids.
- Keep out of reach of children. This appliance is not intended for use by persons with reduced physical, sensory, or mental capabilities.
- Use only FRESKO approved vacuum sealer bags and accessories.
- Do not operate the appliance if the power cord or plug is damaged, or if the appliance malfunctions or has been damaged in any manner.
- Avoid placing the appliance on hot surfaces or near heat sources.
- Ensure the lid is properly closed and locked before starting any operation.
- Allow the appliance to cool down between continuous sealing cycles to prevent overheating.

SETUP

1. Unboxing and Components

Carefully remove all components from the packaging. The FRESKO Fully Automatic Vacuum Sealer comes with a comprehensive starter kit:

- Food Vacuum Seal Machine (1 unit)
- Foam Gasket (1 unit)
- Rolls Bags (2 units: 8" x 20' & 11" x 20')

- Air Suction Hose (1 unit)
- External Interface (1 unit)
- User Manual (1 unit)



Figure 1: Included Starter Kit Components

2. Initial Placement

Place the vacuum sealer on a flat, stable, and dry surface. Ensure there is enough space around the unit for proper ventilation and operation. Connect the power cord to a suitable electrical outlet.



Figure 2: FRESKO AutoMax V8 Vacuum Sealer ready for use

OPERATING INSTRUCTIONS

1. Automatic Modes

The AutoMax V8 features intelligent automatic operation for convenience.

Vacuum & Seal Mode:

For vacuuming air and sealing bags. Place the open end of the bag under the **Green baffle**. Close the lid firmly. The machine will automatically detect the bag and food type (dry or moist) and initiate the vacuuming and sealing process. The auto-locking system ensures the lid is securely closed without extra pressing.

Vacuum & Seal



- 1 Place the bag opening under the **green baffle**



- 2 Close the lid, vacuum and seal automatically



Done

Figure 3: Vacuum & Seal Operation

Seal Only Mode:

To seal bags without vacuuming. Place the open end of the bag under the **Red baffle**. Close the lid. The machine will automatically seal the bag.

Make Customized Bags



- 1 Open the lid and cutter rack



- 2 Pull out the vacuum bag as needed and cut to your desired length

Seal Only



- 1 Place the bag opening under the **red baffle**



- 2 Close the lid, seal automatically



Done

Figure 4: Seal Only Operation

2. Manual Modes

Pulse Mode:

Allows you to manually control the vacuum degree, ideal for delicate or easily deformed foods like bread or chips. Place the bag opening under the **Green baffle** and close the lid. Press and hold the "Pulse" button to vacuum. Release the button to stop vacuuming and initiate sealing.

Pulse for Manual Vac



1 Place the bag opening under the **green baffle**, close the lid



2 Immediately press and hold the Pulse Button to vacuum, then release to seal



 Done

Note:

1. Please use Pulse function when vacuum seal fragile and soft food.
2. When vacuum sealing food with liquid, keep the inside and outside of the bag opening dry.

Figure 5: Pulse Mode Operation

External Vacuum Mode:

For vacuuming jars, sous vide bags, containers, or wine plugs. Connect the air suction hose to the external interface port on the machine and to your container. Press the "External" button to begin vacuuming.

External Vacuum



1 Take out the hose and interface



2 Connecting



3 Press

Figure 6: External Vacuum Operation

3. Built-in Bag Cutter & Roll Storage

The AutoMax V8 features a convenient built-in roll storage and bag cutter, allowing you to create custom-sized bags efficiently. Simply open the lid, pull out the vacuum bag roll to your desired length, and use the integrated cutter to make a clean cut.

Durable Sealing Performance

Widened Heating Strip

11.81 inches

15mm



Figure 7: Built-in Bag Cutter and Roll Storage

4. Food Type Detection

The machine intelligently identifies whether the food is dry or moist, adjusting the sealing process accordingly. This ensures optimal preservation for various food items.




Figure 8: Automatic Bag and Moisture Detection

The FRESKO AutoMax V8 is suitable for a wide range of food types:

- **Moist food:** Steak with blood, soup, etc.
- **Dry food:** Nuts, beans, flour.
- **Fragile food:** Potato chips, biscuits (use Pulse mode).
- **Soft food:** Strawberries, bread (use Pulse mode).
- **Marinated food:** Marinated meat, jam, sauce.

5. Product Demonstration Video

Your browser does not support the video tag.

Video 1: Official FRESKO demonstration of the Fully Automatic Vacuum Sealer's effortless operation. This video showcases the machine's automatic vacuum and seal functions, highlighting its ease of use for various food types.

MAINTENANCE

1. Cleaning the Appliance

To ensure hygiene and prolong the life of your vacuum sealer, regular cleaning is essential. The vacuum chamber is detachable for easy cleaning.

- Unplug the appliance before cleaning.
- Detach the vacuum chamber (the part with the green and red baffles).
- Wash the detachable chamber with warm, soapy water. Rinse thoroughly and dry completely before reattaching.
- Wipe the exterior of the appliance with a damp cloth. Do not use abrasive cleaners or immerse the main unit in water.
- Ensure all parts are completely dry before storing or next use.

User-friendly Design



Figure 9: Detachable Vacuum Chamber for Easy Cleaning

2. Gasket Replacement

The foam gasket ensures an airtight seal during operation. If you notice a decrease in vacuum performance, inspect the gasket for any cracks, tears, or debris. A replacement foam gasket is included in your starter kit. To replace, gently peel off the old gasket and press the new one firmly into place, ensuring a snug fit.

TROUBLESHOOTING

If you encounter any issues with your FRESKO AutoMax V8 Vacuum Sealer, please refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
Machine does not power on.	Not plugged in; Power outlet issue.	Ensure the power cord is securely plugged into a working outlet. Test the outlet with another appliance.

Problem	Possible Cause	Solution
Machine is not vacuuming properly.	Lid not closed correctly; Bag not positioned correctly; Gasket dirty or damaged; Bag material incompatible.	Ensure the lid is fully closed and locked. Reposition the bag so the opening is flat and smooth under the green baffle. Clean or replace the gasket. Use FRESKO compatible vacuum sealer bags.
Bag is not sealing.	Heating strip dirty or damaged; Bag material incompatible; Too much moisture in the sealing area.	Clean the heating strip. Ensure the bag is dry in the sealing area. Use FRESKO compatible bags.
Vacuum is weak or inconsistent.	Bag too full; Air leakage; Moisture in vacuum chamber.	Do not overfill bags. Check for wrinkles or creases in the bag opening. Ensure the vacuum chamber is clean and dry.

If the problem persists after trying these steps, please contact FRESKO customer support.

SPECIFICATIONS

Feature	Detail
Brand	FRESKO
Model Number	AutoMax V8
Material	Stainless Steel
Color	Black Silver
Product Dimensions (L x W x H)	15.75" x 7.99" x 4.68"
Item Weight	6.8 Pounds
Power Source	Corded Electric
Operation Mode	Automatic
Wattage	140 watts
Voltage	120 Volts
Manufacturer	Fresko

WARRANTY AND SUPPORT

FRESKO offers a **3-year quality guarantee** for your Fully Automatic Vacuum Sealer (Model AutoMax V8). This commitment ensures peace of mind and covers any manufacturing defects or malfunctions under normal use. For technical support, warranty claims, or any questions regarding your product, please contact FRESKO customer service. You can also visit the official FRESKO store for more information and products:

[Visit the FRESKO Store on Amazon](#)

A digital version of this user manual is also available for download:[User Manual \(PDF\)](#)

Related Documents - AutoMax V8

 <p>Vacuum Sealer AutoMax V2 INSTRUCTION MANUAL www.fresko.com</p>	<p>Fresko AutoMax V2 Vacuum Sealer Instruction Manual Comprehensive instruction manual for the Fresko AutoMax V2 Vacuum Sealer, covering safety precautions, specifications, features, operation guides, vacuum sealing and food safety practices, cleaning, maintenance, troubleshooting, warranty, and disposal instructions.</p>
 <p>www.fresko.com</p>	<p>V8 Vacuum Packaging Machine Operation and Troubleshooting Guide Detailed guide for operating the V8 vacuum packaging machine, including step-by-step instructions, usage requirements, and troubleshooting for common problems.</p>
	<p>FRESKO AutoMax V8 Vacuum Sealer Instruction Manual This manual provides comprehensive instructions for the FRESKO AutoMax V8 Vacuum Sealer, covering essential safety precautions, detailed specifications, features, operating procedures for various sealing modes, food safety guidelines, freshness comparison data, cleaning and maintenance advice, troubleshooting common issues, and warranty information.</p>
 <p>Vacuum Sealer AutoMax V8 INSTRUCTION MANUAL www.fresko.com</p>	<p>FRESKO AutoMax V8 Vacuum Sealer Instruction Manual This manual provides instructions for the FRESKO AutoMax V8 Vacuum Sealer, covering important safeguards, specifications, features, usage, food safety practices, cleaning, troubleshooting, and warranty information.</p>
 <p>Vacuum Sealer AutoMax V4 INSTRUCTION MANUAL www.fresko.com</p>	<p>FRESKO AutoMax V4 Vacuum Sealer Instruction Manual Comprehensive instruction manual for the FRESKO AutoMax V4 Vacuum Sealer, covering setup, operation, safety, maintenance, troubleshooting, and warranty information.</p>
 <p>Vacuum Sealer AutoMax V8 INSTRUCTION MANUAL www.fresko.com</p>	<p>FRESKO AutoMax V8 Vacuum Sealer: Instruction Manual & User Guide Comprehensive instruction manual for the FRESKO AutoMax V8 Vacuum Sealer. Learn about features, operation, safety, food preservation, cleaning, troubleshooting, and warranty.</p>

