Compustar RFX-P2WT13-SF

Compustar RFX-P2WT13-SF PRO 3B User Manual

Model: RFX-P2WT13-SF

Introduction

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Compustar RFX-P2WT13-SF PRO 3B 2-Way Water-Resistant Color LCD remote system. This kit is designed as a remote and LTE upgrade, not a complete remote start system. Please read this manual thoroughly before using the product to ensure proper function and to maximize its features.



Image: The Compustar RFX-P2WT13-SF PRO 3B remote system, showing the product packaging, the main PRO T13 remote with color LCD, and the compact PRO R5 companion remote.

What's Included

The Compustar RFX-P2WT13-SF kit includes the following components:

- RFX-P2WT13-SF Remote
- LTE Upgrade Kit
- Drone X1 LTE module
- Two 2-way remotes (PRO T13 and PRO R5)




Image: A visual representation of the components included in the RFX-P2WT13-SF package, such as the 2WT13R-SF PRO 2-Way T13 Remote, 2WR5R-SF PRO R5 2-Way LED Remote, ANT-2WSF 2-Way SS Antenna with Proximity Unlock, X1-LTE Drone X1 LTE/GPS Module, USB Charging Cable, and FT-TEMP Temperature Sensor.

Key Features

- **Full-Color LCD Screen:** The PRO T13 remote features a vibrant, user-friendly LCD interface.
- **2-Way Communication:** Provides confirmation of commands sent to the vehicle.
- **3-Mile Max Range:** Extended operating range for remote commands.
- **Proximity Unlock:** Automatically unlocks doors when the remote is within 3-6 feet of the vehicle.
- **USB Rechargeable:** The PRO T13 remote has a water-resistant micro-USB charging port, offering up to 6 weeks of battery life on a single charge.
- **Water-Resistant Casing (IPX-7):** Durably built to withstand everyday impact and weather conditions.
- **Drone X1 LTE Module:** Enables GPS tracking and smartphone control (requires DroneMobile Premium subscription after trial).
- **Two 2-Way Remotes:** Includes both the PRO T13 and the compact PRO R5.
- **3-Button, 50 Commands:** Sleek design with robust functionality for primary controls, auxiliary features, and remote settings.

Setup and Installation

The Compustar RFX-P2WT13-SF is an advanced remote and LTE upgrade kit. Professional installation by an authorized Compustar dealer is highly recommended to ensure proper functionality and to maintain product warranty. This kit integrates with your vehicle's existing systems and requires specific wiring and programming.

Initial Remote Charging

Before first use, fully charge the PRO T13 remote using the provided USB charging cable. Connect the micro-USB end to the remote's charging port and the USB-A end to a standard USB power adapter or computer USB port. The LCD will indicate charging status.

DroneMobile Activation

To utilize the GPS tracking and smartphone control features, activate the Drone X1 LTE module. Download the DroneMobile app from your device's app store. Follow the in-app instructions to create an account and link your Drone X1 module. A free 30-day trial of DroneMobile Premium is included.

Operating Instructions

Remote Button Functions (PRO T13)

The PRO T13 remote features a 3-button design. Functions are typically assigned as follows, but may vary based on installation and programming:

- **Lock/Arm:** Press the **Lock** button once to lock doors and arm the security system.
- **Unlock/Disarm:** Press the **Unlock** button once to unlock doors and disarm the security system.
- **Start/Stop (if configured):** Press and hold the **Start/Stop** button for 2.5 seconds to remote start or stop the engine.
- **Trunk Release:** Press and hold the **Trunk** button (often combined with another button) for 2.5 seconds to open the trunk.
- **Panic/Siren:** Press and hold the **Panic** button (often combined with another button) for 2.5 seconds to activate the vehicle's horn/siren.

Proximity Unlock

With the Proximity Unlock feature enabled, your vehicle will automatically unlock its doors when the PRO T13 remote comes within 3 to 6 feet of the vehicle. Ensure the remote is carried on your person for this feature to function.

LCD Display Information

The PRO T13's full-color LCD displays various vehicle statuses and remote settings, including:

- Door lock/unlock status
- Engine status (running/off)
- Vehicle battery voltage
- Interior temperature
- Remote battery level
- Alarm alerts and notifications

Maintenance

Remote Battery Charging

The PRO T13 remote is USB rechargeable. When the battery indicator on the LCD shows low power, connect the remote to a USB power source using the provided cable. A full charge typically lasts up to 6 weeks, depending on usage.

Cleaning

Clean the remote and other components with a soft, dry cloth. Avoid using harsh chemicals or abrasive cleaners, as these can damage the finish or electronic components. While the PRO T13 remote is water-resistant, avoid prolonged submersion.

Software Updates

Periodically check the DroneMobile app for software updates for the Drone X1 LTE module. Keeping the software updated ensures optimal performance and access to new features.

Troubleshooting

Problem	Possible Cause	Solution
Remote not responding	Low remote battery; Out of range; Interference; System not armed.	Charge remote battery; Move closer to vehicle; Check for strong radio interference; Ensure system is armed.
Proximity Unlock not working	Feature disabled; Remote not close enough; Interference.	Verify Proximity Unlock is enabled in settings; Ensure remote is within 3-6 feet of vehicle; Check for signal interference.
LCD display is blank or dim	Low remote battery; Display settings.	Charge remote battery; Adjust display brightness settings on the remote.
DroneMobile app not connecting	No LTE signal; Expired subscription; App error.	Check cellular signal strength; Verify DroneMobile subscription status; Restart app or phone.

If problems persist, please contact an authorized Compustar dealer or Compustar customer support for assistance.

Specifications

Model Number: RFX-P2WT13-SF

Brand: Compustar

Display Type: LCD (Full-Color)

Remote Range: Up to 3 Miles (Max)

Battery Type: USB Rechargeable (PRO T13 remote)

Water Resistance: IPX-7 (PRO T13 remote)

Connectivity: Auxiliary, USB (for charging), LTE (via Drone X1 module)

Compatible Devices: Smartphone (via DroneMobile app)

Max Number of Supported Devices: 2 (PRO T13 and PRO R5 remotes)

Item Weight: Approximately 1 pound (entire kit)

Manufacturer: COMPUSTAR

Warranty Information

The Compustar PRO T13 kit, including both 2-way remotes, is covered by Compustar's industry-leading**PRO 3-Year Warranty**. This warranty protects your purchase from defects and malfunctioning components under normal use. Please retain your proof of purchase for warranty claims.
For detailed warranty terms and conditions, please refer to the official Compustar website or contact an authorized dealer.

Customer Support

For technical assistance, troubleshooting, or warranty inquiries, please contact Compustar customer support or visit their official website. It is recommended to consult with your authorized Compustar installer for any installation-related

questions or issues.

- **Compustar Official Website:** www.compustar.com
- **DroneMobile Support:** support.dronemobile.com

© 2024 Compustar. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question