



[Manuals.plus](#) /

› [Feelfunn](#) /

› Feelfunn 3.2 Cu.Ft Beverage Refrigerator Cooler Instruction Manual, Model ZX-BR-110

Feelfunn ZX-BR-110

Feelfunn 3.2 Cu.Ft Beverage Refrigerator Cooler Instruction Manual

MODEL: ZX-BR-110

1. Introduction

Thank you for choosing the Feelfunn 3.2 Cu.Ft Beverage Refrigerator Cooler. This manual provides essential information for the safe and efficient operation, installation, and maintenance of your new appliance. Please read these instructions thoroughly before use and retain them for future reference.

2. Safety Information

To reduce the risk of fire, electric shock, or injury when using your appliance, follow these basic precautions:

- Read all instructions before using the appliance.
- Do not touch cold surfaces, especially when the appliance is operating.
- Ensure the appliance is properly grounded.
- Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- Do not damage the refrigerant circuit.
- Do not use electrical appliances inside the storage compartments unless they are of the type recommended by the manufacturer.
- **Important:** For peak performance, maintain the fridge upright for 24 hours before initial use. This allows the refrigerant to settle.

3. Package Contents

Verify that all items are present in the package:

- Feelfunn Beverage Refrigerator Cooler
- 4 Removable Shelves
- User Manual (this document)

4. Setup

4.1 Unpacking

Carefully remove all packaging materials. Inspect the appliance for any shipping damage. If damage is found, do not plug in the unit and contact customer support.

4.2 Placement

This beverage cooler is designed for under-counter or freestanding installation. Ensure adequate ventilation around the unit. Allow at least 2 inches of space at the back and sides for proper air circulation. Place the unit on a flat, stable surface away from direct sunlight and heat sources.

4.3 Leveling

The appliance must be level for optimal performance. Adjust the adjustable feet at the bottom of the unit to ensure it is stable and level. A level unit prevents vibrations and ensures proper door sealing.

Product Details



Reversible Door



Recessed
Door Handle



Adjustable
Feet



4 Adjustable
Shelves

Product dimensions and features including adjustable feet.

4.4 Door Reversal

The door is reversible, allowing it to open from either the left or right side. Refer to the detailed instructions in the separate door reversal guide (if included) or contact customer support for assistance with this procedure.



Illustration of the reversible door feature.

4.5 Initial Power-On

After placement and leveling, wait at least 24 hours before plugging the unit into a power outlet. This allows the compressor oils and refrigerants to settle, preventing potential damage. Once plugged in, the unit will begin cooling.

5. Operating Instructions

5.1 Temperature Control

The beverage cooler features an intelligent temperature management system with a digital display. The temperature range is 34°F to 64°F (1°C to 18°C). Use the '+' and '-' buttons on the control panel to set your desired temperature. The display will show the current internal temperature.

Intelligent Temperature Control

Chill to perfection with tailored temperature settings for every drink



LED Light
Switch



Temperature Control
(From 34°F to 64°F)



Temperature
Display



Digital temperature control panel with LED light switch and temperature display.

5.2 LED Lighting

The unit is equipped with soft blue LED interior lighting. Use the light switch on the control panel to turn the interior light on or off as desired.

5.3 Adjustable Shelves

The four adjustable shelves allow for flexible storage configurations. You can adjust their height or remove them to accommodate various sizes of cans or bottles, including wine bottles stored upright or horizontally.

Optimal Storage Capacity

Never run out of cold drinks with our large-capacity cooler



126

Cans Capacity



4

Adjustable Shelves



8

Slots



34°F

Lower Cooling Limit



Optimal storage capacity with adjustable shelves.

5.4 Air Cooling System

The 3D circulating air cooling system ensures consistent temperatures throughout the unit, providing even cooling for all beverages.

3D Circulating Air Cooling & Frost-Free

Faster, more even cooling. Hassle-free refrigeration experience.



Illustration of the 3D circulating air cooling and frost-free system.

6. Maintenance

6.1 Cleaning

Interior: Unplug the unit before cleaning. Wash the interior surfaces and removable shelves with a mild detergent and warm water. Rinse thoroughly and dry completely before restoring power. Do not use abrasive cleaners or solvents.

Exterior: Clean the exterior with a soft cloth and mild detergent. Wipe dry. The double-layer glass door with LOW-E coating can be cleaned with a glass cleaner.

Premium Design & Aesthetics

Brighten up your culinary space with a fridge that's both stylish and practical



LOW-E
Coating



2 - Layer
Tempered Glass



Diagram of the double-layer glass door with LOW-E coating.

6.2 Defrosting

This appliance features a frost-free defrost system, eliminating the need for manual defrosting. Any accumulated frost will automatically melt and evaporate.

6.3 Power Outage

In case of a power outage, keep the door closed to maintain the internal temperature for as long as possible. Avoid opening the door unnecessarily.

7. Troubleshooting

Before contacting customer support, review the following common issues and solutions:

Problem	Possible Cause	Solution
Appliance does not operate	Not plugged in; circuit breaker tripped; power outage.	Ensure plug is secure; reset circuit breaker; check household power.
Temperature is not cold enough	Temperature setting too high; door opened too frequently; poor ventilation.	Adjust temperature setting lower; minimize door openings; ensure proper clearance.
Excessive noise	Appliance not level; objects vibrating against the unit.	Adjust leveling feet; ensure no objects are touching the unit.
Door does not close properly	Appliance not level; gasket dirty or damaged; shelves out of place.	Level the unit; clean or replace gasket; reposition shelves.

8. Specifications

Feature	Specification
Brand	Feelfunn
Model Number	ZX-BR-110
Capacity	3.2 Cubic Feet (approx. 126 cans)
Product Dimensions (D x W x H)	18.8 x 17.8 x 31.11 inches
Item Weight	50 Pounds
Temperature Range	34°F to 64°F
Defrost System	Frost Free
Shelves	4 Adjustable, Removable Shelves
Door Material Type	Glass (Double-layer with LOW-E coating)
Door Hinges	Reversible
Noise Level	36dB
Estimated Energy Cost	Approx. 0.79 kWh per day
Voltage	115 Volts
Certification	ETL

Low Noise & Energy Saving



Low noise operation and energy efficiency.

9. Warranty and Support

Feelfunn provides a 1-year accessory maintenance service for this product. For any questions, concerns, or technical support regarding your beverage refrigerator cooler, please contact our customer service team. We are committed to providing a satisfactory resolution to your inquiries.

Please refer to the contact information provided on our official website or your purchase documentation for the most up-to-date support channels.