

VBESTLIFE VBESTLIFEnf5yzpk12q

VBESTLIFE External Speaker Instruction Manual

Model: VBESTLIFEnf5yzpk12q

1. INTRODUCTION

Thank you for choosing the VBESTLIFE External Speaker. This compact and powerful speaker is designed to enhance audio clarity for various mobile and ham radio transceivers. Its plug-and-play design and included mounting hardware ensure easy installation and immediate use.

2. SAFETY INFORMATION

- Ensure the speaker is securely mounted to prevent movement during vehicle operation.
- Do not expose the speaker to water or excessive moisture as it is not waterproof.
- Avoid placing the speaker in locations that obstruct your view or interfere with vehicle controls.
- Use only with compatible devices that support a 3.5mm mono audio output.

3. PACKAGE CONTENTS

- 1 x VBESTLIFE External Speaker
- Mounting Screws

4. PRODUCT FEATURES

- **Clear Audio Output:** Delivers a clear timbre and loud sound with a power output of 5W.
- **Wide Compatibility:** Designed for car mobile radios, ham radios, and mobile transceivers. Compatible with models such as Radioaddity 27, MD 9600, TH 9800, FT 7800R, FT 8900R, TM281, TM481, IC 2720H, and IC 2820H.
- **Plug and Play:** Features a 1.8m (5.9ft) cable with a 3.5mm plug for easy connection.
- **Compact Design:** Rectangular shape with dimensions of 11.4 x 6.5 x 5.5 cm (4.5 x 2.6 x 2.2 inches) to save space.
- **Easy Installation:** Includes screws for secure mounting.

5. SETUP INSTRUCTIONS

5.1 Mounting the Speaker

The external speaker comes with a mounting bracket and screws for secure installation. Choose a suitable location in your vehicle or workspace that does not obstruct your view or interfere with driving. Ensure the surface is stable and can support the speaker's weight.

1. Position the mounting bracket in the desired location.
2. Mark the screw holes on the mounting surface.
3. Drill pilot holes if necessary, ensuring they are appropriate for the provided screws.
4. Secure the bracket using the provided screws.
5. Attach the speaker to the mounted bracket, adjusting the angle as needed for optimal sound direction.



Figure 1: The VBESTLIFE External Speaker securely mounted on a car dashboard, providing clear audio for the driver.

5.2 Connecting the Speaker

The speaker features a 1.8-meter (5.9-foot) cable with a 3.5mm mono plug for easy connection to your radio or transceiver.

1. Locate the external speaker jack on your mobile or ham radio transceiver. This is typically a 3.5mm mono jack.
2. Insert the 3.5mm plug from the external speaker cable firmly into the radio's external speaker jack.
3. Ensure the connection is secure to prevent audio interruptions.



Loud sound
The speakers have a clear tone and loud sound
Power output: 5W
Get a louder, clearer sound
Plug and play
The cable is 1.8m/5.9ft long
With 3.5 mm plug
Plug and play, easy to use
With screws, easy to install, fix the speaker to the car

Figure 2: The external speaker showing its integrated 3.5mm audio cable and the included mounting screws, ready for installation.

6. OPERATING INSTRUCTIONS

Once connected, the VBESTLIFE External Speaker operates as a direct audio output for your compatible radio. No additional power source or complex configuration is required.

- **Power On/Off:** The speaker powers on and off with your radio. Ensure your radio is powered on for the speaker to function.
- **Volume Control:** Adjust the audio volume directly from your connected radio or transceiver. The external speaker does not have its own volume control.
- **Enhanced Audio:** Experience louder and clearer audio output, especially beneficial in noisy environments or when the radio's internal speaker is insufficient.

Work with most of the CB radios/mobile radios



Figure 3: The external speaker demonstrating its compatibility with a range of mobile and ham radio units, highlighting its versatile application.

7. MAINTENANCE

- **Cleaning:** Use a soft, dry cloth to clean the exterior of the speaker. Do not use liquid cleaners or abrasive materials.
- **Storage:** When not in use for extended periods, store the speaker in a cool, dry place away from direct sunlight and extreme temperatures.
- **Cable Care:** Avoid sharp bends or kinks in the audio cable to prevent damage.

8. TROUBLESHOOTING

- **No Sound:**
 - Ensure the 3.5mm plug is fully inserted into the radio's external speaker jack.
 - Check the radio's volume level.
 - Verify the radio is powered on and functioning correctly.

- Test the speaker with another compatible device if possible to rule out speaker malfunction.
- **Distorted Sound:**
 - Reduce the radio's volume to prevent overdriving the speaker.
 - Ensure the audio cable is not damaged or kinked.
 - Check for any loose connections.

9. SPECIFICATIONS

Feature	Detail
Brand	VBESTLIFE
Model Number	VBESTLIFEuf5yzpk12q
Speaker Type	Component External Speaker
Connectivity Technology	Auxiliary (3.5mm plug)
Cable Length	1.8 meters (5.9 feet)
Speaker Maximum Output Power	5 Watts
Audio Output Mode	Mono
Product Dimensions (D x W x H)	2.2" x 4.5" x 2.6" (11.4 x 6.5 x 5.5 cm)
Item Weight	9.9 ounces
Mounting Type	Tabletop Mount (with included bracket)
Waterproof	No



Compact design
Compact rectangular external speaker
Not taking up too much space
Save space
Premium material
Made of premium ABS, metal
It has greater durability and longer service life
Stable performance and high reliability



Figure 4: Detailed view of the external speaker with its physical dimensions indicated.

10. PRODUCT VIDEOS

Video 1: Demonstrates the VBESTLIFE External Speaker's compatibility with various ham radios and CB radios, showcasing its plug-and-play functionality.

Video 2: An overview of the TW-06 L type CB external speaker, highlighting its design and features relevant to external radio speakers.

Video 3: A product overview video showcasing the external speaker's general appearance and functionality.

Video 4: Features the external speaker for ham radio, CB, and scanners, demonstrating its application in various communication setups.

11. WARRANTY

This VBESTLIFE External Speaker comes with a limited warranty. Please refer to the warranty card included in your package or contact customer support for detailed terms and conditions.

12. SUPPORT

For technical assistance, troubleshooting, or warranty inquiries, please contact VBESTLIFE customer support through the retailer's platform or the official VBESTLIFE website. Please have your model number (VBESTLIFEnf5yzpk12q) and purchase information ready.