

TEISVAY V8D

TEISVAY Smart Toilet with Bidet (Model V8D) Instruction Manual

Your guide to installation, operation, and maintenance.

1. PRODUCT OVERVIEW

The TEISVAY Smart Toilet with Bidet (Model V8D) integrates advanced technology for an enhanced bathroom experience. Key features include automatic lid opening and closing, foot sensing for hands-free operation, personalized user habit settings, multi-functional washing and drying, efficient flushing, and intuitive control options with a night light.



Figure 1: Front view of the TEISVAY Smart Toilet with Bidet.

2. PACKAGE CONTENTS

Before installation, ensure all components are present. Refer to the image below for a visual guide of included accessories.



Figure 2: Included accessories for the TEISVAY Smart Toilet.

3. SETUP AND INSTALLATION

Proper installation is crucial for optimal performance. Please follow these steps carefully. Professional installation is recommended.

3.1 Pre-Installation Checks

Ensure the installation area meets the required dimensions and plumbing specifications. The product dimensions are 27.5"D x 17.1"W x 18.5"H.



Figure 3: TEISVAY Smart Toilet dimensions.

3.2 Installation Steps

For a detailed visual guide on installation, please refer to the video below. This video demonstrates the process from unboxing to final sealing.

Your browser does not support the video tag.

Video 1: Smart Toilet Installation Guide. This video provides a step-by-step demonstration of how to install a smart toilet, including preparing the area, connecting water lines, and securing the unit.

1. **Prepare the Floor Drain:** Ensure the floor drain is clear and ready for the toilet flange.
2. **Install the Flange Ring:** Securely attach the PVC flange ring to the floor drain.
3. **Connect Water Inlet Hoses:** Attach the water inlet hoses to the toilet and the angle valve on the wall.
4. **Position the Toilet:** Carefully align the toilet with the flange ring and secure it in place.
5. **Apply Sealant:** Apply a silicone sealant around the base of the toilet for a watertight seal.
6. **Connect Power:** Plug the toilet into a grounded electrical outlet.

4. OPERATING INSTRUCTIONS

The TEISVAY Smart Toilet offers various intelligent functions for convenience and hygiene.

4.1 Automatic Lid Opening and Closing

The lid automatically opens when a person approaches and closes when they leave. A foot sensor can also be used to flip the seat and flush.



Figure 4: Automatic lid and seat operation with foot sensing.

4.2 User Habit Settings

Customize your experience with two user habit settings, accessible via the one-touch knob.



Figure 5: User habit settings via the one-touch knob.

4.3 Multi-Functional Washing and Drying

The bidet function allows adjustment of water temperature and cleaning position. The nozzle features a self-cleaning function. The dryer provides warm air, reducing the need for toilet paper.

One - Touch Knob

Rotating and pressing operations, including rear washing, front washing, drying, and flushing, are convenient for the seniors and children to use.



Figure 6: One-touch knob for washing and drying functions.

SELF CLEANING & MULTIPLE NOZZLE




Figure 7: Self-cleaning and multi-functional nozzle.

4.4 Heated Seat

The heated seat offers 4 gear temperature settings for comfort, preventing overheating or low-temperature burns.



Figure 8: Heated seat temperature settings.

4.5 High-Efficiency Flush

The toilet features 4 flushing modes: auto sensor, foot sensor, remote control, and press knob. The tankless design with siphonic and jet flushing provides powerful flushing with minimal water consumption.



Figure 9: Efficient flush system.

4.6 Control and Display

Control the smart bidet using the knob or the remote control. The LED display indicates real-time water, seat, and drying temperatures. A night light is included for convenience.

Your browser does not support the video tag.

Video 2: TEISVAY Smart Toilet with Bidet Built-in. This video demonstrates various features of the smart toilet, including automatic lid, heated seat, and bidet functions.

5. MAINTENANCE

The self-cleaning nozzle ensures hygiene with minimal effort. Regularly wipe down the exterior surfaces with a soft, damp cloth and mild cleaner. Avoid abrasive cleaners or harsh chemicals.

6. TROUBLESHOOTING

If you encounter any issues, please refer to the following common troubleshooting tips:

- **No Power:** Check if the power cord is securely plugged in and the outlet is functional.
- **Lid Not Opening/Closing Automatically:** Ensure the sensors are clean and unobstructed.
- **Flushing Issues:** Verify water supply is on and check for any blockages.
- **Bidet Not Functioning:** Confirm water pressure settings and nozzle position.

For persistent problems, contact customer support.

7. SPECIFICATIONS

Feature	Detail
Brand	TEISVAY
Model Number	V8D
Product Dimensions	27.5"D x 17.1"W x 18.5"H
Material	Ceramic, Polypropylene (PP)
Color	White
Installation Type	Floor Mounted
Item Weight	104.3 pounds

8. WARRANTY AND SUPPORT

The TEISVAY Smart Toilet comes with a 1-year warranty. For any inquiries or support needs, please contact our customer service. We offer 24-hour customer service to assist you.




Figure 10: Warranty and Customer Support.