

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Maxi-Cosi](#) /

› [Maxi-Cosi Mico Luxe+ Infant Car Seat Instruction Manual](#)

## Maxi-Cosi Mico Luxe+ (IC384FNG)

# Maxi-Cosi Mico Luxe+ Infant Car Seat Instruction Manual

Model: IC384FNG

## 1. INTRODUCTION

---

This manual provides essential information for the safe and correct use of your Maxi-Cosi Mico Luxe+ Infant Car Seat. Please read all instructions carefully before installation and use. Keep this manual in a safe place for future reference.

The Maxi-Cosi Mico Luxe+ is designed for infants weighing 4-30 lbs and up to 32 inches in height, to be used in a rear-facing position only.

## 2. IMPORTANT SAFETY INFORMATION

---

- Always use the car seat in the rear-facing position for infants within the specified weight and height limits.
- Ensure the 5-point harness is properly adjusted and snug against your child's body, with the chest clip at armpit level.
- Never place an infant car seat on the front passenger seat where an active airbag is present.
- Always secure the car seat to the vehicle using either the LATCH system or the vehicle's seat belt, as instructed in this manual.
- Do not use the car seat if it has been involved in a crash, even if there is no visible damage. Replace it immediately.
- Register your car seat with Maxi-Cosi to receive important safety updates and recall information.

## 3. COMPONENTS OVERVIEW

---

Familiarize yourself with the main components of your Mico Luxe+ Infant Car Seat:

- Infant Car Seat Carrier
- Car Seat Base with MaxiLock™ LATCH System

- Infant Head and Lumbar Inserts
- Adjustable Canopy
- Ergonomic Carry Handle
- Load Leg (integrated into base)
- 5-Point Harness System



Image 3.1: The Maxi-Cosi Mico Luxe+ Infant Car Seat with its base, showcasing the full assembly.

## 4. SETUP AND INSTALLATION

Proper installation is critical for safety. Always refer to your vehicle's owner's manual for specific car seat installation instructions.

### 4.1 Installing the Car Seat Base (LATCH System)

1. Place the car seat base on the vehicle seat in the rear-facing position.
2. Extend the MaxiLock™ LATCH connectors from the base.
3. Attach the LATCH connectors to your vehicle's lower anchor bars. Ensure you hear a click, indicating a secure connection.

4. Press down firmly on the base while pulling the LATCH strap to tighten the connection. The self-tightening mechanism will assist. The base should not move more than one inch side-to-side or front-to-back at the belt path.
5. Adjust the load leg to extend to the vehicle floor, ensuring it is firmly planted and stable. The load leg helps limit movement during a collision.
6. Verify the recline indicator on the base shows the correct recline angle for your infant's weight.



Image 4.1: The MaxiLock™ secure locking system with self-retracting one-click LATCH connectors on the car seat base.



Image 4.2: The car seat base with the load leg extended, demonstrating how it limits movement for added stability.

## 4.2 Taxi-Mode Installation (Without Base)

For installation without the base, use the vehicle's lap and shoulder belt. Clearly visible belt guides on the car seat carrier facilitate smooth positioning. Route the vehicle belt through the designated belt path and buckle it. Ensure the belt is tight and the car seat is secure, not moving more than one inch.

## 5. OPERATING INSTRUCTIONS

---

### 5.1 Securing Your Child

1. Place your infant in the car seat. Ensure their head is comfortably supported by the infant head insert.
2. Bring the harness straps over your child's shoulders and buckle the harness tongues into the crotch buckle.
3. Slide the chest clip up to armpit level.
4. Pull the harness adjustment strap to tighten the harness until it is snug against your child's body. You should not be able to pinch any excess webbing at the shoulder.



Designed with  
**ClimaFlow™** technology  
to keep baby cool

Image 5.1: A front view of the Maxi-Cosi Mico Luxe+ car seat, showing the harness system and infant inserts.



## Load leg limits movement for added stability

Image 5.2: Close-up view of the plush cushioning and 5-point harness system, designed for infant support.

### 5.2 Carrying the Car Seat

The Mico Luxe+ features an ergonomically designed handle with a vegan leather grip for comfortable carrying. The lightweight design allows for easy transport from vehicle to destination.



Image 5.3: A parent carrying the Mico Luxe+ infant car seat, demonstrating its portability and ergonomic handle.

### **5.3 Stroller Compatibility**

The Mico Luxe+ Infant Car Seat is designed for seamless transition. It can be attached to compatible strollers using appropriate adapters (sold separately) to create a travel system.

### **5.4 ClimaFlow Technology**

The car seat shell incorporates ClimaFlow technology, which provides ventilation to help keep your baby cool and comfortable by promoting airflow.

# MaxiLock™

secure locking system  
with self-retracting  
one-click LATCH  
connectors



Image 5.4: A close-up view of the ClimaFlow ventilation system integrated into the car seat shell.

## 6. MAINTENANCE

### 6.1 Cleaning the Fabric

The Mico Luxe+ features PureCosi™ fire-resistant fabrics, which are free from wool or added fire retardant treatments. The removable car seat cushions are machine-washable and dryer-safe. Refer to the care label for specific washing instructions.

### 6.2 Cleaning the Shell and Harness

Wipe the car seat shell and harness straps with a damp cloth and mild soap. Do not immerse the harness straps in water, as this can weaken the webbing.

## 7. TROUBLESHOOTING

- **Canopy does not stay up:** Ensure the canopy is correctly attached to its designated points on the car seat handle or shell. Check for any obstructions.
- **Fabric detaching or styrofoam exposed:** This indicates potential damage. Discontinue use

immediately and contact Maxi-Cosi customer support for assistance. Do not attempt to repair structural components yourself.

- **Difficulty removing car seat from base:** Ensure the release lever on the base is fully engaged. Check for any debris obstructing the locking mechanism.
- **Harness difficult to adjust:** Ensure the harness straps are not twisted. Check that the harness adjustment strap is free from obstruction.

## 8. SPECIFICATIONS

Feature	Detail
Model Number	IC384FNG
Product Dimensions	28.54 x 17.72 x 28.54 inches
Item Weight	18.74 pounds
Minimum Weight Recommendation	4 Pounds
Maximum Weight Recommendation	30 Pounds
Maximum Height Recommendation	32 Inches
Orientation	Rear Facing
Harness Type	5-Point
Installation Type	LATCH
Material Composition	Plastic, Polyester, Foam
Number of Reclining Positions	1
Batteries Required	No



Image 8.1: Diagram showing the key dimensions of the Maxi-Cosi Mico Luxe+ Infant Car Seat.

## 9. WARRANTY AND SUPPORT

For warranty information, product registration, or customer support, please visit the official Maxi-Cosi website or contact their customer service department. Keep your proof of purchase for warranty claims. Official Maxi-Cosi Website: [www.maxicosi.com](http://www.maxicosi.com)