

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [Bestway](#) /
- › [Bestway Coleman Hawaii AirJet Inflatable Hot Tub Model 90518E-BW Instruction Manual](#)

Bestway 90518E-BW

Bestway Coleman Hawaii AirJet Inflatable Hot Tub Instruction Manual

Model: 90518E-BW

[Overview](#) [Safety Guidelines](#) [Package Contents](#) [Setup & Installation](#) [Operation](#) [Maintenance](#)
[Troubleshooting](#) [Specifications](#) [Support](#)

1. OVERVIEW

This manual provides essential instructions for the setup, operation, and maintenance of your Bestway Coleman Hawaii AirJet Inflatable Hot Tub. This product is designed to provide a relaxing spa experience for 4 to 6 individuals, featuring 140 AirJet bubble jets and an EnergySense cover for improved thermal efficiency. The hot tub is constructed with DuraPlus material for durability and includes Freeze Shield technology for cold weather protection.



Image: The Bestway Coleman Hawaii AirJet Inflatable Hot Tub in use, showcasing its key features such as the AirJet system, DuraPlus

material, Freeze Shield technology, ChemConnect dispenser, and compatibility with the Bestway Smart Hub App.



Image: A complete view of the Bestway Coleman Hawaii AirJet Inflatable Hot Tub, including the EnergySense cover, spa seats, and pillows, ready for use.

2. SAFETY GUIDELINES

Adherence to these safety guidelines is crucial for safe operation and to prevent injury or damage to the product.

2.1 Important Electrical Safety Information

- The use of an extension cord or multi-plug adapter is strictly prohibited.
- Connect to a grounded 110-120 V AC, 60Hz, Single Phase 12A receptacle (corresponding voltage of hot tub).
- The grounded receptacle must be resistant to humidity and capable of high-power loading. If unsure of quality, consult an electrician before use.
- Regularly inspect the plug and socket for signs of damage. If signs of damage exist, do NOT plug back into the socket.

2.2 Installation Location

Outdoor setup should be on level ground that:

- Supports the weight of the hot tub, water, and users.
- Has adequate drainage to avoid property damage.
- Is within 12 ft. of a grounded receptacle (3-prong outlet).

2.3 Special Indoor Installation Requirements

If setting up indoors, please note:

- Humidity could cause property damage.
- Adequate ventilation around the area is required (consult an expert to confirm).

SALUSPA®

IMPORTANT ELECTRICAL SAFETY INFORMATION

1. Use of an extension cord or multi-plug adaptor is strictly prohibited
2. Connect to a grounded 110-120 V AC, 60Hz, Single Phase 12A receptacle (corresponding voltage of hot tub)
3. Grounded receptacle must be resistant to humidity and capable of high-power loading
 - If unsure of quality, consult an electrician before use
4. Regularly inspect the plug and socket for signs of damage
 - If signs of damage exist, do NOT plug back into socket



INSTALLATION LOCATION

Outdoor setup on level ground that:

- Supports the weight of the hot tub, water and users
- Has adequate drainage to avoid property damage
- Is within 12 ft. of a grounded receptacle (3-prong outlet)

SPECIAL INDOOR INSTALLATION REQUIREMENTS

If setting up indoors, please note:

- Humidity could cause property damage
- Adequate ventilation around the area is required (consult an expert to confirm)

Image: A visual guide to electrical safety and installation location considerations, including warnings against extension cords and requirements for grounded receptacles and level ground.

3. PACKAGE CONTENTS

Verify that all components are present before beginning assembly.

- Inflatable Hot Tub Liner
 - Spa Pump/Heater Unit
 - EnergySense Insulated Cover
 - Filter Cartridge (Type VI)
 - ChemConnect Dispenser
 - Repair Patch
 - High-Pressure Hand Pump
 - Spa Seats (6 Pack)
 - Padded Headrest Pillows (3 Pack)
-

4. SETUP AND INSTALLATION

The Bestway Coleman Hawaii AirJet Hot Tub is designed for easy setup with no tools required for basic assembly.

4.1 Site Preparation

Choose a suitable, level location as described in the Safety Guidelines. Ensure the area is clean and free of sharp objects.

4.2 Hot Tub Inflation

1. Unfold the hot tub liner and spread it out in the chosen location.
2. Connect the inflation hose from the spa pump to the hot tub's air valve.
3. Turn on the pump's inflation function and inflate the hot tub until it is firm to the touch but not over-inflated.
4. Disconnect the hose and securely close the air valve.

4.3 Pump Unit Connection

Connect the spa pump/heater unit to the hot tub liner following the instructions in the detailed manual. Ensure all connections are tight to prevent leaks.

4.4 Water Filling

Fill the hot tub with water using a garden hose until the water level is between the minimum and maximum fill lines indicated on the liner.


4.5 Accessory Attachment

Place the spa seats and attach the padded headrest pillows as desired for enhanced comfort.

ATLANTIS AIRJET INFLATABLE HOT TUB WITH ENERGYSENSE COVER



KEY FEATURES



CAPACITY




222 GAL.



MAX TEMP



NO TOOLS



POWER SAVING TIMER

Image: A detailed diagram illustrating the dimensions (71"L x 71"W x 28"H) and key specifications of the hot tub, including its 4-6 person capacity and 222-gallon water volume.

SALUSPA.

SPA SEAT
ACCESSORY



FEATURES & SPECIFICATIONS



Firm, sturdy spa seat is comfortable for hours of relaxation



Seat can be adjusted to customize the height - from 3.15 - 4.72 in.



Seat remains at the bottom of the spa thanks to its weighted feet

Image: A close-up of the SaluSpa spa seat, demonstrating its firm, contoured design for comfort and its adjustable height feature (3.15 - 4.72 inches) with weighted feet for stability.

SALUSPA.

PADDED PILLOW
SPA ACCESSORY



FEATURES & SPECIFICATIONS



Ergonomic design provides head and neck support



Adjustable strap drapes over the side of the spa



Comfortable sponge pillow is covered with washable mesh fabric

Image: A close-up of the SaluSpa padded pillow, illustrating its ergonomic design for head and neck support, adjustable strap for secure placement, and comfortable sponge material with washable mesh fabric.

5. OPERATING INSTRUCTIONS

5.1 Control Panel

The digital control panel allows you to activate the heating system, AirJet system, and filter system. Refer to the detailed manual for specific button functions and settings, including the power-saving timer.

5.2 AirJet System

Activate the AirJet system via the control panel to release 140 bubbling jets from the sidewalls, providing a massage experience.

5.3 Heating System and Freeze Shield

The heating system can raise the water temperature up to 104°F (40°C). The integrated Freeze Shield technology automatically activates the heating function to protect the pump and liner from damage when ambient temperatures drop

below a certain threshold.

5.4 EnergySense Cover

Utilize the EnergySense insulated cover when the hot tub is not in use. This cover helps to speed up heating time and significantly reduces heat loss, making the hot tub more energy-efficient.

5.5 Bestway Smart Hub App

Download the Bestway Smart Hub App to control the hot tub's temperature, timer, filter, and massage system remotely from your smartphone.

The infographic is divided into two main sections. The left section, titled 'FEATURES & TECH', has a dark blue background and lists three features: 'FREEZE SHIELD' (with a snowflake icon), 'CUP HOLDERS' (with a cup icon), and 'CHEMCONNECT' (with a chlorine dispenser icon). The right section has a light grey background and features an image of a hot tub with the text 'AIRJET SPA 140 JETS' and a description of the bubble massage. Below that, a red background features an image of fabric with the text 'MAXHOLD FABRIC' and 'INTERNAL BEAMS'.

FEATURES & TECH

- FREEZE SHIELD**
Automatic heating function protects pump and liner from damage due to cold weather
- CUP HOLDERS**
Built into the pump for convenient storage of drinks and snacks
- CHEMCONNECT**
Evenly disperses a stable level of chlorine

AIRJET SPA

140 JETS

Bubbles release from the sidewalls, surrounding you with a calming bubble massage

MAXHOLD FABRIC

INTERNAL BEAMS

Provide superior air pressure retention, stability and lightweight portability

Image: An infographic highlighting key technologies such as Freeze Shield for cold weather protection, the 140-jet AirJet spa system, built-in cup holders, the ChemConnect dispenser, and the durable MaxHold fabric with internal beams.




ENERGYSENSE® COVER

Up to 40% more energy-efficient than similar inflatable spas

CONTROL PANEL

Easy-to-reach, digital control panel heats water up to 104°F

KEY FEATURES



CAPACITY




222 GAL.



MAX TEMP



NO TOOLS



POWER SAVING TIMER

Image: A visual representation of the EnergySense cover, emphasizing its energy efficiency, and the easy-to-reach digital control panel capable of heating water up to 104°F, along with capacity and volume details.



**BESTWAY
SMART HUB APP**
Control the temperature, timer, filter and massage system from the palm of your hand

9:41
SMART HUB

by **Bestway**
DOWNLOAD TODAY

Coleman
SALUSPA

Image: A smartphone screen showing the Bestway Smart Hub App, illustrating its capability to control the hot tub's temperature, timer, filter, and massage system remotely.

6. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your hot tub.

6.1 Water Treatment with ChemConnect

The ChemConnect dispenser is designed to dispense a stable level of chlorine evenly into the water. Fill the dispenser with appropriate chemical tablets and attach it to the hot tub. Always follow chemical manufacturer guidelines for dosage.

6.2 Filter Cartridge Care

The filter cartridge should be cleaned regularly (e.g., daily or every other day depending on usage) by rinsing it with a garden hose. Replace the filter cartridge every 1-2 weeks or when it remains dirty after cleaning.

6.3 Cleaning the Hot Tub

Periodically drain and clean the hot tub liner. Use a soft brush and mild, non-abrasive cleaner specifically designed for hot tubs. Rinse thoroughly before refilling.

7. TROUBLESHOOTING

For common issues, refer to the comprehensive troubleshooting section in the full product manual. If problems persist, contact Bestway customer support.

- **No Power:** Check electrical connections and ensure the GFCI plug is reset.
- **Heating Issues:** Verify filter cleanliness and water level. Ensure the cover is properly secured.
- **AirJet System Not Working:** Check for blockages in the air blower intake.
- **Water Leaks:** Inspect the liner for punctures and use the provided repair patch if necessary.

8. SPECIFICATIONS

Feature	Detail
Brand	Bestway
Model Name	90518E-BW
Product Dimensions	71"L x 71"W x 28"H
Material	DuraPlus
Shape	Square
Number of Jets	140 AirJets
Seating Capacity	4-6 People
Water Capacity	222 Gallons (840 Liters)
Max Heat Temperature	104°F (40°C)
Power Source	Battery Powered (refer to pump unit for specific electrical requirements)
Assembly Required	Yes
UPC	193802355673
ASIN	B0CSR7DBS

9. WARRANTY AND SUPPORT

For warranty information, claims, or technical support, please refer to the warranty card included with your product or visit the official Bestway website. Keep your proof of purchase for warranty validation.

Manufacturer: Bestway

Website: www.bestwaycorp.com

