

[Manuals.plus](#) /

› [Virubi](#) /

› Virubi 30" Bathroom Vanity with Single Sink Combo Instruction Manual

Virubi 196986434684

Virubi 30" Bathroom Vanity with Single Sink Combo

Model: 196986434684

INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your new Virubi 30" Bathroom Vanity with Single Sink Combo. Please read all instructions carefully before beginning assembly and retain this manual for future reference.



Image: Assembled Virubi 30-inch Bathroom Vanity with Single Sink Combo, showcasing its front view in a bathroom setting.

SAFETY INFORMATION

- Always follow local plumbing and building codes during installation.
- Ensure all connections are secure to prevent leaks.
- Do not overtighten screws during assembly to avoid damaging components.
- Keep small parts away from children during assembly.
- Use appropriate safety gear, such as gloves and eye protection, when handling tools.
- Two people are recommended for assembly and installation due to the size and weight of the vanity.

PACKAGE CONTENTS

Verify that all components are present before beginning assembly. If any parts are missing or damaged, please contact customer support.

Ample Storage Space



Image: Exploded view of the Virubi 30-inch Bathroom Vanity, illustrating all individual components and their respective dimensions for assembly reference.

List of Components:

- Vanity Cabinet Frame (Solid Wood)
- Ceramic Sink Basin
- Tip-Out Drawer Front
- Drawer Boxes (2)
- Cabinet Door (1)
- Adjustable Shelf (1)
- Cabinet Door Organizer (1)
- Hardware Pack (screws, hinges, drawer slides, handles)
- Instruction Manual

SETUP AND ASSEMBLY

Follow these steps carefully for proper assembly. Refer to the exploded view image in the 'Package Contents' section for visual guidance.

1. **Unpack and Identify Parts:** Carefully remove all components from the packaging. Lay them out on a clean, soft surface to prevent scratches. Identify each part using the provided labels and the component list.
2. **Assemble the Cabinet Frame:** Connect the side panels, back panel, and bottom panel of the vanity cabinet using the provided screws and connectors. Ensure all joints are secure and the frame is stable.
3. **Install Drawer Slides:** Attach the drawer slides to the interior of the cabinet frame according to the pre-drilled holes. Ensure they are level and aligned.
4. **Assemble Drawers:** Construct the two main drawer boxes and the tip-out drawer front. Attach the corresponding drawer slide mechanisms to the drawer boxes.
5. **Insert Drawers:** Carefully slide the assembled drawers into their respective tracks in the cabinet frame. Test for smooth operation.
6. **Attach Cabinet Door:** Install the hinges onto the cabinet door and then attach the door to the cabinet frame. Adjust hinges for proper alignment and soft-closing function.
7. **Install Adjustable Shelf and Door Organizer:** Place the adjustable shelf inside the cabinet at your desired height. Attach the cabinet door organizer to the inside of the cabinet door.
8. **Place Ceramic Sink Basin:** Carefully place the ceramic sink basin onto the top of the vanity cabinet. Ensure it is properly seated and aligned. Apply a bead of silicone sealant (not included) around the edges for a watertight seal, if desired.
9. **Install Faucet and Drain:** Install your chosen 4-inch centerset faucet and drain assembly (not included) into the pre-drilled holes of the ceramic basin. Connect the water supply lines and drain plumbing according to manufacturer instructions and local codes.
10. **Attach Handles:** Securely attach the metal handles to the drawers and cabinet door.

Glossy Ceramic Basin



Anti-Spill
Hole



4" Centerset
faucet will fit this product
(faucet not included)



Easy to Clean
Scratch Resistant

Image: Close-up of the Virubi ceramic basin, highlighting the anti-spill hole and the pre-drilled 4-inch centerset faucet compatibility. Faucet not included.

Size: Inch

L	W	H
18.31"	30.00"	33.78"



Image: The Virubi 30-inch Bathroom Vanity with its drawers and cabinet door open, illustrating the ample storage space including a tip-out drawer, two main drawers, two shelves, and a cabinet door organizer.

- **Drawers:** The vanity features two main drawers and one tip-out drawer. These are equipped with soft-closing mechanisms for quiet and smooth operation. Gently push the drawers to close them completely.
- **Cabinet Door:** The cabinet door also features a soft-closing mechanism. Open the door to access the adjustable shelf and the integrated door organizer.
- **Sink:** The ceramic sink is designed for daily use. Ensure the faucet is properly installed and sealed to prevent water leakage.

MAINTENANCE

Proper care will extend the life and appearance of your vanity.

- **Cleaning the Cabinet:** Wipe the cabinet surfaces with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that can damage the painted finish. Dry immediately with a clean cloth.

- **Cleaning the Ceramic Sink:** The smooth, scratch-resistant ceramic basin is easy to clean. Use mild soap and water with a soft sponge or cloth. Rinse thoroughly and dry to prevent water spots. Avoid using abrasive pads or strong chemical cleaners.
- **Hardware:** Periodically check all screws and hardware for tightness. Tighten if necessary, but do not overtighten.
- **Spills:** Wipe up any water spills on the vanity surface immediately to prevent water damage.

Product Details

Excellence shines through in the finer aspects of the product



Solid Wood Frame



Painted Finish




Height Adjustable Shelf



High-Quality MDF Board



Textured Metal Handle



Smooth Slide Rail

Image: Close-up details of the Virubi vanity, showcasing the solid wood frame, painted finish, height-adjustable shelf, high-quality MDF board, textured metal handle, and smooth slide rail mechanisms.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Drawers do not close smoothly or are stiff.	Misaligned drawer slides; debris in tracks; overtightened screws.	Check drawer slide alignment and adjust if necessary. Clean tracks of any obstructions. Loosen screws slightly if overtightened.

Problem	Possible Cause	Solution
Cabinet door is misaligned or does not close properly.	Hinges are loose or improperly adjusted.	Adjust the screws on the hinges to align the door. Ensure hinges are securely fastened.
Water leaks from sink or faucet.	Loose plumbing connections; improper sealant application; damaged O-rings.	Check and tighten all plumbing connections. Ensure silicone sealant around the sink is intact. Inspect faucet and drain for damaged components and replace if necessary. Consult a plumber if issues persist.
Vanity feels unstable or wobbly.	Loose assembly screws; uneven floor.	Ensure all assembly screws are tightened. Use shims under the vanity legs if the floor is uneven.

SPECIFICATIONS

Feature	Detail
Brand	Virubi
Model Number	196986434684
Colour	Blue
Material	Solid Wood Frame, High-Quality MDF Board, Ceramic Sink
Mounting Type	Freestanding / Undersink
Size	30 Inch
Number of Drawers	3 (2 main, 1 tip-out)
Door Style	Soft Closing
Special Feature	Stable, Soft Closing Drawers & Door, Adjustable Shelf, Cabinet Door Organizer
Item Dimensions (L x W x H)	45.7 x 76.2 x 83.8 Centimeters (approx. 18.31" L x 30.00" W x 33.78" H)
Assembly Required	Yes

WARRANTY AND SUPPORT

For warranty information or customer support, please refer to the product packaging or contact the retailer where the product was purchased. Keep your purchase receipt as proof of purchase.

If you encounter any issues not covered in this manual, please reach out to Virubi customer service for assistance.

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question