

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [ARIEL](#) /

› [ARIEL Hepburn 60" Grey Bathroom Vanity with Carrara Quartz Countertop - Instruction Manual](#)

ARIEL HBT-060SCQRVOGRY

ARIEL Hepburn 60" Grey Bathroom Vanity with Carrara Quartz Countertop

Instruction Manual

1. IMPORTANT SAFETY INFORMATION

Please read all instructions carefully before assembly and installation. Failure to follow these instructions may result in injury or property damage. Keep this manual for future reference.

- Always use appropriate safety gear when handling and installing the vanity. This includes gloves and eye protection.
- Ensure the vanity is properly secured to the wall to prevent tipping. Use appropriate wall anchors for your wall type.
- Do not exceed the weight limit of 294 pounds for the vanity.
- Keep the area around the vanity clear during installation to prevent tripping hazards.
- Always turn off the water supply before working on the plumbing connections.
- This product is intended for indoor use only.

2. PRODUCT OVERVIEW

The ARIEL Hepburn 60" Grey Bathroom Vanity is constructed from solid hardwood with plywood panels, ensuring durability and resistance to moisture and temperature changes. It features a 1.5" edge Carrara Quartz countertop and a single rectangular ceramic under-mount sink.



Figure 2.1: Front view of the ARIEL Hepburn 60" Grey Bathroom Vanity.



Figure 2.2: The vanity integrated into a bathroom environment.

3. COMPONENTS INCLUDED

The following components are included with your ARIEL Hepburn 60" Bathroom Vanity:

- Vanity base cabinet (fully assembled)
- Carrara Quartz countertop
- Ceramic rectangular under-mount sink (UPC certified)
- Hardware (handles for doors and drawers)
- Backsplash

Note: Faucet and mirror are not included.

4. SETUP AND INSTALLATION

The vanity base cabinet arrives fully assembled. Installation of the countertop and sink is required. Professional installation is recommended, but DIY installation is an option for experienced individuals.

4.1 Pre-Installation Checklist

- Verify all components are present and undamaged.
- Ensure the installation area is clean, level, and has appropriate plumbing connections.
- Turn off the main water supply to the installation area.
- Gather necessary tools (e.g., silicone sealant, wrench, screwdriver, level, safety gear).

4.2 Installation Steps

1. **Position the Vanity Base:** Carefully place the fully assembled vanity base cabinet in its desired location. The open back design facilitates easier plumbing connections.
2. **Secure to Wall:** Using appropriate wall anchors and screws (not included), secure the vanity cabinet to the wall studs to prevent tipping. Ensure the cabinet is level.
3. **Install Sink to Countertop:** Apply a bead of silicone sealant around the rim of the under-mount sink. Carefully align and press the sink onto the underside of the countertop. Allow adequate time for the sealant to cure as per manufacturer instructions.
4. **Attach Countertop to Vanity:** Apply a thin bead of silicone sealant along the top edges of the vanity cabinet. Carefully lower the countertop with the attached sink onto the vanity cabinet, ensuring proper alignment. Press firmly and wipe away any excess sealant immediately.
5. **Install Faucet:** The countertop is pre-drilled for an 8" widespread 3-hole faucet. Install your chosen faucet according to its manufacturer's instructions.
6. **Connect Plumbing:** Connect the faucet supply lines to the water supply and the sink drain to the P-trap and waste line. Ensure all connections are tight and leak-free.
7. **Install Backsplash:** Apply silicone sealant to the back edge of the countertop and carefully place the backsplash against the wall. Secure with additional sealant if necessary.
8. **Install Hardware:** Attach the provided handles to the doors and drawers.
9. **Test:** Turn on the water supply and check for any leaks.



Figure 4.1: Exploded view illustrating the vanity's internal structure and drawer components.



Figure 4.2: Top view with all drawers and doors open, showing storage capacity.

5. OPERATING INSTRUCTIONS

The ARIEL Hepburn vanity is designed for ease of use and durability.

5.1 Soft-Closing Doors and Drawers

The vanity features two soft-closing doors and nine dovetail construction drawers. To close, simply push the door or drawer gently, and the soft-close mechanism will engage, preventing slamming and ensuring quiet operation.

5.2 Full Extension Drawers

Eight of the nine drawers offer full extension, allowing complete access to their contents. One drawer features a 45-degree open tilt for convenient access to smaller items.



Figure 5.1: Detail of the dovetail drawer construction, highlighting quality craftsmanship.

6. MAINTENANCE AND CARE

Proper care will ensure the longevity and appearance of your ARIEL Hepburn vanity.

6.1 Cabinet Care

- Wipe down the cabinet surfaces regularly with a soft, damp cloth.
- Avoid using abrasive cleaners, harsh chemicals, or ammonia-based products, as these can damage the painted finish.
- Promptly wipe up any spills to prevent moisture damage.
- Do not expose the cabinet to excessive humidity or direct sunlight for prolonged periods.

6.2 Countertop Care (Carrara Quartz)

- Clean the quartz countertop with mild soap and water or a non-abrasive household cleaner.
- Wipe dry with a soft cloth to prevent water spots.
- Avoid strong chemicals, paint removers, oven cleaners, or highly acidic/alkaline solutions.
- While quartz is highly durable, avoid placing extremely hot items directly on the surface without protection.



Figure 6.1: Close-up view of the Carrara Quartz countertop and integrated sink.

7. TROUBLESHOOTING

This section addresses common issues you might encounter with your vanity.

- **Leaking Faucet/Drain:** Ensure all plumbing connections are tightened properly. Check for worn washers or seals in the faucet or drain assembly. If leaks persist, consult a professional plumber.
- **Drawers Not Closing Smoothly:** Check for any obstructions in the drawer slides. Ensure the soft-close mechanism is not damaged. If a drawer is misaligned, gently adjust it on its tracks.
- **Cabinet Doors Misaligned:** The hinges are adjustable. Refer to the hinge manufacturer's instructions for adjusting the doors to ensure proper alignment and closure.
- **Water Stains on Countertop:** Wipe up spills immediately. For stubborn stains, use a non-abrasive cleaner specifically designed for quartz surfaces.

8. SPECIFICATIONS

Detailed specifications for the ARIEL Hepburn 60" Grey Bathroom Vanity.



Figure 8.1: Dimensional drawing of the vanity, showing overall measurements.

Product Specifications

Feature	Detail
Brand	ARIEL
Model Number	HBT-060SCQRVOGRY
Color	Grey
Product Dimensions	22"D x 60"W x 36"H
Item Weight	315 Pounds
Weight Limit	294 Pounds
Mounting Type	Floor Mount
Installation Type	Freestanding
Frame Material	Solid Hardwood, Plywood Panels
Top Material Type	Carrara Quartz (1.5" edge)
Sink Type	Ceramic Rectangular Under-mount
Faucet Holes	Pre-drilled for 3-hole, 8" widespread faucet
Number of Doors	2 (Soft-closing)

Feature	Detail
Number of Drawers	9 (Dovetail construction, soft-closing, 8 full extension, 1 tilt-out)
Finish Type	Painted
Recommended Use	Indoor, Bathroom

9. WARRANTY INFORMATION

ARIEL products are crafted from fine materials and designed for durability. For specific warranty terms and conditions, please contact ARIEL directly or refer to the warranty documentation provided at the time of purchase. Keep your proof of purchase for any warranty claims.

10. SUPPORT AND CONTACT

If you have any questions, require assistance with installation, or need to report a missing or damaged part, please contact ARIEL customer support.

Manufacturer: Atlas International Inc

For the most up-to-date contact information, please visit the official ARIEL website or refer to your purchase documentation.

