

Toro 88605

Toro 60V MAX Flex-Force 5.4 Amp Lithium-Ion Battery Rapid Charger Instruction Manual

1. INTRODUCTION AND OVERVIEW

This manual provides essential instructions for the safe and efficient operation, maintenance, and troubleshooting of your Toro 60V MAX Flex-Force 5.4 Amp Lithium-Ion Battery Rapid Charger, Model 88605. This rapid charger is designed to quickly charge Toro Flex-Force Power System batteries, ensuring optimal performance and extended battery lifespan.

Key features include:

- Rapid charging for all batteries within the Flex-Force Power System.
- Integrated light indicators to display state of charge and battery status.
- Versatile placement options: tabletop or wall mount.
- Advanced monitoring of battery health to maximize lifespan.
- Optimized charge speed tailored for each battery size.



Image: The Toro 60V MAX Flex-Force 5.4 Amp Lithium-Ion Battery Rapid Charger, showcasing its design and charging slot.

2. SAFETY INSTRUCTIONS

To reduce the risk of injury, always follow these safety precautions:

- Read all instructions thoroughly before operating the charger.
- Do not expose the charger to rain or wet conditions. Use indoors only.
- Use this charger exclusively with Toro 60V MAX Flex-Force Lithium-Ion batteries. Attempting to charge other battery types may cause personal injury and damage.
- Never attempt to charge non-rechargeable batteries.
- Ensure the charging area has adequate ventilation to prevent overheating.

- Do not operate the charger if it has been dropped, damaged, or shows signs of malfunction. Contact customer support for assistance.
- Unplug the charger from the electrical outlet when not in use or before performing any cleaning or maintenance.
- Keep children and unauthorized persons away from the charger and charging batteries.
- Operate the charger in a well-ventilated area, ideally between 65°F and 80°F (18°C and 27°C) for optimal charging performance and battery longevity. Avoid charging in direct sunlight or extreme temperatures.

3. PRODUCT FEATURES

The Toro Rapid Charger incorporates several features designed for convenience and efficiency:

- **Onboard LED Indicators:** Clearly communicate battery charge status and health.
- **Optimized Charging:** Adjusts charge speed and monitors battery health to maximize lifespan.
- **Wall Mount Option:** Allows for flexible installation and workspace optimization with built-in power cord storage.
- **Fan-Cooled Design:** Enables faster charging, up to 2.5 times quicker than standard 2 amp chargers, by managing heat during operation.



Image: Diagram highlighting the charger's features, including LED indicators, optimized charging, wall mount capability, and fan-cooled design for faster charging.

4. SETUP AND INSTALLATION

4.1 Unpacking

Carefully remove all components from the packaging. Inspect the charger for any signs of damage during transit. If any damage is observed, do not use the charger and contact Toro Customer Support.

4.2 Placement Options

The charger offers flexibility for placement:

- **Tabletop Use:** Place the charger on a stable, flat, and dry surface. Ensure there is sufficient space around the charger for proper ventilation.
- **Wall Mounting:** For a more permanent setup and to save space, the charger can be mounted on a wall. Use appropriate mounting hardware (not included) suitable for your wall type. Ensure the mounting location is sturdy enough to support the charger and a battery, and allows for unobstructed airflow.



Image: Front view of the Toro Flex-Force Rapid Charger, illustrating its compact design suitable for various placements.

4.3 Power Connection

Plug the charger's power cord into a standard 120V AC electrical outlet. Ensure the outlet is functional and provides stable power.

5. OPERATING INSTRUCTIONS

5.1 Charging a Battery

1. Ensure the charger is plugged into a power outlet.
2. Align the Toro 60V MAX Flex-Force Lithium-Ion battery with the charging slot on the charger.
3. Slide the battery into the charger until it clicks securely into place.
4. The charger's indicator lights will illuminate to show the charging status.
5. Once charging is complete, the indicator light will show a solid green. Remove the battery by pressing the release tab (if present) and sliding it out.



Image: The Toro Flex-Force Rapid Charger, indicating its 5.4 AH capacity for 60V batteries and an average bulk charge time of 35 minutes for a 4.0 Ah battery.

5.2 Indicator Lights

The charger features LED indicators to communicate the battery's status:

- **Solid Green:** The battery is fully charged and ready for use.
- **Flashing Green:** The battery is currently charging.
- **Solid Red:** The battery is either too hot or too cold to charge safely. Charging will automatically resume once the battery reaches an optimal temperature range.
- **Flashing Red:** Indicates a battery error or fault. Remove the battery from the charger and reinsert it. If the error persists, the battery may be damaged and require replacement.

6. MAINTENANCE

6.1 Cleaning

Always disconnect the charger from the power source before cleaning. Use a dry, soft cloth to wipe the exterior surfaces of the charger. Do not use any liquids, solvents, or abrasive cleaners, as these can damage the unit.

6.2 Storage

When not in use, store the charger in a clean, dry, indoor location. Avoid storing it in areas exposed to direct sunlight, extreme temperatures, or high humidity. Keep the charger away from children and pets.

7. TROUBLESHOOTING

Refer to the table below for common issues and their solutions:

Problem	Possible Cause	Solution
Battery not charging	Charger not plugged in	Ensure charger is securely plugged into a working electrical outlet.
	Battery not properly inserted	Remove battery and reinsert, ensuring it clicks firmly into place.
	Battery too hot or too cold	Allow battery to reach optimal temperature (between 65°F and 80°F) before charging. The charger will automatically resume when conditions are suitable.
	Battery fault (Flashing Red light)	Remove battery and reinsert. If the error persists, the battery may be damaged.
Slow charging	High ambient temperature	Charge in a cooler, well-ventilated area. Charging speed may be reduced in temperatures above 80°F (27°C) to protect the battery.
	Battery age or condition	Older or frequently used batteries may charge slower or hold less charge over time.

8. SPECIFICATIONS

Detailed technical specifications for the Toro 60V MAX Flex-Force 5.4 Amp Lithium-Ion Battery Rapid Charger:

Feature	Detail
Model Number	88605
Input Voltage	120V AC
Output Voltage	60V
Output Current	5.4 Amps
Product Dimensions (L x W x H)	3.25 x 5.9 x 8.07 inches
Item Weight	2.49 pounds
Manufacturer	Toro
Certifications	UL, FCC, CE
Compatible Batteries	Toro Flex-Force 60V MAX Lithium-Ion (e.g., L135, L324, L405)

9. WARRANTY INFORMATION

The Toro 60V MAX Flex-Force 5.4 Amp Lithium-Ion Battery Rapid Charger (Model 88605) is covered by a 3-year limited warranty. This warranty ensures that the product is free from defects in material and workmanship under normal use and service for the specified period.

For complete details regarding terms, conditions, and limitations of the warranty, please refer to the warranty card included with your product purchase or visit the official Toro website.




Image: Graphic indicating a 3-year limited warranty for the product.

10. CUSTOMER SUPPORT

Should you require technical assistance, have questions about product operation, need replacement parts, or wish to make a warranty claim, please contact Toro Customer Support. You can find contact information, frequently asked questions, and service center locations by visiting the official Toro website.


For the most up-to-date information and support resources, please visit www.toro.com.

 Count on It. Form No. 3467-001 Rev A Operator's Manual Flex-Force Power System™ 60V MAX Battery Packs and Chargers Models: 1000, 1000-1, 1000-2, 1000-3, 1000-4, 1000-5, 1000-6, 1000-7, 1000-8, 1000-9, 1000-10, 1000-11, 1000-12, 1000-13, 1000-14, 1000-15, 1000-16, 1000-17, 1000-18, 1000-19, 1000-20, 1000-21, 1000-22, 1000-23, 1000-24, 1000-25, 1000-26, 1000-27, 1000-28, 1000-29, 1000-30, 1000-31, 1000-32, 1000-33, 1000-34, 1000-35, 1000-36, 1000-37, 1000-38, 1000-39, 1000-40, 1000-41, 1000-42, 1000-43, 1000-44, 1000-45, 1000-46, 1000-47, 1000-48, 1000-49, 1000-50, 1000-51, 1000-52, 1000-53, 1000-54, 1000-55, 1000-56, 1000-57, 1000-58, 1000-59, 1000-60, 1000-61, 1000-62, 1000-63, 1000-64, 1000-65, 1000-66, 1000-67, 1000-68, 1000-69, 1000-70, 1000-71, 1000-72, 1000-73, 1000-74, 1000-75, 1000-76, 1000-77, 1000-78, 1000-79, 1000-80, 1000-81, 1000-82, 1000-83, 1000-84, 1000-85, 1000-86, 1000-87, 1000-88, 1000-89, 1000-90, 1000-91, 1000-92, 1000-93, 1000-94, 1000-95, 1000-96, 1000-97, 1000-98, 1000-99, 1000-100, 1000-101, 1000-102, 1000-103, 1000-104, 1000-105, 1000-106, 1000-107, 1000-108, 1000-109, 1000-110, 1000-111, 1000-112, 1000-113, 1000-114, 1000-115, 1000-116, 1000-117, 1000-118, 1000-119, 1000-120, 1000-121, 1000-122, 1000-123, 1000-124, 1000-125, 1000-126, 1000-127, 1000-128, 1000-129, 1000-130, 1000-131, 1000-132, 1000-133, 1000-134, 1000-135, 1000-136, 1000-137, 1000-138, 1000-139, 1000-140, 1000-141, 1000-142, 1000-143, 1000-144, 1000-145, 1000-146, 1000-147, 1000-148, 1000-149, 1000-150, 1000-151, 1000-152, 1000-153, 1000-154, 1000-155, 1000-156, 1000-157, 1000-158, 1000-159, 1000-160, 1000-161, 1000-162, 1000-163, 1000-164, 1000-165, 1000-166, 1000-167, 1000-168, 1000-169, 1000-170, 1000-171, 1000-172, 1000-173, 1000-174, 1000-175, 1000-176, 1000-177, 1000-178, 1000-179, 1000-180, 1000-181, 1000-182, 1000-183, 1000-184, 1000-185, 1000-186, 1000-187, 1000-188, 1000-189, 1000-190, 1000-191, 1000-192, 1000-193, 1000-194, 1000-195, 1000-196, 1000-197, 1000-198, 1000-199, 1000-200, 1000-201, 1000-202, 1000-203, 1000-204, 1000-205, 1000-206, 1000-207, 1000-208, 1000-209, 1000-210, 1000-211, 1000-212, 1000-213, 1000-214, 1000-215, 1000-216, 1000-217, 1000-218, 1000-219, 1000-220, 1000-221, 1000-222, 1000-223, 1000-224, 1000-225, 1000-226, 1000-227, 1000-228, 1000-229, 1000-230, 1000-231, 1000-232, 1000-233, 1000-234, 1000-235, 1000-236, 1000-237, 1000-238, 1000-239, 1000-240, 1000-241, 1000-242, 1000-243, 1000-244, 1000-245, 1000-246, 1000-247, 1000-248, 1000-249, 1000-250, 1000-251, 1000-252, 1000-253, 1000-254, 1000-255, 1000-256, 1000-257, 1000-258, 1000-259, 1000-260, 1000-261, 1000-262, 1000-263, 1000-264, 1000-265, 1000-266, 1000-267, 1000-268, 1000-269, 1000-270, 1000-271, 1000-272, 1000-273, 1000-274, 1000-275, 1000-276, 1000-277, 1000-278, 1000-279, 1000-280, 1000-281, 1000-282, 1000-283, 1000-284, 1000-285, 1000-286, 1000-287, 1000-288, 1000-289, 1000-290, 1000-291, 1000-292, 1000-293, 1000-294, 1000-295, 1000-296, 1000-297, 1000-298, 1000-299, 1000-300, 1000-301, 1000-302, 1000-303, 1000-304, 1000-305, 1000-306, 1000-307, 1000-308, 1000-309, 1000-310, 1000-311, 1000-312, 1000-313, 1000-314, 1000-315, 1000-316, 1000-317, 1000-318, 1000-319, 1000-320, 1000-321, 1000-322, 1000-323, 1000-324, 1000-325, 1000-326, 1000-327, 1000-328, 1000-329, 1000-330, 1000-331, 1000-332, 1000-333, 1000-334, 1000-335, 1000-336, 1000-337, 1000-338, 1000-339, 1000-340, 1000-341, 1000-342, 1000-343, 1000-344, 1000-345, 1000-346, 1000-347, 1000-348, 1000-349, 1000-350, 1000-351, 1000-352, 1000-353, 1000-354, 1000-355, 1000-356, 1000-357, 1000-358, 1000-359, 1000-360, 1000-361, 1000-362, 1000-363, 1000-364, 1000-365, 1000-366, 1000-367, 1000-368, 1000-369, 1000-370, 1000-371, 1000-372, 1000-373, 1000-374, 1000-375, 1000-376, 1000-377, 1000-378, 1000-379, 1000-380, 1000-381, 1000-382, 1000-383, 1000-384, 1000-385, 1000-386, 1000-387, 1000-388, 1000-389, 1000-390, 1000-391, 1000-392, 1000-393, 1000-394, 1000-395, 1000-396, 1000-397, 1000-398, 1000-399, 1000-400, 1000-401, 1000-402, 1000-403, 1000-404, 1000-405, 1000-406, 1000-407, 1000-408, 1000-409, 1000-410, 1000-411, 1000-412, 1000-413, 1000-414, 1000-415, 1000-416, 1000-417, 1000-418, 1000-419, 1000-420, 1000-421, 1000-422, 1000-423, 1000-424, 1000-425, 1000-426, 1000-427, 1000-428, 1000-429, 1000-430, 1000-431, 1000-432, 1000-433, 1000-434, 1000-435, 1000-436, 1000-437, 1000-438, 1000-439, 1000-440, 1000-441, 1000-442, 1000-443, 1000-444, 1000-445, 1000-446, 1000-447, 1000-448, 1000-449, 1000-450, 1000-451, 1000-452, 1000-453, 1000-454, 1000-455, 1000-456, 1000-457, 1000-458, 1000-459, 1000-460, 1000-461, 1000-462, 1000-463, 1000-464, 1000-465, 1000-466, 1000-467, 1000-468, 1000-469, 1000-470, 1000-471, 1000-472, 1000-473, 1000-474, 1000-475, 1000-476, 1000-477, 1000-478, 1000-479, 1000-480, 1000-481, 1000-482, 1000-483, 1000-484, 1000-485, 1000-486, 1000-487, 1000-488, 1000-489, 1000-490, 1000-491, 1000-492, 1000-493, 1000-494, 1000-495, 1000-496, 1000-497, 1000-498, 1000-499, 1000-500, 1000-501, 1000-502, 1000-503, 1000-504, 1000-505, 1000-506, 1000-507, 1000-508, 1000-509, 1000-510, 1000-511, 1000-512, 1000-513, 1000-514, 1000-515, 1000-516, 1000-517, 1000-518, 1000-519, 1000-520, 1000-521, 1000-522, 1000-523, 1000-524, 1000-525, 1000-526, 1000-527, 1000-528, 1000-529, 1000-530, 1000-531, 1000-532, 1000-533, 1000-534, 1000-535, 1000-536, 1000-537, 1000-538, 1000-539, 1000-540, 1000-541, 1000-542, 1000-543, 1000-544, 1000-545, 1000-546, 1000-547, 1000-548, 1000-549, 1000-550, 1000-551, 1000-552, 1000-553, 1000-554, 1000-555, 1000-556, 1000-557, 1000-558, 1000-559, 1000-560, 1000-561, 1000-562, 1000-563, 1000-564, 1000-565, 1000-566, 1000-567, 1000-568, 1000-569, 1000-570, 1000-571, 1000-572, 1000-573, 1000-574, 1000-575, 1000-576, 1000-577, 1000-578, 1000-579, 1000-580, 1000-581, 1000-582, 1000-583, 1000-584, 1000-585, 1000-586, 1000-587, 1000-588, 1000-589, 1000-590, 1000-591, 1000-592, 1000-593, 1000-594, 1000-595, 1000-596, 1000-597, 1000-598, 1000-599, 1000-600, 1000-601, 1000-602, 1000-603, 1000-604, 1000-605, 1000-606, 1000-607, 1000-608, 1000-609, 1000-610, 1000-611, 1000-612, 1000-613, 1000-614, 1000-615, 1000-616, 1000-617, 1000-618, 1000-619, 1000-620, 1000-621, 1000-622, 1000-623, 1000-624, 1000-625, 1000-626, 1000-627, 1000-628, 1000-629, 1000-630, 1000-631, 1000-632, 1000-633, 1000-634, 1000-635, 1000-636, 1000-637, 1000-638, 1000-639, 1000-640, 1000-641, 1000-642, 1000-643, 1000-644, 1000-645, 1000-646, 1000-647, 1000-648, 1000-649, 1000-650, 1000-651, 1000-652, 1000-653, 1000-654, 1000-655, 1000-656, 1000-657, 1000-658, 1000-659, 1000-660, 1000-661, 1000-662, 1000-663, 1000-664, 1000-665, 1000-666, 1000-667, 1000-668, 1000-669, 1000-670, 1000-671, 1000-672, 1000-673, 1000-674, 1000-675, 1000-676, 1000-677, 1000-678, 1000-679, 1000-680, 1000-681, 1000-682, 1000-683, 1000-684, 1000-685, 1000-686, 1000-687, 1000-688, 1000-689, 1000-690, 1000-691, 1000-692, 1000-693, 1000-694, 1000-695, 1000-696, 1000-697, 1000-698, 1000-699, 1000-700, 1000-701, 1000-702, 1000-703, 1000-704, 1000-705, 1000-706, 1000-707, 1000-708, 1000-709, 1000-710, 1000-711, 1000-712, 1000-713, 1000-714, 1000-715, 1000-716, 1000-717, 1000-718, 1000-719, 1000-720, 1000-721, 1000-722, 1000-723, 1000-724, 1000-725, 1000-726, 1000-727, 1000-728, 1000-729, 1000-730, 1000-731, 1000-732, 1000-733, 1000-734, 1000-735, 1000-736, 1000-737, 1000-738, 1000-739, 1000-740, 1000-741, 1000-742, 1000-743, 1000-744, 1000-745, 1000-746, 1000-747, 1000-748, 1000-749, 1000-750, 1000-751, 1000-752, 1000-753, 1000-754, 1000-755, 1000-756, 1000-757, 1000-758, 1000-759, 1000-760, 1000-761, 1000-762, 1000-763, 1000-764, 1000-765, 1000-766, 1000-767, 1000-768, 1000-769, 1000-770, 1000-771, 1000-772, 1000-773, 1000-774, 1000-775, 1000-776, 1000-777, 1000-778, 1000-779, 1000-780, 1000-781, 1000-782, 1000-783, 1000-784, 1000-785, 1000-786, 1000-787, 1000-788, 1000-789, 1000-790, 1000-791, 1000-792, 1000-793, 1000-794, 1000-795, 1000-796, 1000-797, 1000-798, 1000-799, 1000-800, 1000-801, 1000-802, 1000-803, 1000-804, 1000-805, 1000-806, 1000-807, 1000-808, 1000-809, 1000-810, 1000-811, 1000-812, 1000-813, 1000-814, 1000-815, 1000-816, 1000-817, 1000-818, 1000-819, 1000-820, 1000-821, 1000-822, 1000-823, 1000-824, 1000-825, 1000-826, 1000-827, 1000-828, 1000-829, 1000-830, 1000-831, 1000-832, 1000-833, 1000-834, 1000-835, 1000-836, 1000-837, 1000-838, 1000-839, 1000-840, 1000-841, 1000-842, 1000-843, 1000-844, 1000-845, 1000-846, 1000-847, 1000-848, 1000-849, 1000-850, 1000-851, 1000-852, 1000-853, 1000-854, 1000-855, 1000-856, 1000-857, 1000-858, 1000-859, 1000-860, 1000-861, 1000-862, 1000-863, 1000-864, 1000-865, 1000-866, 1000-867, 1000-868, 1000-869, 1000-870, 1000-871, 1000-872, 1000-873, 1000-874, 1000-875, 1000-876, 1000-877, 1000-878, 1000-879, 1000-880, 1000-881, 1000-882, 1000-883, 1000-884, 1000-885, 1000-886, 1000-887, 1000-888, 1000-889, 1000-890, 1000-891, 1000-892, 1000-893, 1000-894, 1000-895, 1000-896, 1000-897, 1000-898, 1000-899, 1000-900, 1000-901, 1000-902, 1000-903, 1000-904, 1000-905, 1000-906, 1000-907, 1000-908, 1000-909, 1000-910, 1000-911, 1000-912, 1000-913, 1000-914, 1000-915, 1000-916, 1000-917, 1000-918, 1000-919, 1000-920, 1000-921, 1000-922, 1000-923, 1000-924, 1000-925, 1000-926, 1000-927, 1000-928, 1000-929, 1000-930, 1000-931, 1000-932, 1000-933, 1000-934, 1000-935, 1000-936, 1000-937, 1000-938, 1000-939, 1000-940, 1000-941, 1000-942, 1000-943, 1000-944, 1000-945, 1000-946, 1000-947, 1000-948, 1000-949, 1000-950, 1000-951, 1000-952, 1000-953, 1000-954, 1000-955, 1000-956, 1000-957, 1000-958, 1000-959, 1000-960, 1000-961, 1000-962, 1000-963, 1000-964, 1000-965, 1000-966, 1000-967, 1000-968, 1000-969, 1000-970, 1000-971, 1000-972, 1000-973, 1000-974, 1000-975, 1000-976, 1000-977, 1000-978, 1000-979, 1000-980, 1000-981, 1000-982, 1000-983, 1000-984, 1000-985, 1000-986, 1000-987, 1000-988, 1000-989, 1000-990, 1000-991, 1000-992, 1000-993, 1000-994, 1000-995, 1000-996, 1000-997, 1000-998, 1000-999, 1000-1000	Toro Flex-Force Power System 60V MAX Battery Packs and Chargers Operator's Manual Operator's manual for Toro Flex-Force Power System 60V MAX battery packs and chargers, covering safety instructions, operation, maintenance, storage, troubleshooting, and specifications.
 Count on It. Form No. 3463-001 Rev B Operator's Manual Flex-Force Power System™ 60V MAX Axial Blower Models: 51820, 51820T	Toro Flex-Force Power System 60V MAX Axial Blower Operator's Manual Operator's manual for the Toro Flex-Force Power System 60V MAX Axial Blower (Models 51820, 51820T), covering setup, operation, maintenance, safety warnings, troubleshooting, and battery charging procedures.
 Count on It. Form No. 3463-001 Rev B Operator's Manual Flex-Force Power System™ 60V MAX String Trimmer Models: 51832, 51832T, 51836	Toro GTS Starting Guarantee and Warranty Information This document outlines the Toro GTS Starting Guarantee and provides detailed warranty periods and conditions for Toro products, including lawn mowers and batteries. It covers what is included and excluded under the warranty, instructions for obtaining service, and owner responsibilities.
 Count on It. Form No. 3463-001 Rev B Operator's Manual Flex-Force Power System™ 60V MAX String Trimmer Models: 51832, 51832T, 51836	Toro Flex-Force Power System 60V MAX String Trimmer Operator's Manual Comprehensive operator's manual for the Toro Flex-Force Power System 60V MAX String Trimmer (Models 51832, 51832T, 51836), covering safety instructions, operation, maintenance, troubleshooting, and specifications.
 Count on It. Form No. 3463-001 Rev B Operator's Manual 14in or 16in 60V MAX String Trimmer Models: 51832, 51832T, 51836	Toro 14in or 16in 60V MAX String Trimmer Operator's Manual Operator's manual for the Toro 14in or 16in 60V MAX String Trimmer attachment, part of the Flex-Force Power System. Includes safety instructions, setup, operation, maintenance, and troubleshooting.
 Count on It. Form No. 3463-001 Rev B Operator's Manual Flex-Force Power System™ 60V MAX Snowthrower Models: 51832, 51832T, 51836	Toro Flex-Force Power System 60V MAX Snowthrower Parts Catalog This parts catalog provides detailed information and diagrams for the Toro Flex-Force Power System 60V MAX Snowthrower, including frame, drive belt, chute, handle, and electrical assemblies, as well as attachments and accessories.




[\[pdf\]](#) Instructions

Flex Force Power System MAX Battery Packs and Chargers Model No 88602—Serial 320000001 Up 88605—Serial 88610—Serial toro bdd082a8a662e23e0834dc3f096cb414 mowersdirect manuals ||| Form No. 3447-506 Rev A Flex-Force Power System™ 60V MAX Battery Packs and Chargers Model No. 88602--Serial No. 320000001 and Up Model No. **88605**--Serial No. 320000001 and Up Model No. 88610--Serial No. 320000001 and Up Model No. 88620--Serial No. 320000001 and Up Model No. 88625--Serial No. 3200000... lang:en **score:34** filesize: 1.66 M page_count: 12 document date: 2021-08-09



[\[pdf\]](#) Instructions

toro d042defe09220baff7115074f4be882c mowersdirect manuals ||| Form No. 3455-204 Rev A Flex-Force Power System™ 60V MAX Battery Packs and Chargers Model No. 66810--Serial No. 323000001 and Up Model No. 88602--Serial No. 323000001 and Up Model No. **88605**--Serial No. 323000001 and Up Model No. 88610--Serial No. 323000001 and Up Model No. 88620--Serial No. 3230000... lang:en **score:31** filesize: 2.27 M page_count: 16 document date: 2022-09-16



[\[pdf\]](#) User Manual Instructions Catalog

Flex Force Power System 60 Volt MAX 5 4 Amp Lithium Ion Rapid Battery Charger Use and Care Manual Toro 88605 021038886053 0021038886053 1006274034 c6b2841a bd10 4aaf b617 25401aa859cd images thdstatic catalog Images c6 ||| Form No. 3434-577 Rev B Flex-Force Power System™ 60V MAX Battery Charger Model No. 88602--Serial No. 320000001 and Up Model No. **88605**--Serial No. 320000001 and Up Model No. 88610--Serial No. 320000001 and Up Model No. 88620--Serial No. 320000001 and Up Model No. 88625--Serial No. 320000001 and Up M... lang:en **score:30** filesize: 1.51 M page_count: 12 document date: 2020-10-15

[pdf] User Manual Instructions

Flex Force Power System™ 60V MAX Battery Charger ToroClean all foreign material from the product Do not store charger with battery pack The is working 2 outlet that the 193655toro getpub 193655 srsltid AfmBOorRQEFSF V7TqS525NryrDu7fGcYFTzjNM4PTLv8l20wFg0qrm0 ToroFlex the Battery Models 88602 88605 and 88610 are designed to charge Toro lithium ion 88620 88625 88640 88660 88675toro V7TqS525NryrDu7fGcYFTzjNM4PTLv8l20wFg0qrm0toro



AfmBOoq3BRgEaJy84wkGvZEYbkDqz7QGefmilq cg6z2X9Mm jxQCZfx 88675SAVE THESE INSTRUCTIONS—This manual contains important safety operating instructions for manufacturer rating 60V toro jxQCZfxtoro AfmBOoqYuQY82V6mebhjtx1V95YyWYeKayMuoRNeKpVoOizERYdrDmJ5 60V This intended be used by residential homeowners toro

AfmBOoqYuQY82V6mebhjtx1V95YyWYeKayMuoRNeKpVoOizERYdrDmJ5toro AfmBOoo2 K52MsFSAXG23j53qcJbX4ToqTmbyRf ztUjQwgNgdeYLEXh This ztUjQwgNgdeYLEXhtoro

AfmBOoqFOBn10KdG2R8jecxaHiCbgYzbOPn5Q7OUW7Bgt4WwwnrXkyIE ||| ||| Form No. 3434-577 Rev C Flex-Force Power System™ 60V MAX Battery Charger Model No. 88602--Serial No. 320000001 and Up Model No. 88605--Serial No. 320000001 and Up Model No. 88610--Serial No. 320000001 and Up Model No. 88620--Serial No. 320 ||| Form No. 3434-577 Rev C Flex-Force Power System™ 60V MAX Battery Charger Model No. 88602--Serial No. 320000001 and Up Model No. 88605--Serial No. 320000001 and Up Model No. 88610--Serial No. 320000001 and Up Model No. 88620--Serial No. 320 ||| Form No. 3434-577 Rev C Flex-Force Power System™ 60V MAX Battery Charger Model No. 88602--Serial No. 320000001 and Up Model No. 88605--Serial No. 320000001 and Up Model No. 88610--Serial No. 320000001 and Up Model No. 88620--Serial No. 320 ||| Form No. 3434-577 Rev C Flex-Force Power System™ 60V MAX Battery Charger Model No. 88602--Serial No. 320000001 and Up Model No. 88605--Serial No. 320000001 and Up Model No. 88610--Serial No. 320000001 and Up Model No. 88620--Serial No. 320

Form No. 3434-577 Rev C Flex-Force Power System™ 60V MAX Battery Charger Model No. 88602--Serial No. 320000001 and Up Model No. **88605**--Serial No. 320000001 and Up Model No. 88610--Serial No. 320000001 and Up Model No. 88620--Serial No. 320000001 and Up Model No. 88625--Serial No. 320000001 and Up M...

lang:en score:30 filesize: 1.56 M page_count: 12 document date: 2021-05-20




[pdf] Instructions Parts List Accessories Catalog

Flex Force Power System™ 60V MAX 21in 16 mai 2024 — Original Instructions EN *3456 235* C Page 2 22 Attachments and Accessories For 21323 System Recycler Lawn 246761 toro getpub ||| Form No. 3456-235 Rev C Flex-Force Power System™ 60V MAX 21in Recycler Lawn Mower Model No. 21323-- ...

..... **88605** 60V LI-ION, Battery 4.0 AH


lang:en score:28 filesize: 646.36 K page_count: 24 document date: 2024-05-02



[Toro Flex-Force Power System 60V MAX Battery Packs and Chargers Operator's Manual](#)

Operator's manual for Toro Flex-Force Power System 60V MAX battery packs and chargers, covering safety instructions, operation, maintenance, storage, troubleshooting, and specifications.

lang:en **score:28** filesize: 1.66 M page_count: 12 document date: 2021-08-06




[\[pdf\] Instructions Parts List Catalog](#)

toro 871c80ef190faed65a0550d3a5efd23a snowblowersdirect manuals |||

Form No. 3454-711 Rev A Power Max e24 60V Snowthrower Model No. 39924--
Serial No. 411732000 and Up ...

..... **88605** 60V LI-ION
Battery 6.0 AH.....

lang:en **score:27** filesize: 992.99 K page_count: 32 document date: 2022-07-09




[\[pdf\] User Manual Accessories](#)

toro 5216520a6b55553452977894beb1de6c snowblowersdirect manuals |||

Form No. 3444-288 Rev C Power Max e24 60V Snowthrower Model No. 39924--
Serial No. 400000000 and Up O ... packs are designed to be charged only by battery
charger Models 88602 provided with Model 39926 , **88605**, or 88610. Using this
product for purposes other than its intended use could prove dangerous t...

lang:en **score:27** filesize: 3.19 M page_count: 32 document date: 2022-07-02




[\[pdf\]](#) Instructions Parts List Catalog

60V 21in Super Recycler 4 mai 2024 — Recycler® Lawn Mower Model No 21566T—Serial 400000000 and Up Register at Toro Original Instructions EN *3448 968* C Page 2 245938 toro getpub ||| Form No. 3448-968 Rev C 60V 21in Super Recycler Lawn Mower Model No. 21566T--Serial No. 400000000 an ...

..... **88605** 60V LI-ION,
Battery 4.0 AH

lang:en **score:27** filesize: 816.47 K page_count: 28 document date: 2024-04-17




[\[pdf\]](#) Instructions

Flex ForcePowerSystem 60V MAXBatteryPacksandChargers FormNo 3447 506RevB ForcePowerSystem™ ModelNo 88602—SerialNo 320000001andUp 88605—SerialNo 216967 toro getpub |||

Form No. 3447-506 Rev B Flex-Force Power System™ 60V MAX Battery Packs and Chargers Model No. 88602--Serial No. 320000001 and Up Model No. **88605**--Serial No. 320000001 and Up Model No. 88610--Serial No. 320000001 and Up Model No. 88620--Serial No. 320000001 and Up Model No. 88625--Serial No. 32000000...

lang:en **score:26** filesize: 1.63 M page_count: 12 document date: 2022-06-21




[\[pdf\]](#) User Manual Instructions Catalog

60 Volt Max Lithium Ion Standard Battery Charger Use and Care Manual Toro 88610 021038886107 0021038886107 1005920835 ca772eb7 d9e3 4463 9834 1a14505457a5 images thdstatic catalog Images ca |||

Form No. 3434-577 Rev B Flex-Force Power System™ 60V MAX Battery Charger Model No. 88602--Serial No. 320000001 and Up Model No. **88605**--Serial No. 320000001 and Up Model No. 88610--Serial No. 320000001 and Up Model No. 88620--Serial No. 320000001 and Up Model No. 88625--Serial No. 320000001 and Up M...

lang:en **score:26** filesize: 1.51 M page_count: 12 document date: 2020-09-22




[\[pdf\]](#) Instructions

88602 88605 88610 88620 88625 88640 8650 88660 and 88675 FormNo 3447-509RevA Flex-

ForcePowerSystem™60VMAXBatteryPacks andChargers 88650 Bateríasycargadores60VMAXconFlex 198904 toro getpub

Form No. 3447-509 Rev A Flex-Force Power System™ 60V MAX Battery Packs and Chargers 88602, **88605**, 88610, 88620, 88625, 88640, 88650, 88660, and 88675 Bateras y cargadores 60 V MAX con Flex-Force Power System™ 88602, **88605**, 88610, 88620, 88625, 88640, 8650, 88660, and 88675 Batteries et chargeurs F... lang:en score:26 filesize: 4.89 M page_count: 40 document date: 2021-08-13




[\[pdf\]](#) User Manual Owner's Manual Instructions

Toro 60V MAX Pole Saw 51870 Owners Manual weingartz ASSETS DOCUMENTS ITEMS EN |||

Form No. 3441-966 Rev C Flex-Force Power System™ 60V Pole Saw Model No. 51870--Serial No. 321000001 ... 660, or 88675. These battery packs are designed to be charged only by battery charger Models 88602, **88605**, or 88610 provided with Model 51870 . Using these products for purposes other than their inte...

lang:en score:26 filesize: 2.11 M page_count: 24 document date: 2020-12-21




[\[pdf\]](#) User Manual Owner's Manual Instructions Warranty

Flex Force Power System Pole Saw Toro 60V Max 51870 Owners Manual weingartz ASSETS DOCUMENTS ITEMS EN |||

Form No. 3441-966 Rev D Flex-Force Power System™ 60V Pole Saw Model No. 51870--Serial No. 321000001 ... 660, or 88675. These battery packs are designed to be charged only by battery charger Models 88602, **88605**, or 88610 provided with Model 51870 . Using these products for purposes other than their inte...

lang:en score:25 filesize: 2.11 M page_count: 24 document date: 2021-06-19




[\[pdf\]](#) User Manual Instructions

Toro 88620 Use and Care Manual 60 Volt 2 Ah Lithium Ion li ion Battery 021038886206 66411619 lowes productdocuments cb442565 997a 4348 9190 fc64d400d5d3 |||

Form No. 3455-204 Rev B Flex-Force Power System 60V MAX Battery Packs and Chargers Model No. 66810--Serial No. 323000001 and Up Model No. 88602--Serial No. 323000001 and Up Model No. **88605**--Serial No. 323000001 and Up Model No. 88610--Serial No. 323000001 and Up Model No. 88620--Serial No. 323000001...

lang:en score:25 filesize: 2.28 M page_count: 16 document date: 2024-01-24




[\[pdf\]](#) User Manual Instructions Warranty

Flex-ForcePowerSystem11inor13in60V MAXStringTrimmer Manual< b> 3 Keepawayfromopenfire orflames 2 Call2Recycle@battery recyclingprogram 4 Donotexposetorain decal144-3098 144-3098 decal137-9461 137-9461 1 Batterychargestatus decal144-3094 144-3094 Thebatterypackis charging Thebatterypackisover orundertheappropriate temperaturerange Thebatterypackisfully charged 203777 toro getpub Manual

Form No. 3441-945 Rev F Flex-Force Power System 11in or 13in 60V MAX String Trimmer Dbroussailleuse ... 660, or 88675. These battery packs are designed to be charged only by battery charger Models 88602, **88605**, or 88610 provided with Model 51834 . Using this product for purposes other than its intended...

lang:en score:24 filesize: 5.04 M page_count: 68 document date: 2021-08-05




[\[pdf\]](#) User Manual Instructions Warranty

Flex-ForcePowerSystemTM24in60VHedge Trimmer CortasetosFlex Manual< b> 3 Keepawayfromopenfire orflames 2 Call2Recycle@battery recyclingprogram 4 Donotexposetorain decal144-3087 144-3087 1 Warning—readthe Operator'sManual;wear eyeprotection;donot exposetorain Cutting dismemberment hazardofhand—stay awayfrommovingparts; keepallguardsand shieldsinplace decal137-9461 137-9461 203775 toro getpub Manual

Form No. 3440-118 Rev B Flex-Force Power SystemTM 24in 60V Hedge Trimmer 51841 Cortasetos Flex-Force ... 660, or 88675. These battery packs are designed to be charged only by battery charger Models 88602, **88605**, or 88610 provided with Model 51841 . Using these products for purposes other than their inte...

lang:en score:24 filesize: 4.75 M page_count: 44 document date: 2021-08-06



[\[pdf\]](#) User Manual Owner's Manual Instructions

Toro 60V MAX String Trimmer Leaf Blower Combo Kit 51881 Owners Manual weingartz ASSETS

DOCUMENTS ITEMS EN |||

Form No. 3441-942 Rev E Flex-Force Power System™ 11in or 13in 60V MAX String Trimmer Model No. 5183 ... 660, or 88675. These battery packs are designed to be charged only by battery charger Models 88602, **88605**, or 88610 provided with Model 51834 . Using this product for purposes other than its intended...

lang:en score:24 filesize: 1.71 M page_count: 20 document date: 2020-11-06




[\[pdf\]](#) User Manual Instructions Specifications

60v Battery Service Manual Toro for commonly used fluid specifications and capacities Preface Page 4

3439 480 Rev A 191577 toro getpub

Form No. 3439-480 Rev A 60v Battery Service Manual Published: January 2021 2020--The Toro Company ... urs 7 hours 88602 60 Volt 2.0 Ah Charger Medium Charger 1.1 hours 1.75 hours 2.75 hours 3.5 hours **88605** 60 Volt 5.5 Ah Charger Fast Charger 0.6 hours 0.7 hours 1 hour 1.3 hours 60v Battery Service ...

lang:en score:24 filesize: 1.71 M page_count: 37 document date: 2021-01-08



[\[pdf\]](#) User Manual Instructions Warranty Catalog

Flex Force Power System 60 Volt Max Attachment Capable Head Bare Tool Use and Care Manual Toro 51810T 021038986227 0021038986227 1008408940 06ea7f05 6bd7 47a9 9bad 2f6b049112eb images thdstatic catalog Images 06 |||

Form No. 3450-392 Rev C Flex-Force Power System™ 60V MAX Power Head Model No. 51810T--Serial No. 32 ... 660, or 88675. These battery packs are designed to be charged only by battery charger Models 88602, **88605**, or 88610. Using this product for purposes other than its intended use could prove dangerous t...

lang:en score:24 filesize: 868.33 K page_count: 12 document date: 2022-04-25

TORO

Count on it.

Form No. 3455-204 Rev A

Operator's Manual

Flex-Force Power System™ 60V MAX Battery Packs and Chargers

Model No. 60B10 – Serial No. 223000001 and Up
Model No. 60B20 – Serial No. 223000001 and Up
Model No. 60B25 – Serial No. 223000001 and Up
Model No. 60B30 – Serial No. 223000001 and Up
Model No. 60B35 – Serial No. 223000001 and Up
Model No. 60B40 – Serial No. 223000001 and Up
Model No. 60B45 – Serial No. 223000001 and Up
Model No. 60B50 – Serial No. 223000001 and Up
Model No. 60B60 – Serial No. 223000001 and Up
Model No. 60B75 – Serial No. 223000001 and Up

An illustration showing the components of the Flex-Force Power System. On the left is a white and grey charger unit with a power cord. To its right is a black and grey battery pack. Further right is a black and grey power tool, which appears to be a trimmer head, with a black handle and a white cutting head. The components are arranged in a row, showing the relationship between the charger, the battery, and the tool.

Register at www.toro.com
operator manuals [50]

A standard 1D barcode located at the bottom right of the page, used for product identification and tracking.

[\[pdf\]](#) Instructions

Flex Force Power System MAX Battery Packs and Chargers 6 giorni fa — Model No 66810—Serial 323000001 Up 88602—Serial 88605—Serial 217858 toro getpub |||

Form No. 3455-204 Rev A Flex-Force Power System™ 60V MAX Battery Packs and
Chargers Model No. 66810--Serial No. 323000001 and Up Model No. 88602--Serial
No. 323000001 and Up Model No. **88605**--Serial No. 323000001 and Up Model No.
88610--Serial No. 323000001 and Up Model No. 88620--Serial No. 32300000...
lang:en score:24 filesize: 2.27 M page_count: 16 document date: 2022-09-16

Count on it.

Form No. 3465-427 Rev A

Operator's Manual

21in 60V Lawn Mower

Model No. 21620—Serial No. 4000000000 and Up
Model No. 21621—Serial No. 4000000000 and Up
Model No. 21621T—Serial No. 4000000000 and Up
Model No. 21623—Serial No. 4000000000 and Up
Model No. 21623T—Serial No. 4000000000 and Up
Model No. 21626—Serial No. 4000000000 and Up

Registered at www.toro.com
(Original instructions only)

[\[pdf\]](#) User Manual Instructions

Toro 21623 Use and Care Manual Stripe 60 volt Max 21 in Cordless Self propelled Lawn Mower 7 5 Ah
Battery Charger Included 021038216232 65698904 lowes productdocuments eb221e9a be06 4bc4 b3ba
eaf9aedb3c3b |||

Form No. 3465-427 Rev A 21in 60V Lawn Mower Model No. 21620--Serial No.
400000000 and Up Model No. 2 ... -8054 decal133-8054 Model 88610 139-8986
decal139-8986 137-9461 1. Battery charge status Model **88605** decal137-9461 144-
3094 decal144-3094 1. The battery pack is charging. 2. The battery pack ...
lang:en score:23 filesize: 3.02 M page_count: 32 document date: 2023-10-03

LEGENDARY TORO PERFORMANCE. NOW BATTERY POWERED.

Simply follow the steps below to determine how to
claim your rebate. Rebate valid through 12/31/2012.
Offering begins January 1, 2013 and ends December 31, 2012.
Offering ends 12/31/2012.

\$200 REBATE

PLEASE PRINT CLEARLY

Please bring delivery address on packages and correct address.

First Name _____ Last Name _____

Address _____ Apt. # _____

City _____ State _____

Zip Code _____ Age _____

E-mail address _____

INITIAL TORO BUY PRODUCT PURCHASE:

Serial number (10 or 12 digit), brand or product sold:

SUBSEQUENT TORO BUY PRODUCT PURCHASE:

Model number (10 or 12 digit), brand or product sold:

Serial number (10 or 12 digit), brand or product sold:

MAIL:

1. This coupon must be torn.
2. Copy of the receipt of your initial Toro RRV product purchase (where you learned about this promotion). Must be dated 12/31/2012 or earlier.
3. Copy of the receipt of your subsequent Toro RRV product purchase (this is eligible for the \$200 rebate). Must be dated 12/31/2012 or earlier.

MAILING ADDRESS:

Toro Battery General Mail

P.O. Box 2647

Elkhart, Indiana 46527-0647

ELIGIBLE TORO MODEL NUMBERS:

51602, 51607, 51621, 51626, 51627, 51631, 51632, 51637, 51638, 51641, 51642, 51643, 51644, 51645, 51646, 51647, 51648, 51649, 51650, 51651, 51652, 51653, 51654, 51655, 51656, 51657, 51658, 51659, 51660, 51661, 51662, 51663, 51664, 51665, 51666, 51667, 51668, 51669, 51670, 51671, 51672, 51673, 51674, 51675, 51676, 51677, 51678, 51679, 51680, 51681, 51682, 51683, 51684, 51685, 51686, 51687, 51688, 51689, 51690, 51691, 51692, 51693, 51694, 51695, 51696, 51697, 51698, 51699, 51700, 51701, 51702, 51703, 51704, 51705, 51706, 51707, 51708, 51709, 51710, 51711, 51712, 51713, 51714, 51715, 51716, 51717, 51718, 51719, 51720, 51721, 51722, 51723, 51724, 51725, 51726, 51727, 51728, 51729, 51730, 51731, 51732, 51733, 51734, 51735, 51736, 51737, 51738, 51739, 51740, 51741, 51742, 51743, 51744, 51745, 51746, 51747, 51748, 51749, 51750, 51751, 51752, 51753, 51754, 51755, 51756, 51757, 51758, 51759, 51760, 51761, 51762, 51763, 51764, 51765, 51766, 51767, 51768, 51769, 51770, 51771, 51772, 51773, 51774, 51775, 51776, 51777, 51778, 51779, 51780, 51781, 51782, 51783, 51784, 51785, 51786, 51787, 51788, 51789, 51790, 51791, 51792, 51793, 51794, 51795, 51796, 51797, 51798, 51799, 51800, 51801, 51802, 51803, 51804, 51805, 51806, 51807, 51808, 51809, 51810, 51811, 51812, 51813, 51814, 51815, 51816, 51817, 51818, 51819, 51820, 51821, 51822, 51823, 51824, 51825, 51826, 51827, 51828, 51829, 51830, 51831, 51832, 51833, 51834, 51835, 51836, 51837, 51838, 51839, 51840, 51841, 51842, 51843, 51844, 51845, 51846, 51847, 51848, 51849, 51850, 51851, 51852, 51853, 51854, 51855, 51856, 51857, 51858, 51859, 51860, 51861, 51862, 51863, 51864, 51865, 51866, 51867, 51868, 51869, 51870, 51871, 51872, 51873, 51874, 51875, 51876, 51877, 51878, 51879, 51880, 51881, 51882, 51883, 51884, 51885, 51886, 51887, 51888, 51889, 51890, 51891, 51892, 51893, 51894, 51895, 51896, 51897, 51898, 51899, 51900, 51901, 51902, 51903, 51904, 51905, 51906, 51907, 51908, 51909, 51910, 51911, 51912, 51913, 51914, 51915, 51916, 51917, 51918, 51919, 51920, 51921, 51922, 51923, 51924, 51925, 51926, 51927, 51928, 51929, 51930, 51931, 51932, 51933, 51934, 51935, 51936, 51937, 51938, 51939, 51940, 51941, 51942, 51943, 51944, 51945, 51946, 51947, 51948, 51949, 51950, 51951, 51952, 51953, 51954, 51955, 51956, 51957, 51958, 51959, 51960, 51961, 51962, 51963, 51964, 51965, 51966, 51967, 51968, 51969, 51970, 51971, 51972, 51973, 51974, 51975, 51976, 51977, 51978, 51979, 51980, 51981, 51982, 51983, 51984, 51985, 51986, 51987, 51988, 51989, 51990, 51991, 51992, 51993, 51994, 51995, 51996, 51997, 51998, 51999, 52000, 52001, 52002, 52003, 52004, 52005, 52006, 52007, 52008, 52009, 52010, 52011, 52012, 52013, 52014, 52015, 52016, 52017, 52018, 52019, 52020, 52021, 52022, 52023, 52024, 52025, 52026, 52027, 52028, 52029, 52030, 52031, 52032, 52033, 52034, 52035, 52036, 52037, 52038, 52039, 52040, 52041, 52042, 52043, 52044,

[\[pdf\]](#) Instructions Catalog

Chris Urlaub \$20 REBATE
toro 20 miracmetools on demandware static Sites acme sf catalog en default
dw022b8886 assets product toro mir srsltid AfmBOovhcS21Vegq4IsXRup7Lu 0mDfrDkD13 EcFXLdV 84
18nj1t REBATE\$20 mirtoro 18nj1tacmetools AfmBOoqIUlGNEgN51EpAHeuO1Dut5kXaN kb6sPmmz6U
3HhZObbv zp ||| ||| Simply follow the instructions below to complete the form. Offer begins January 1,
2021 and ends December 31st, 2022. Your request must be postmarked by January 15th, 2023. The
rebate amount will be 20 USD. 20 REBATE PLEASE PRINT CLEARLY Pr

Simply follow the instructions below to complete the form. Offer begins January 1, 2021 and ends Dec ... 9901T, 39902, 39909, 39909T, 39924, 39926, 39926T, 88620, 88625, 88640, 88660, 88675, 88601, 88602, **88605**, 39924, 39926T, 39926, 51822, 51810T, 51836, 88710, 88713, 88714, 88715, 88716, 21566, 51860T ...

lang:en score:23 filesize: 192.44 K page_count: 1 document date: 2022-01-19

Count on it.

Form No. 3456-258 Rev A

Operator's Manual

21in 60V Lawn Mower

Model No. 21620—Serial No. 400000000 and Up

Model No. 21621—Serial No. 400000000 and Up

Model No. 216211—Serial No. 400000000 and Up

Model No. 21622—Serial No. 400000000 and Up

Model No. 216231—Serial No. 400000000 and Up


Copyright © 2006 Toro Company
All rights reserved. 1005

[\[pdf\]](#) User Manual Owner's Manual Instructions

Toro 60V MAX Stripe Walk Behind Lawn Mower 21623 Owners Manual weingartz ASSETS

Form No. 3456-258 Rev A 21in 60V Lawn Mower Model No. 21620--Serial No. 400000000 and Up Model No. 2 ... I Type Input Output 88602 60V MAX Lithium-Ion Battery Charger 120V AC -2.0A, 60Hz 60V DC 2.0A MAX **88605** 60V MAX Lithium-Ion Battery Rapid Charger 120V AC -5.0A, 60Hz 60V DC 5.5A MAX Appropriate Tem...

lang:en score:23 filesize: 2.31 M page count: 32 document date: 2023-02-07




[\[pdf\]](#) User Manual Instructions Catalog

60 Volt Max Lithium Ion Cordless Brushless Leaf Blower 4 0 mAh Battery and Charger Included Use Care Manual Toro 51822 021038518220 0021038518220 1007469958 cdbb7502 3df7 48de acba a6df2aaa9513 images thdstatic catalog Images cb |||

Form No. 3446-974 Rev B Flex-Force Power System™ 60V MAX Axial Blower Model No. 51822--Serial No. 3 ... packs are designed to be charged only by battery charger Models 88602 provided with Model 51822 , **88605**, or 88610. Using this product for purposes other than its intended use could prove dangerous t...

lang:en score:23 filesize: 1.29 M page_count: 16 document date: 2021-06-27




[\[pdf\]](#) User Manual Instructions Warranty Catalog

Flex Force 60 Volt Cordless Combo Kit 3 Tool Hedge Trimmer Leaf Blower String with Charger and 2 5 Ah Battery Use Care Manual Toro 66316 021038663166 0021038663166 9257b2af f33b 4f2e 8c02 60074a23da2c images thdstatic catalog Images 92 |||

Form No. 3436-756 Rev D Flex-Force Power System™ 24in 60V Hedge Trimmer Model No. 51840--Serial No. ... packs are designed to be charged only by battery charger Models 88602 provided with Model 51840 , **88605**, or 88610. Using these products for purposes other than their intended use could prove dangero...

lang:en score:23 filesize: 4.53 M page_count: 52 document date: 2022-02-22




[\[pdf\]](#) User Manual Owner's Manual Instructions

21in 60V Lawn Mower Toro MAX Stripe Walk Behind 21621 Owners Manual weingartz ASSETS DOCUMENTS ITEMS EN |||

Form No. 3456-258 Rev A 21in 60V Lawn Mower Model No. 21620--Serial No. 400000000 and Up Model No. 2 ... I Type Input Output 88602 60V MAX Lithium-Ion Battery Charger 120V AC -2.0A, 60Hz 60V DC 2.0A MAX **88605** 60V MAX Lithium-Ion Battery Rapid Charger 120V AC -5.0A, 60Hz 60V DC 5.5A MAX Appropriate Tem...

lang:en score:23 filesize: 2.31 M page_count: 32 document date: 2023-02-07



[\[pdf\]](#) User Manual Instructions Warranty Catalog


60V Max Lithium Ion Cordless String Trimmer and Leaf Blower Combo Kit 2 Tool 0 Ah Battery Charger

Included Use Care Manual Toro 51881 021038518817 0021038518817 1005753874 13223072 8560

44e1 9dbe e98c851e44c6 images thdstatic catalog Images 13 |||

Form No. 3441-947 Rev C Flex-Force Power System™ 60V MAX Axial Blower Model No. 51824--Serial No. 3 ... 660, or 88675. These battery packs are designed to be charged only by battery charger Models 88602, **88605**, or 88610 provided with Model 51824 . Using this product for purposes other than its intended...


lang:en **score:23** filesize: 3.52 M page_count: 36 document date: 2021-08-05



[Toro Flex-Force Power System 60V MAX String Trimmer Operator's Manual](#)

Comprehensive operator's manual for the Toro Flex-Force Power System 60V MAX String Trimmer (Models 51832, 51832T, 51836), covering safety instructions, operation, maintenance, troubleshooting, and specifications.

lang:en **score:23** filesize: 2.22 M page_count: 24 document date: 2022-06-08




[\[pdf\]](#)

Chargeur de batterie Flex Force Power System™ 60 V MAX 11 ago 2021 — N° modèle 88602—N° série 320000001 et suivants 88605—N° 88610—N° et 193656 toro getpub |||

Form No. 3434-579 Rev C Chargeur de batterie Flex-Force Power System™ 60 V MAX N de modle 88602--N de srie 320000001 et suivants N de modle **88605**--N de srie 320000001 et suivants N de modle 88610--N de srie 320000001 et suivants N de modle 88620--N de srie 320000001 et suivants N de modle 88625--N ...

lang:fr **score:23** filesize: 1.56 M page_count: 12 document date: 2021-06-03



[\[pdf\]](#) Instructions Parts List Catalog

60V 21in Super Recycler Mowers Direct Feb 24 2022 — Lawn Mower Model No 21566—Serial 400000000 and Up Register at For 21566 Product Name Part toro ff36f827b78d5b75643940da0e5c7fe6 mowersdirect manuals |||

Form No. 3448-967 Rev A 60V 21in Super Recycler Lawn Mower Model No. 21566--Serial No. 400000000 and ...

..... **88605** Smart Stow Walk Power Mower Cover

lang:en **score:23** filesize: 815.66 K page_count: 28 document date: 2022-02-17



[\[pdf\]](#) User Manual Owner's Manual Instructions Warranty

Flex Force Power System MAX 22in Recycler® Lawn Mower Toro Walk Behind 21466 Owners Manual
weingartz ASSETS DOCUMENTS ITEMS EN |||


Form No. 3441-853 Rev A Flex-Force Power System™ 60V MAX 22in Recycler Lawn Mower Model No. 21466-- ... designed to be charged only by battery charger Models 88602 provided with Models 21466 and 21468 , **88605**, or 88610. Using these products for purposes other than their intended use could prove dangero...
lang:en score:23 filesize: 3.97 M page_count: 28 document date: 2020-09-10



[\[pdf\]](#) User Manual Instructions Catalog

Flex Force 60 Volt Cordless Combo Kit 3 Tool 22 in Recycler Lawn Mower Blower String Trimmer w 2
Chargers Batteries Use and Care Manual Toro 66312 021038663128 0021038663128 53f549d8 7d0c
42cf ba89 f7ef11283366 images thdstatic catalog Images 53 |||


Form No. 3441-853 Rev B Flex-Force Power System™ 60V MAX 22in Recycler Lawn Mower Model No. 21466-- ... designed to be charged only by battery charger Models 88602 provided with Models 21466 and 21468 , **88605**, or 88610. Using these products for purposes other than their intended use could prove dangero...
lang:en score:22 filesize: 6.91 M page_count: 64 document date: 2022-02-17



[\[pdf\]](#) User Manual Instructions Catalog

Flex Force 60 Volt Cordless Combo Kit 3 Tool 22 in Recycler Lawn Mower String Trimmer Blower w 2
Chargers Batteries Use and Care Manual Toro 66310 021038663104 0021038663104 c55980ce c460
499c 9dcd d5cd8360a931 images thdstatic catalog Images c5 |||


Form No. 3441-853 Rev B Flex-Force Power System™ 60V MAX 22in Recycler Lawn Mower Model No. 21466-- ... designed to be charged only by battery charger Models 88602 provided with Models 21466 and 21468 , **88605**, or 88610. Using these products for purposes other than their intended use could prove dangero...
lang:en score:22 filesize: 6.91 M page_count: 64 document date: 2022-03-02



[\[pdf\]](#) User Manual Instructions Catalog

Flex Force 60 Volt Cordless 21 in Recycler Lawn Mower String Trimmer Leaf Blower Combo Kit w
Charger 2 Batteries Use and Care Manual Toro 66301 021038663012 0021038663012 e50b5e1e 57cb
4c02 8ed4 4efaaa85f141 images thdstatic catalog Images e5 |||


Form No. 3440-897 Rev C Flex-Force Power System™ 60V MAX 21in Recycler Lawn Mower with SmartStow Mo ... packs are designed to be charged only by battery charger Models 88602 provided with Model 21356 , **88605**, or 88610. Using these products for purposes other than their intended use could prove dangero...
lang:en score:22 filesize: 5.35 M page_count: 60 document date: 2022-02-01



[Toro Flex-Force 60V MAX Lawn Mower, Blower & String Trimmer Operator's Manuals](#)

Official operator's manuals for Toro's Flex-Force Power System™ 60V MAX outdoor equipment, including the 22in Recycler Lawn Mower (Models 21466, 21466T, 21468), Axial Blower (Models 51824, 51824T), and String Trimmer (Models 51834, 51834T). Covers setup, operation, safety, and maintenance.

lang:en **score:22** filesize: 7.54 M page_count: 64 document date: 2022-02-17




[\[pdf\] User Manual Instructions](#)

Flex Force Power System™ 60V Stick Edger Weingartz 20 nov 2021 — It is designed to use Toro lithium ion Manual 3 Keep away from open fire or flames 2 Call2Recycle® battery recycling program MAX 51833 Owners weingartz ASSETS DOCUMENTS ITEMS EN |||

Form No. 3441-962 Rev B Flex-Force Power System™ 60V Stick Edger Model No. 51833--Serial No. 321000 ... r Model 88675. These battery packs are designed to be charged only by battery charger Models 88602, **88605**, or 88610 provided with Model 51833 . Using this product for purposes other than its intended...

lang:en **score:22** filesize: 2.14 M page_count: 20 document date: 2021-02-05




[\[pdf\] User Manual Instructions Warranty](#)

Operator s Manual English 3442 184 20367 by Toro 21 53cm 60V MAX* Electric Battery SMARTSTOW High Wheel Push Mower Grebe frnctuuhejll images webfronts cache |||

Form No. 3442-184 Rev C Flex-Force Power System™ 60V MAX 21in Recycler Lawn Mower Model No. 20367-- ... packs are designed to be charged only by battery charger Models 88602 provided with Model 20367 , **88605**, or 88610. Using these products for purposes other than their intended use could prove dangero...

lang:en **score:22** filesize: 1.9 M page_count: 24 document date: 2018-10-31




[\[pdf\] User Manual Instructions Warranty Catalog](#)

Flex Force 60V Cordless 2 Tool Combo Kit 12 in Snow Shovel 120 MPH 605 CFM Leaf Blower w Charger 5 Ah Battery Use and Care Manual Toro 66357 021038663579 0021038663579 02155497 7121 4c9c a929 bbbd5db0bdbd images thdstatic catalog Images 02 |||

Form No. 3437-759 Rev C 60V Cordless Power Shovel™ Model No. 39909--Serial No. 320000001 and Up Mod ... packs are designed to be charged only by battery charger Models 88602 included with Model 39909 , **88605**, or 88610. Using these products for purposes other than their intended use could prove dangero...


lang:en **score:22** filesize: 2.99 M page_count: 36 document date: 2021-12-30



[Toro Flex-Force 16in 60V MAX Chainsaw Operator's Manual](#)

This operator's manual provides essential information for the safe and effective use of the Toro Flex-Force 16in 60V MAX Chainsaw (Models 51850, 51850T). It covers safety, setup, operation, maintenance, and troubleshooting for this cordless power tool.

lang:en **score:22** filesize: 6.46 M page_count: 64 document date: 2022-02-25




[\[pdf\] User Manual Instructions Warranty Catalog](#)

Flex Force 60V Cordless 2 Tool Combo Kit 110 MPH 565 CFM Blower 14 in 16 String Trimmer w Charger 0 Ah Battery Use and Care Manual Toro 66314 021038663142 0021038663142 b8c83495 8c63 4e31 a6ea fda9705402e9 images thdstatic catalog Images b8 |||

Form No. 3441-515 Rev C Flex-Force Power System™ 60V MAX Axial Blower Model No. 51821--Serial No. 3 ... 660, or 88675. These battery packs are designed to be charged only by battery charger Models 88602, **88605**, or 88610 provided with Model 51821 . Using this product for purposes other than its intended...

lang:en **score:22** filesize: 3.13 M page_count: 36 document date: 2022-02-17




[\[pdf\] User Manual Instructions Catalog](#)

10 in 60 Volt Max Lithium Ion Brushless Cordless Pole Saw Battery and Charger Not Included Use Care Manual Toro 51870T 021038984049 0021038984049 1005920802 5a0765ad 69c3 4503 9ebc b423b58c1b62 images thdstatic catalog Images 5a |||

Form No. 3441-966 Rev B Flex-Force Power System™ 60V Pole Saw Model No. 51870--Serial No. 320000001 ... 660, or 88675. These battery packs are designed to be charged only by battery charger Models 88602, **88605**, or 88610 provided with Model 51870 . Using these products for purposes other than their inte...

lang:en **score:22** filesize: 2.11 M page_count: 24 document date: 2020-10-30



[\[pdf\]](#) User Manual Instructions Warranty Catalog


60 Volt Max Lithium Ion Brushless Cordless 15 in 13 String Trimmer 2 0 Ah Battery and Charger Included

Use Care Manual Toro 51831 021038518312 0021038518312 1005753872 f26e0af1 f3b5 43ce b9d9

7b9ab6143871 images thdstatic catalog Images f2 |||

Form No. 3440-153 Rev D Flex-Force Power System™ 13in or 15in 60V MAX String Trimmer Model No. 5183 ... el 88675. These battery packs are designed to be charged only by battery charger Model 88602, Model **88605**, or Model 88610 provided with Model 51831 . Using this product for purposes other than its in...

lang:en **score:22** filesize: 1.71 M page_count: 20 document date: 2021-07-23



[\[pdf\]](#) User Manual Instructions Catalog


Flex Force 60 Volt Cordless Mower String Trimmer Blower Hedge Chainsaw Combo Kit 5 Tool C w 4

Chargers Batteries Use and Care Manual Toro 66311 021038663111 0021038663111 ee3f6911 78cd

43ab bd2c e3cb775e84f2 images thdstatic catalog Images ee |||

Form No. 3441-853 Rev B Flex-Force Power System™ 60V MAX 22in Recycler Lawn Mower Model No. 21466-- ... designed to be charged only by battery charger Models 88602 provided with Models 21466 and 21468 , **88605**, or 88610. Using these products for purposes other than their intended use could prove dangero...

lang:en **score:22** filesize: 12.76 M page_count: 108 document date: 2022-02-17



[\[pdf\]](#) User Manual Accessories Catalog

22 Recycler 150cc Gas Mower 60V String Trimmer Leaf Blower 3 Tool Combo Kit with Charger 2 5 Ah


Battery Use and Care Manual Toro 66308 021038663081 0021038663081 eefca864 ec6d 421f baac

61984b9ea00c images thdstatic catalog Images ee |||

Form No. 3441-849 Rev A 22in Recycler Lawn Mower with SmartStow Model No.

21465--Serial No. 40000000 ... packs are designed to be charged only by battery charger Models 88602 provided with Model 51830 , **88605**, or 88610. Using this product for purposes other than its intended use could prove dangerous t...

lang:en **score:22** filesize: 8.58 M page_count: 64 document date: 2022-03-02



[pdf] User Manual Accessories Catalog

Recycler 21 in 140cc Gas Walk Push Mower 60V String Trimmer Blower 3 Tool Combo Kit w Charger 2 5

Ah Battery Use and Care Manual Toro 66306 021038663067 0021038663067 b5b6bab5 0c1f 460f ae45

be86bab4af16 images thdstatic catalog Images b5 |||


Form No. 3440-905 Rev B 21in Recycler/Rear Bagging Lawn Mower Model No.

21332--Serial No. 400000000 ... packs are designed to be charged only by battery

charger Models 88602 provided with Model 51830 , **88605**, or 88610. Using this

product for purposes other than its intended use could prove dangerous t...

lang:en score:22 filesize: 4.3 M page_count: 60 document date: 2022-03-02



[pdf] User Manual Accessories Catalog

22 in Recycler 150cc SmartStow Gas Mower 60V String Trimmer Leaf Blower 3 Tool Combo Kit w

Charger 2 0 Ah Battery Use and Care Manual Toro 66309 021038663098 0021038663098 e8dedea3

d096 4f55 94ef a7dedef03122 images thdstatic catalog Images e8 |||


Form No. 3441-849 Rev A 22in Recycler Lawn Mower with SmartStow Model No.

21465--Serial No. 400000000 ... 660, or 88675. These battery packs are designed to

be charged only by battery charger Models 88602, **88605**, or 88610 provided with

Model 51824 . Using this product for purposes other than its intended...

lang:en score:22 filesize: 9.21 M page_count: 64 document date: 2022-03-02



[pdf]

88605 toro getpub

Form No. 3391-323 Rev A Groundsmaster 360 31223-- 315000001 www.Toro.com.


RU *3391-323* A ; . 65, , , , , , , , , , , . Toro - www.Toro.com , ...

lang:en score:21 filesize: 2.5 M page_count: 60 document date: 2015-10-25



[\[pdf\]](#) User Manual Instructions Catalog

Flex Force 60 Volt Cordless Combo Kit 21 in Recycler Lawn Mower 120 MPH 605 CFM Leaf Blower w
Charger 6 0 Ah Battery Use and Care Manual Toro 66300 021038663005 0021038663005 a8cfa6f0 9693
4fb7 b0df 0563cae8d969 images thdstatic catalog Images a8 |||
Form No. 3440-897 Rev C Flex-Force Power System™ 60V MAX 21in Recycler
Lawn Mower with SmartStow Mo ... packs are designed to be charged only by battery
charger Models 88602 provided with Model 21356 , **88605**, or 88610. Using these
products for purposes other than their intended use could prove dangero...
lang:en **score:21** filesize: 3.1 M page_count: 40 document date: 2022-02-01



[\[pdf\]](#) User Manual Instructions Warranty Catalog

Flex Force Power System 60 Volt Maximum Attachment Capable String Trimmer Bare Tool Use and Care
Manual Toro 88716 021038887166 0021038887166 1008366972 e1342935 a5e1 41ed 8593
43a8df60d713 images thdstatic catalog Images e1 |||
Form No. 3450-369 Rev C Flex-Force Power System™ 14in or 16in 60V MAX String
Trimmer Flex-Force Pow ... 372306 Specifications Model Charger Type Battery Type
88716, attaches to 51810T 88610, 88602, or **88605** 88620, 88625, 88640, 88650,
88660, or 88675 Appropriate Temperature Ranges Charge/store the ...
lang:en **score:21** filesize: 991.51 K page_count: 16 document date: 2022-06-08