



[Manuals.plus](#) /

> [Garvee](#) /

> Garvee Folding Utility Service Cart Instruction Manual - Model GCCWW56

Garvee GCCWW56

Garvee Folding Utility Service Cart

INSTRUCTION MANUAL - MODEL GCCWW56

Introduction

Thank you for choosing the Garvee Folding Utility Service Cart, Model GCCWW56. This 3-tier collapsible rolling cart is designed for versatile use in various environments, including offices, garages, homes, and warehouses. Its robust construction and foldable design ensure both durability and convenient storage. This manual provides essential information for the safe and efficient use of your new utility cart.

Important Safety Information

- **Weight Capacity:** Do not exceed the maximum load capacity of 168 lbs (76 kg) for the entire cart, or 56 lbs (25.4 kg) per tier. Overloading can cause instability and damage.
- **Stable Surfaces:** Always operate the cart on flat, stable, and level surfaces. Avoid uneven terrain or inclines when the cart is heavily loaded.
- **Brakes:** Engage the wheel brakes when the cart is stationary to prevent unintended movement.
- **Folding/Unfolding:** Exercise caution when folding and unfolding the cart to avoid pinching fingers or hands. Ensure all locking mechanisms are securely engaged before use.
- **Children and Pets:** Keep children and pets away from the cart during assembly, folding, and operation.
- **Inspection:** Regularly inspect the cart for any signs of damage, loose parts, or wear. Do not use the cart if any components are compromised.

Package Contents

Verify that all components are present before proceeding with setup:

- 1 x Garvee Folding Utility Service Cart Body
- 4 x PVC 360° Swivel Casters (2 with brakes)

Setup Instructions

The Garvee Utility Service Cart is designed for minimal assembly. No tools are required.

1. Unfolding the Cart

1. Remove the cart from its packaging.
2. Release the hook and loop straps that secure the cart in its folded position.
3. Gently pull the top handle upwards to begin unfolding the cart. The shelves will automatically fall into place.
4. Ensure all shelves are fully extended and the support arms are locked into their open position for stability.



Figure 1: Unfolding the Garvee Utility Cart.

2. Attaching the Wheels

1. With the cart unfolded and upright, locate the four caster sockets at the bottom of the cart legs.
2. Insert each of the four swivel casters into the sockets. Push firmly until they click into place.
3. Ensure all wheels are securely attached before placing any items on the cart.



Figure 2: Attaching the swivel casters.

Operating the Cart

1. Folding the Cart for Storage

1. Ensure the cart is empty and clean.
2. Lift the handle on the first (top) tier of the rolling cart. This action will initiate the folding mechanism.
3. Continue to lift the handle, allowing the tiers to collapse inward until the cart is fully folded.
4. Secure the folded cart with the integrated hook and loop straps to prevent it from opening during transport or storage.



Figure 3: Folded cart stored compactly.

2. Using the Swivel Wheels and Brakes

- The cart is equipped with four 360° swivel casters for smooth and quiet movement.
- Two of the swivel wheels include locking brakes. To engage a brake, press down on the lever located on the wheel. To release, lift the lever.
- Always engage the brakes when the cart is stationary, especially on sloped surfaces, to prevent accidental rolling.

3. Loading Capacity

- Each tier of the cart can safely hold up to 56 lbs (25.4 kg).
- The total load capacity for the entire cart is 168 lbs (76 kg).
- Distribute weight evenly across the shelves to maintain stability. Place heavier items on lower shelves.

168LBS LARGE LOADING CAPACITY

Suitable for transporting items in studios, garages, and homes



Figure 4: Cart demonstrating its loading capacity.

Maintenance and Care

- **Cleaning:** Wipe the cart surfaces with a damp cloth and mild detergent. Avoid abrasive cleaners or solvents that could damage the material.
- **Inspection:** Periodically check all joints, screws, and moving parts for tightness and wear. Tighten any loose fasteners as needed.
- **Wheel Care:** Keep the wheels free of debris to ensure smooth operation. Lubricate the swivel mechanisms if they become stiff.
- **Storage:** Store the cart in a dry, cool place when not in use. Its foldable design allows for compact storage.

Troubleshooting

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Cart does not unfold/fold smoothly.	Obstruction in mechanism; locking straps engaged.	Check for debris or items blocking the folding mechanism. Ensure hook and loop straps are fully disengaged.
Wheels do not roll smoothly.	Debris in wheels; brakes engaged; loose attachment.	Clean wheels of any debris. Ensure brakes are disengaged. Verify wheels are fully inserted into sockets.
Cart feels unstable.	Overloaded; uneven weight distribution; not fully unfolded.	Reduce load to within capacity. Distribute weight evenly. Ensure cart is fully unfolded and all support arms are locked.

Product Specifications

Feature	Detail
Product Dimensions (Unfolded)	15"D x 23"W x 32.9"H (38cm D x 58.25cm W x 83.5cm H)
Folded Dimensions	Approx. 7.5"W x 41.73"H (19cm W x 106cm H)
Brand	Garvee
Model Number	GCCWW56
Material	Aluminum, Polypropylene (PP)
Number of Tiers	3
Number of Wheels	4 (360° Swivel Casters, 2 with brakes)
Weight Capacity (Total)	168 Pounds (76 kg)
Weight Capacity (Per Tier)	56 Pounds (25.4 kg)
Item Weight	8.28 Kilograms
Assembly Required	No (Wheels need to be inserted)



Figure 5: Detailed dimensions and capacity.

Warranty and Support

For warranty information or customer support, please refer to the product packaging or contact Garvee customer service directly through the retailer where the product was purchased. Keep your purchase receipt for warranty claims.