



Manuals.plus /

- › **BRIGHT SHOWERS** /
- › BRIGHT SHOWERS High Pressure Shower Head and Filter Instruction Manual

## **BRIGHT SHOWERS B0CSYPG9FP**

# **BRIGHT SHOWERS High Pressure Shower Head and Filter Instruction Manual**

Model: B0CSYPG9FP

## **INTRODUCTION**

---

This manual provides comprehensive instructions for the installation, operation, and maintenance of your BRIGHT SHOWERS High Pressure 6 Inch Rain Shower Head and Matching High Output Shower Filter. Please read this manual thoroughly before installation and use to ensure proper function and longevity of your product.



Image: The BRIGHT SHOWERS High Pressure 6 Inch Rain Shower Head and the accompanying High Output Shower Filter, both in a polished chrome finish.

## SAFETY INFORMATION

---

- Ensure all connections are tight to prevent leaks.
- Do not use abrasive cleaners on the shower head or filter as this may damage the finish.
- Keep small parts away from children.
- If you are unsure about any installation step, consult a qualified plumber.

## PACKAGE CONTENTS

---

Verify that all components are present before beginning installation:

- BRIGHT SHOWERS 6 Inch Rain Shower Head
- High Output Shower Filter
- Teflon Tape (for sealing threads)
- *Note: Shower arm is not included.*

## SETUP AND INSTALLATION

---

Follow these steps for easy installation. No special tools are required.

1. **Remove Old Shower Head:** Unscrew your existing shower head from the shower arm. You may need a wrench if it's tightly secured.
2. **Prepare Shower Arm:** Clean any old sealant or debris from the threads of the shower arm. Wrap the included Teflon tape around the threads of the shower arm 3-5 times clockwise. This helps create a watertight seal.
3. **Install Shower Filter:** Screw the High Output Shower Filter onto the shower arm. Hand-tighten first, then use a wrench if necessary, being careful not to overtighten.
4. **Install Shower Head:** Screw the BRIGHT SHOWERS Rain Shower Head onto the outlet of the shower filter. Hand-tighten until snug.
5. **Check for Leaks:** Turn on the water and check for any leaks at the connections. If leaks occur, tighten the connections slightly.

# Easy Installation

1



Remove your old shower head

2



Wrap the included teflon tape around the shower arm

3



Install BRIGHT SHOWERS rainfall shower head



Enjoy a high pressure shower

Image: A four-panel illustration demonstrating the installation process: 1. Removing the old shower head, 2. Wrapping Teflon tape around the shower arm, 3. Installing the BRIGHT SHOWERS rainfall shower head (implicitly after the filter), and 4. Enjoying the shower.




Image: A detailed view of the shower head, highlighting its durable brass swivel ball joint for adjustable angle and the G1/2 standard thread for universal compatibility. It also points out the beautiful finish and easy-to-clean nozzles.

## OPERATING INSTRUCTIONS

---

Your BRIGHT SHOWERS Rain Shower Head offers two distinct spray settings for a customized showering experience.

### Adjusting Spray Settings

To switch between the spray patterns, gently rotate the face of the shower head. You can select between:

- **Full Body Rainfall:** Provides a wide, drenching spray for complete coverage.
- **Extra Relaxing Massage:** Delivers a more focused, invigorating spray.

# Same Budget - Enjoy an Extra Relaxing Massage

Rotate the shower head to switch the spray



Full Body Rainfall



Extra Relaxing Massage

**VS**

Single Function



Image: Two panels illustrating how to rotate the shower head to switch between spray settings: one showing a full body rainfall spray and the other showing a more focused, massaging spray.

## Bright Showers Rain Shower Head

2 Spray Settings



## Others

Single Function




Image: A comparison showing the two spray settings of the BRIGHT SHOWERS Rain Shower Head: a wide angle for complete body coverage and a more concentrated spray, contrasted with a single-function narrow angle shower head.

### Shower Filter Benefits

The integrated High Output Shower Filter works to purify your water, reducing chlorine and heavy metals. This results in softer water, which can improve the condition of your skin and hair.

# See and feel the difference After using the filter

**Before**



**Irritated skin**



**Dry hair**




**After**



**Softer skin**



**Smoother hair**



**Effectively removes harmful chemicals, dirt, odors and chlorine from water**

Image: A visual representation of the "Before" and "After" effects of using the shower filter, showing improvements for irritated skin and dry hair, leading to softer skin and smoother hair. It also illustrates the removal of harmful chemicals, dirt, odors, and chlorine from water.

## MAINTENANCE

### Cleaning the Shower Head

To maintain optimal spray performance, periodically clean the silicone nozzles of your shower head. Mineral deposits can accumulate over time, especially in hard water areas.

- Gently rub the silicone nozzles with your finger or a soft brush to dislodge any mineral buildup.
- For more stubborn deposits, you can soak the shower head in a solution of white vinegar and water.
- Rinse thoroughly after cleaning.

### Shower Filter Replacement

The High Output Shower Filter has a limited lifespan and should be replaced regularly to ensure continued water

purification. The exact replacement interval depends on your water quality and usage, but generally, it is recommended every 6-8 months.

- When it's time to replace the filter, turn off the water supply to your shower.
- Unscrew the existing filter from the shower arm.
- Install the new filter cartridge following the same steps as the initial installation (refer to "Setup and Installation" section).



### We Use The Best Ingredients In This Filter

- Kinetic redox media**  
Converts damaging free chlorine into harmless chloride salts and binds to heavy metals even in hot water
- Activated carbon**  
Removes volatile organic compounds, taste, odor and chlorine from water by adsorbing and trapping pollutants in carbon pores
- Calcium sulfite**  
Absorbs free chlorine in water even at high temperatures and flow rates, extending the effective range and life of the shower filter

### Other brands use cheap ingredients

✗		Germanium Balls	✗		Vitamin C Balls
✗		Far Infrared Balls	✗		Negative Ion Balls
✗		Alkaline Balls	✗		Magnetic Energy Balls

Image: A cross-section diagram illustrating the different filtration media layers within the shower filter, including Kinetic Redox Media, Activated Carbon, and Calcium Sulfite, explaining their respective functions in water purification.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Low Water Pressure	<ul style="list-style-type: none"><li>• Mineral buildup in nozzles.</li><li>• Clogged shower filter.</li></ul>	<ul style="list-style-type: none"><li>• Clean shower head nozzles (see Maintenance).</li><li>• Replace shower filter cartridge.</li></ul>
Leaking Connections	<ul style="list-style-type: none"><li>• Loose connections.</li><li>• Insufficient Teflon tape.</li></ul>	<ul style="list-style-type: none"><li>• Tighten connections.</li><li>• Reapply Teflon tape, ensuring sufficient wraps.</li></ul>
Water Quality Not Improving	<ul style="list-style-type: none"><li>• Expired filter cartridge.</li></ul>	<ul style="list-style-type: none"><li>• Replace shower filter cartridge.</li></ul>

## SPECIFICATIONS

---

- **Model:** B0CSYPG9FP
- **Brand:** BRIGHT SHOWERS
- **Shower Head Size:** 6 Inch Diameter
- **Material:** Durable ABS Plastic (Shower Head), Brass (Swivel Joint), Polished Chrome Finish
- **Thread Type:** G1/2 Standard
- **Filter Media:** Kinetic Redox Media, Activated Carbon, Calcium Sulfite

## WARRANTY AND SUPPORT

---

For warranty information or technical support, please refer to the BRIGHT SHOWERS official website or contact their customer service directly. Keep your purchase receipt as proof of purchase.

