

[Manuals.plus](#) /

> [Lyromix](#) /

> Lyromix 10x15FT Galvanized Outdoor Dog Kennel Instruction Manual

## Lyromix LY-ODK-15FT-02A

# Lyromix 10x15FT Galvanized Outdoor Dog Kennel Instruction Manual

Model: LY-ODK-15FT-02A

## INTRODUCTION

Thank you for choosing the Lyromix 10x15FT Galvanized Outdoor Dog Kennel. This kennel is designed to provide a safe, spacious, and comfortable outdoor environment for your dog to play and rest. Please read this manual thoroughly before assembly and use to ensure proper installation and safe operation.



Image: Overview of the Lyromix 10x15FT Galvanized Outdoor Dog Kennel with its protective roof.

## SAFETY INFORMATION

- Always ensure the kennel is assembled on a flat, stable surface to prevent tipping.
- Regularly inspect all connections and fasteners to ensure they are secure.
- Do not allow children to play unsupervised near or inside the kennel.
- Ensure your dog's collar or tags cannot get caught in the mesh or other parts of the kennel.
- Provide adequate shade and water for your dog, especially during hot weather.
- This kennel is designed for large breeds. Ensure it is appropriate for your dog's size and temperament.
- In extreme weather conditions (heavy winds, snow), consider additional anchoring or temporary relocation of your pet.

## COMPONENTS LIST

Before beginning assembly, verify that all parts are present and undamaged. This kit is shipped in two packages, which may arrive at different times. Please wait for both packages before starting assembly.

| Component                 | Description                                                 | Quantity          |
|---------------------------|-------------------------------------------------------------|-------------------|
| Galvanized Iron Pipes     | 1.2" sturdy pipes for frame construction                    | Varies by section |
| Chain Link Mesh Panels    | Heavy-duty, reinforced mesh for enclosure                   | Varies by section |
| PVC Cover                 | Thickened, waterproof, dustproof, UV-resistant roof cover   | 1                 |
| Dog Bowls                 | Adjustable height feeding bowls                             | 2                 |
| Secure Lock Mechanism     | For the kennel door                                         | 1                 |
| Fasteners & Connectors    | 304 Stainless Steel Fasteners and other connection hardware | Assorted          |
| Installation Instructions | Detailed assembly guide                                     | 1                 |



## Three-level Adjustable Feeding Device

Meet the eating habits of dogs of different sizes



## The Feeding Door Above Can Be Opened

Feeding no longer becomes troublesome



Image: Illustration of heavy-duty wire (1.2mm), reinforced taut mesh, and 304 stainless steel fasteners used in the kennel construction, compared to lighter alternatives.

## SETUP AND ASSEMBLY

This is a completely unassembled DIY kit. Follow the detailed installation instructions provided in your package carefully. It is recommended to have at least two people for assembly.

1. **Prepare the Area:** Choose a flat, level, and stable outdoor location for the kennel. Ensure adequate drainage.
2. **Unpack Components:** Carefully unpack all components and lay them out. Refer to the components list to ensure everything is present.
3. **Assemble the Frame:** Connect the galvanized iron pipes according to the provided instructions to form the base and vertical supports. Ensure all connections are secure.
4. **Attach Mesh Panels:** Securely attach the chain link mesh panels to the frame. **Important:** Please refer to the instructions and tighten the net as much as possible during installation to ensure stability and prevent sagging.
5. **Install Door and Lock:** Integrate the door panel and install the secure lock mechanism as per the instructions.

6. **Mount Dog Bowl Stand:** Attach the adjustable dog bowl stand to the designated panel.
7. **Install Roof Cover:** Drape and secure the PVC roof cover over the top frame. Ensure it is tightly fastened to provide full weather protection.
8. **Final Inspection:** Double-check all connections, fasteners, and the overall stability of the kennel before allowing your pet inside.



Image: A diagram illustrating the dimensions of the kennel and emphasizing the importance of tightening the net during installation. Note: The height shown in this diagram (6.14ft) may vary slightly from the listed product specifications (51.48 inches / 4.29ft) due to different product configurations or measurement methods. Please refer to the written specifications for precise dimensions.

## OPERATING INSTRUCTIONS

- **Accessing the Kennel:** Use the main door with its secure lock for your dog's entry and exit. Always ensure the lock is engaged when your dog is inside.
- **Adjusting Dog Bowls:** The kennel includes a three-level adjustable dog bowl stand. To adjust the height, simply lift and reposition the bowls to the desired level suitable for your dog's size.

- **Feeding and Watering:** The half-open door design above the bowls allows for easy access to add food and water from the outside without needing to enter the kennel.
- **Supervision:** While the kennel provides a secure space, always supervise your dog, especially during initial use, to ensure they are comfortable and safe.

# Upgrade Galvanized Structure

Strong and stable dog kennel

Suitable for  
kinds of dogs





Image: Close-up view of the three-level adjustable dog bowl stand, demonstrating how to set the bowls at different heights to accommodate various dog sizes.

## MAINTENANCE

- **Regular Cleaning:** Clean the kennel regularly to maintain hygiene. Use mild soap and water for the metal frame and mesh. Rinse thoroughly.
- **Roof Cover Care:** The PVC cover is waterproof and UV-resistant. Clean it with a damp cloth. Avoid harsh chemicals that could damage the material.
- **Inspection:** Periodically check all parts for wear and tear, especially the mesh, fasteners, and the roof cover. Replace any damaged components immediately.


- **Rust Prevention:** The galvanized iron pipes are designed to resist rust, but regular cleaning and ensuring proper drainage will extend their lifespan.

## ours




1.2"

☒ **Heavy-Duty Wire (1.2mm)**  
Built for strong dogs




**Reinforced, Taut Mesh**  
Less wobble, more stability



**304 Stainless Steel Fasteners**  
Weather-resistant and secure

## Others



0.98"

☒ **Lightweight Wire**



☒ **Sagging Mesh**



☒ **Plastic Fasteners**

Image: The kennel featuring its anti-UV and waterproof roof cover, illustrating its protective qualities against sun and rain.

TROUBLESHOOTING

| Problem                          | Possible Cause                                                     | Solution                                                                                                                                                          |
|----------------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Kennel feels unstable or wobbly. | Loose connections; uneven ground; mesh not tightened sufficiently. | Ensure all pipe connections and fasteners are tightened. Relocate to a level surface or use shims to stabilize. Re-tighten the mesh as per assembly instructions. |
| Water accumulation on the roof.  | Roof cover not installed tautly or incorrect pitch.                | Adjust the roof cover to ensure it is stretched tightly and has a proper slope for water runoff.                                                                  |

| Problem                                        | Possible Cause                                                       | Solution                                                                                                                                                                     |
|------------------------------------------------|----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dog attempting to bend or escape through mesh. | Mesh not sufficiently taut; dog is too strong for the current setup. | Ensure the mesh is tightened as much as possible during installation. For extremely strong or determined dogs, consider additional reinforcement or alternative containment. |
| Difficulty adjusting dog bowls.                | Bowls or stand mechanism is stuck or misaligned.                     | Check for any obstructions. Ensure the bowls are correctly seated in the adjustment slots.                                                                                   |

# Product Dimensions

Please ensure the net is pulled tight during installation



Shipped in **2** boxes, which may not arrive at the same time

Image: A visual comparison showing the upgraded heavy-duty chain-link mesh effectively preventing dogs from bending wires to escape, contrasted with a sagging, easily bent mesh.

## SPECIFICATIONS

| Feature      | Detail          |
|--------------|-----------------|
| Model Number | LY-ODK-15FT-02A |

| Feature                        | Detail                                                                                 |
|--------------------------------|----------------------------------------------------------------------------------------|
| Product Dimensions (L x W x H) | 177.6 inches x 118.56 inches x 51.48 inches (approx. 14.8 ft x 9.9 ft x 4.3 ft)        |
| Item Weight                    | 145.5 pounds                                                                           |
| Material                       | Galvanized Metal (1.2" iron pipes, heavy-duty chain link mesh)                         |
| Gap Size                       | 1.2 inches                                                                             |
| Included Components            | Kennel frame, mesh panels, PVC roof cover, 2 dog bowls, secure lock, assembly hardware |
| Breed Recommendation           | Large breeds                                                                           |
| Number of Doors                | 1                                                                                      |
| Number of Levels (Kennel)      | 1                                                                                      |
| UPC                            | 797417438464                                                                           |

## WARRANTY AND SUPPORT

This Lyromix Outdoor Dog Kennel comes with a **1-Year Warranty** from the date of purchase. This warranty covers manufacturing defects and material flaws under normal use. It does not cover damage caused by improper assembly, misuse, accidents, or natural disasters.

For warranty claims, technical support, or missing parts, please contact Lyromix customer service through the retailer where you purchased the product or visit the official Lyromix store online. Please have your model number (LY-ODK-15FT-02A) and proof of purchase ready.

**Lyromix Store:** [Visit the Lyromix Store on Amazon](#)

© 2023 Lyromix. All rights reserved.

### ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

**Submit question**