

CANDY CSO 696TWMBB6-80

Candy Smart Pro Inverter Washing Machine User Manual

Model: CSO 696TWMBB6-80

1. IMPORTANT SAFETY INFORMATION

Please read this manual carefully before installing and using your washing machine. Keep this manual for future reference.

- Electrical Safety:** Ensure the washing machine is connected to a properly grounded electrical outlet. Do not use extension cords or adapters.
- Water Connection:** Connect the water inlet hose to a cold water tap. Ensure all connections are tight to prevent leaks.
- Installation:** The appliance must be installed on a firm, level floor. Remove all transit bolts before use to prevent damage and excessive vibration.
- Children and Pets:** Keep children and pets away from the appliance during operation.
- Maintenance:** Disconnect the appliance from the power supply before performing any cleaning or maintenance.

2. PRODUCT OVERVIEW

The Candy Smart Pro Inverter washing machine is designed for efficient and convenient laundry care. It features an innovative Speed-Drive Motor and Quick&Clean system for fast and effective washing.



This image shows the front of the Candy Smart Pro Inverter washing machine, highlighting its sleek black design and central loading door. The control panel is visible at the top, featuring various program selections and a digital display.

Key Components:

- **Control Panel:** Used to select wash programs, adjust settings, and start/pause cycles.
- **Detergent Drawer:** For adding detergent, fabric softener, and pre-wash agents.
- **Drum:** Stainless steel drum for washing clothes.
- **Door:** Front-loading door with a secure latch.
- **Filter Access:** Located at the bottom front for easy access to the drain pump filter.

3. SETUP

Unpacking and Positioning:

- Carefully remove all packaging materials.
- Position the washing machine on a flat, stable surface. Ensure there is adequate space around the appliance for ventilation and access.

Removing Transit Bolts:

Before first use, it is crucial to remove the transit bolts located at the rear of the machine. These bolts secure the drum during transport and must be removed to prevent damage during operation.

- Locate the transit bolts on the back panel.
- Use a wrench to loosen and remove each bolt.
- Insert the plastic caps (supplied with the machine) into the holes.

Water and Electrical Connection:

- Connect the water inlet hose to a cold water tap. Hand-tighten the connection, then use a wrench to tighten it further, ensuring no leaks.
- Position the drain hose into a suitable drain pipe or sink, ensuring it is securely fixed to prevent displacement during draining.
- Plug the power cord into a grounded electrical outlet.

4. OPERATING INSTRUCTIONS

Loading Laundry:



This image displays the Candy Smart Pro Inverter washing machine with its door open, revealing the spacious drum ready for laundry. This view is useful for understanding how to load clothes.

- Open the washing machine door.
- Load laundry into the drum, ensuring not to overload. Leave enough space for clothes to tumble freely.
- Close the door firmly until it clicks.

Adding Detergent:



This close-up image shows the detergent drawer pulled out, indicating the compartments for pre-wash, main wash detergent, and fabric softener. This helps users identify where to add their laundry products.

- Pull out the detergent drawer.
- Add the appropriate amount of detergent to the main wash compartment.
- If desired, add fabric softener to the designated compartment.
- Push the detergent drawer back in completely.

Selecting a Wash Program:



This image provides a detailed view of the washing machine's control panel, focusing on the program selection dial and digital display. It shows various wash options like 'Smart Wash', 'Cottons', 'Wool', 'Synthetics', 'Quick Wash', and 'Easy Iron Plus 39'.

- Turn the program selector dial to choose the desired wash program (e.g., Cotton, Synthetics, Quick Wash).
- Adjust additional settings such as temperature and spin speed using the corresponding buttons on the control panel, if available for the selected program.

Starting a Wash Cycle:

- Press the 'Start/Pause' button to begin the wash cycle.
- The machine will automatically proceed through the selected program.

Ending a Wash Cycle:

- Once the program is complete, the machine will signal its finish.
- Open the door and remove your laundry.
- Leave the door slightly ajar to allow the drum to air dry and prevent odors.

5. MAINTENANCE

Cleaning the Detergent Drawer:

- Regularly clean the detergent drawer to prevent residue buildup.
- Pull out the drawer completely and rinse it under running water.
- Use a brush to remove any stubborn residue.
- Wipe the drawer housing clean before reinserting the drawer.

Cleaning the Drain Pump Filter:

- Periodically clean the drain pump filter to ensure proper drainage.
- Open the filter cover at the bottom front of the machine.
- Place a shallow container underneath to catch any residual water.
- Slowly unscrew the filter and remove any lint, coins, or foreign objects.
- Clean the filter under running water and screw it back in firmly. Close the cover.

Cleaning the Exterior:

- Wipe the exterior surfaces with a soft, damp cloth.
- Do not use abrasive cleaners or solvents.

6. TROUBLESHOOTING

If you encounter issues with your washing machine, refer to the table below for common problems and solutions.

Problem	Possible Cause	Solution
Machine does not start	Power cord not plugged in; Door not closed properly; Program not selected; Start/Pause button not pressed.	Check power connection; Ensure door is firmly closed; Select a program; Press Start/Pause.
No water intake	Water tap closed; Water inlet hose kinked; Water supply cut off.	Open water tap; Straighten hose; Check household water supply.
Machine vibrates excessively	Transit bolts not removed; Machine not level; Uneven load.	Remove transit bolts; Adjust leveling feet; Redistribute laundry in the drum.
Water not draining	Drain hose kinked or blocked; Drain pump filter clogged.	Check and clear drain hose; Clean drain pump filter.
Detergent residue in drawer	Insufficient water pressure; Detergent drawer clogged.	Check water pressure; Clean detergent drawer.

7. SPECIFICATIONS

Detailed technical specifications for the Candy Smart Pro Inverter Washing Machine.



This image illustrates the physical dimensions of the washing machine, showing its height (85cm), depth (54cm), and width (60cm). This is crucial for installation planning.

Feature	Detail
Brand	CANDY
Model	CSO 696TWMBB6-80
Capacity	9 Kilograms

Feature	Detail
Maximum Rotational Speed	1600 RPM
Product Dimensions (D x W x H)	54 x 60 x 85 cm
Item Weight	64 kg
Annual Energy Consumption	45 Kilowatt Hours
Noise Level (Spin)	78 dB
Installation Type	Freestanding
Colour	Black
Access Location	Front Load
Special Features	Quick Wash
Included Components	Machine, User Manual, Energy Label, Pipes

8. WARRANTY AND SUPPORT

For detailed warranty information and customer support, please refer to the warranty card or the full user manual included with your appliance. You may also visit the official CANDY website for further assistance and contact details.

The manufacturer is Haier.

© 2024 CANDY. All rights reserved.

Documents - CANDY – CSO 696TWMBB6-80

Product Information Sheet			
COMMISSION DELEGATED REGULATION (EU) 2019/2014 with regard to energy labelling of household washing machines and household washer-dryers			
Supplier's name or trade mark: Candy			
Supplier's address: Candy Hoover Group contact: Comolli 16, 20861 Brugherio MB, IT			
Model identifier: CSO 696TWMBB6-80			
General product parameters:			
Parameter	Value	Parameter	Value
Rated capacity ⁽¹⁾ (kg)	9,0	Dimensions in cm	Height 85 Width 60 Depth 54
Energy efficiency index ⁽²⁾ (EEI)	46,8	Rinsing efficiency class ⁽³⁾	A
Washing efficiency index ⁽⁴⁾	1,031	Rinsing efficiency index (g/kg) ⁽⁵⁾	4,9
Energy consumption per wash cycle, based on the eco 40-60 programme, in kWh. Consumption of full and partial loads. Actual consumption will depend on how the appliance is used and on the hardness of the water.	0,445	Water consumption in litres per programme at a combination of full and partial loads. Actual consumption will depend on how the appliance is used and on the hardness of the water.	46
Maximum temperature of the treated textile ⁽⁶⁾ (°C)	92	Weighted remaining moisture content ⁽⁷⁾ (%)	53,9
Spin speed ⁽⁸⁾ (rpm)	1.551	Spin drying efficiency class ⁽⁹⁾	B
Programme duration ⁽¹⁰⁾ (h:min)	3:48	Type	Free-standing
Airborne acoustical noise emission class ⁽¹¹⁾ (dB(A) re 1 pW)	78	Airborne acoustical noise emission class ⁽¹²⁾ (spinning phase)	C

[\[pdf\]](#) Specifications Datasheet Dimension Guide Label

EU data sheet 50 KB Specs Candy Smart Pro Inverter CSO 696TWMBB6 80 9kg 1600rpm Washing

Machine Black mmo 117694570 1701707082 4227 372 objects icecat biz |||

Product Information Sheet COMMISSION DELEGATED REGULATION EU 2019/2014 with regard to energy label ... pplier s address: Candy Hoover Group contact, Comolli 16, 20861 Brugherio MB, IT Model identifier: **CSO 696TWMBB6-80** General product parameters: Parameter Rated capacity a kg Value Energy Effic... lang:en **score:39** filesize: 50.02 K page_count: 2 document date: 2023-11-28

Front Loading Washing Machines

CSO 696TWM86-80

MAIN FEATURES

Product name / Commercial code	CSO 696TWM86-80
Product code	3020078
EAN Code	8059016988195
Build-in / Freestanding	Freestanding
Loading type	Front
Capacity (kg)	8
Maximum spin speed (rpm)	1600

TECHNICAL FEATURES

Electronics	6 digit display
Motor type	Inverter BFM
Drum material	Stainless Steel
Drum volume	58
Plug type	UK
Voltage (V)	220-240
Connectivity	Advanced remote control and extra content (WIFI + Blue tooth)
IoT App	home

PROGRAMMES AND FUNCTIONS

Number of programmes	
Start delay options	Yes (up to 24h)
Steam programme	Yes

Haier Europe | Candy | AEG | Haier

Candy Front Load Washing Machine F3E1 Statement of Compliance

Official Statement of Compliance for Candy Front Load Washing Machine, Model F3E1, manufactured by Candy Hoover Group S.r.l., detailing adherence to Product Security and Telecommunications Infrastructure Regulations 2023.

lang:en score:23 filesize: 280.58 K page_count: 7 document date: 2024-04-17

EU Declaration of Conformity - Candy Hoover Group Washing Machines

Official EU Declaration of Conformity for Candy Hoover Group front-loading washing machines with Wi-Fi & BT, detailing compliance with RED, RoHS, and ErP directives and applied harmonised standards, including a comprehensive list of models.

lang:en score:23 filesize: 305.75 K page count: 7 document date: 2025-01-20

CANDY HOOVER GROUP S.p.l. - con Socia Unica - SEDE LEGALE: via Comi, 14 - 20061 Brugherio - MI - Italia - SEDE AMMINISTRATIVA E COMMERCIALE: Via Principe di Lichtenstein, 1 - 20061 Brugherio - MI - Italia - Tel. +39 039.206.16 - Fax +39 039.206.137 - Capitale sociale € 36.000.000 i.v. - Iscritta nel Registro delle Imprese di Milano - Numero Bravi n. 0466831815 - P. IVA 0376800085 Numeri RSA: 348-3033934 - Società soggetta ad attività di produzione e commercializzazione di Candy S.p.A. - Casella Postale 100 - candyhovergroup@it.ingresso.it.

[pdf] Specifications Declaration of Conformity

PN TYPE CHG EU Doc Domenico Crippa Fiche produit UE RP586BWMBCB1S Lave Linge Frontal Noir 8 Kg CANDY RP586BWMBCB 1 S RP586BWMBC1 promo electro fr index controller attachment id 3599

11

EU DECLARATION OF CONFORMITY No. WSH230669 rev.B Radio equipment

Description: Brand: Model: Type: P ... -88 CSO 496TWM6/1-S CSO 496TWMB6/1-S CSO 596TWMC/1-S CSO 686TWM6-80 CSO 686TWMBB6-80 CSO 696TWM6-80

CSO 696TWMBB6-80 CSO276TWMB-19 CSO276TWMBRZ-19 CSO276TWMBZ-19
CSO4 066TWM-07 CSO4 076TWM-07 CSO4 266

lang:en score:23 filesize: 398.34 K page_count: 7 document_date: 2024-01-25

CANDY HOOVER GROUP S.p.A. - Socia Unita' - SEDE LEGALE: Via Comuni, 16 - 20861 Brugherio - MB - Italia - SEDE AMMINISTRATIVA E COMMERCIALE: Edm (lungom. 16) - 20861 Brugherio - MB - Italia - 033.059.6806 - 033.208.237 - Capitale sociale € 30.000.000 i.v. - iscritta al Registro delle Imprese di Milano-Area Brianza ed al n. 0466331818 - Cod. Fiscale 0655331558 - P. IVA 0655331558 - Natura IVA: MB-20333934 - Società soggetta ad istruttiva e controllata da Candy S.p.A. - Casella P.R.C. Candyhovegroup@tiscali.it

EU Declaration of Conformity - Candy Hoover Washing Machines

Official EU Declaration of Conformity for front-loading washing machines from Candy Hoover Group, detailing compliance with key EU directives (RED, RoHS, ErP) and harmonised standards. Includes product identification and manufacturer details.

lang:en score:23 filesize: 302.66 K page count: 7 document date: 2025-05-06

CANDY HOOVER GROUP S.r.l. - con Socia Unisa - SEDE LEGALE: via Comi, 16 - 20161 Brugherio - MI - Italia - SEDE AMMINISTRATIVA E COMMERCIALE: Edif. Univas - via G. B. Vico, 10 - 20161 Brugherio - MI - Italia - Tel. 0369.2066.1 - Fax 0369.2066.257 - Capitale sociale € 36.000.000 i.v. - iscritta al Registro delle Imprese Milano - N° 04466310158 - Cod. Fiscale 04466310158 - N° P.IVA 03766850965 Numero RCA: 548-3033934 - Società soggetta ad istrione e cauzione da Candy S.p.A. - Cassa Previdenziale Candy hoovergroup@fingrid.it

Produktdatablad

KOMMISSIONENS DELEGEREDE FORDRNING (EU) 2019/2014 for så vidt angår energimærkning
husholdningsvarer, der ikke er husholdningsvarer med deres mærkning

Leverandørens navn eller varemerke Candy

Leverandørens adresse: Candy Hoover Group contact, Comelli 16, 20861 Brugherio MB, IT

Modelidentifikation: CSO 696TWM886-80

Generelle produktparametere:

Nominell kapacitet ^a kg	9,0 Dimensioner i cm	Højde cm	Bredde cm	Dybde cm
Energielifteteknologi ^b (EL)	40,6 Energielifteteknologi ^b	A		
Værktøjseldeksel	5,045 Skærmhøjde 100% 1 kWh/1000 base for "eo-40-60" programmet ved en kombination af fuld og del med en højde af 100% Det faktiske vægt til teknologi af, hvorefter apparatet er tilpasset til en vær kørselshøjde	40		
Udskrivningsudstyr	32 Vægtet restlighedsvekt (%)	53		
Udskrivningsudstyr ved størrelse ^c (cm)	Højde 26 Kvant 24			
Centrifugeringshøjde ^c (cm)	Nominell 1353 Vægtet 1353	Klasse for centrifugering ^c	8	
Programmeringshøjde ^c (cm)	3,60 Type			Frisende
	Højde 256 Kvant 254			
Udskrivning af tilskudstilstand i centrifugeringssystem ^c (DBIA) i et tilskud	9,8 Høje for emission af luftbøsn 99% (centrifugeringsskål)			C

[pdf]

1769103 31020078 003 4 d15v10x8t3bz3x cloudfront.net libretti 2024 3 17108331 III

Produktdatablad KOMMISSIONENS DELEGEREDE FORORDNING EU 2019/2014
for s vidt angr energimrkning af ... drens adresse: Candy Hoover Group contact,

Comolli 16, 20861 Brugherio MB, IT Modelidentifikation: **CSO 696TWMBB6-80**

Generelle produktparametre: Parametre Vrdi Nominel kapacitet a Kg Energije

lang:da score:23 filesize: 89.01 K page_count: 2 document date: 2024-03-19

Produktinformationsblad			
Kontaktdatasheet för Energiutvärdering (EU) 2019/2021, vid gäller energiutvärdering av alternativer till hushålls- och kontorsutrustning (bruksteknik för hushållsbruk)			
Leverantörens namn eller uniknamn: Candy			
Leverantörens adress: Candy Home Group Contact, Consolit15, 20081 Brugherio MI, IT			
Modellbeteckning: CGS-595-TWMBR60			
Allmänna produktdatas/parametrar:			
Parameter	Värde	Parameter	Värde
Nominell kapacitet (kW)	9,0	Höjd	65
		Bredd	54
		Djup	54
Energieffektivitetsindex* (EfU)	46,9	Energieffektivitetsklass ^b	A
Turbiner/effektivitetsindex*	1,031	Steg/effektivitetsklass ^b	4,9
Erfar givande/avgivande i tillståndet för att få en god användning av programmet och dess fördelar	0,445	Vattenförbrukning liter per varm vatten (med vattenpro- grammet eco 40-60 med varm vatten) vid en användning av full last och detaljer: (med vattenpro- grammet eco 40-60 med varm vatten) beroende på användning av vatten och tiden för att få vatten.	46
Maintenans- intervall (år) och detaljerad ^c (år)	Nominell höjd paket	Vattnad restfuktighet ^d (%)	53,9
	Höjd detalj paket		
	28		
	Fjärde detalj paket		
	24		
Centrifugeringstas- tigheten ^e (varv/min)	Nominell höjd paket	Centrifugeringstidsklass ^f	8
	Höjd detalj paket		
	1.551		
	Fjärde detalj paket		
	1.551		
Programtid ^g (min)	Nominell höjd paket	Typ	Fristleende
	3:48		

[pdf]

1769103 31020078 003 23 d15v10x8t3bz3x cloudfont net Libretti 2024 3 17108331

Produktinformationsblad KOMMISSIONENS DELEGERADE FRORDNING EU

2019/2014 vad qller energimrkning a ... erantrens adress: Candy Hoover Group

contact, Comolli 16, 20861 Brugherio MB, IT Modellbeteckning: **CSO 696TWMBB6-**

80 Allmnna produktparametrar: Parameter Vrde Nominell kapacitet a kg Energieff...

lang:no score:23 filesize: 88.7 K page count: 2 document date: 2024-03-19

[pdf]

1769103 31020078 003 21 d15v10x8t3bz3x cloudfront net | libretti 2024.3 17108331

Informacia list vrobk u DELEGOVAN NARIADENIE KOMISIE E 2019/2014, pokia ide o energetick oznamovanie pravok a pravok so susickou pre domcnos Nzov dodvatea alebo jeho ochrann znaku: Candy Adresa dodvatea: Candy Hoover Group contact, Comolli 16, 20861 Brugherio MB, IT Identifikacn kód modelu: CSO 696...

lang:hr score:23 filesize: 89.87 K page count: 2 document date: 2024-03-19

Product Information Sheet			
COMMISSIONED DRAFTED REGULATION (EU) 2019/2019 with regard to energy labelling of household washing machines and household washing dryers			
Supplier's name or trade mark: Candy			
Supplier's address: Candy Hoover company, Consiloli 16, 20161 Bruxelles MB, IT			
Model identifier: CSD 697WHEB/80			
General product parameters:			
Parameter	Value	Parameter	Value
Rated load capacity ¹ (kg)	9,0	Dimensions in cm	
Height	85	Width	60
Depth	54		
Energy Efficiency Index ² (EU)	46,8	Energy efficiency class ³	A
Washing efficiency index ⁴	1,031	Rising effectiveness $\eta_{\text{R}}/h^{1/2}$	4,9
Energy consumption in kWh per wash cycle	0,445	Water consumption in litres per cycle, based on the eco-40-60 programme	46
Programme duration (h:min)	1:00	Water consumption in litres per cycle, based on the full and partial loads. Active water consumption will decrease as the programme will depend on how the appliance is used.	
Maximum temperature inside the treated load ⁵ (°C)	55	Rated capacity	32
		Weighted remaining moisture content ⁶ (%)	53,9
Spin speed ⁷ (rpm)	1500	Quarter	20
		Half	24
Programme duration ⁸ (h:min)	3:46	Rated capacity	1550
		Quarter	1550
Airborne acoustical noise emissions in the spinning phase (dB(A)±1, p(W))	78	Spin-drying efficiency class ⁹	B
		Type	Free-standing
		Half	254
		Quarter	254
Airborne acoustical noise emissions in the rinsing phase (dB(A)±1, p(W))	78	Airborne acoustical noise emission class ¹⁰ (rinsing phase)	C

[\[pdf\]](#) Datasheet Dimension Guide Label

Washing Machines with KG Detector ao business mmo 117694570 1701707082 4227 372 media en GB
energyrating productdatasheet |||

Product Information Sheet COMMISSION DELEGATED REGULATION EU

2019/2014 with regard to energy label ... provider's address: Candy Hoover Group

contact, Comolli 16, 20861 Brugherio MB, IT Model identifier: **CSO 696TWMBB6-80**

General product parameters: Parameter Rated capacity a kg Value Energy Effic...


lang:en score:22 filesize: 50.02 K page_count: 2 document date: 2023-11-28

[pdf]

1769103 31020078 003 16 d15v10x8t3bz3x cloudfont net Libretti 2024 3 17108331 |||

Folja Informativa tal-Prodott IR-REGOLAMENT DELEGAT TAL-KUMMISSJONI UE 2019/2014 fir-rigward tat ... fornitur: Candy Hoover Group contact, Comolli 16, 20861 Brugherio MB, IT Identifikatur tal-mudell: **CSO 696TWMBB6-80** Parametri enerjali tal-prodott: Parametru Valur Kapait attribwita a kg Indii...

lang:sw score:22 filesize: 89.77 K page count: 2 document date: 2024-03-19




[\[pdf\]](#) Specifications Label

UK Energy Label 95 KB Specs Candy Smart Pro Inverter CSO 696TWMBB6 80 9kg 1600rpm Washing Machine Black mmo 117694570 1701707118 6898 15351 objects icecat biz |||

Insert here product QR code SCUAPNPDLYIER S NAME A B C D E F G A

CMSOD6E96LTIWDMENBTBI6F-I8E0R B C D E 4X5YZ kWh F 100 G XY9,,Z0 kg
X3::Y4Z8 4X6Y L ABA CBDCEDFGEFG X7Y8 dB ABACBDCD 2019/2014 ...


lang:sw score:16 filesize: 95.34 K page_count: 1 document date: 2023-11-28



[\[pdf\]](#) Specifications Label

EU Energy Label 90 KB Specs Candy Smart Pro Inverter CSO 696TWM6-80 9kg 1600rpm Washing Machine Black mmo 117694570 1701707104 703 3652 objects icecat biz |||

Insert here product QR code SCUAPNPDLYIER S NAME A B C D E F G A CMSOD6E96LTIWDMENBTBI6F-I8E0R B C D E 4X5YZ kWh F 100 G XY9,,Z0 kg X3::Y4Z8 4X6Y L ABA CBDCEDFGEFG X7Y8 dB ABACBDCD 2019/2014 ... lang:sw score:16 filesize: 90.26 K page_count: 1 document date: 2023-11-28



[\[pdf\]](#) Label

Candy Smart Pro Inverter CSO 696TWM6-80 washing machine Front load 9 kg 1600 RPM Black EU Energy Label 0 1 MB 31020078 mmo 120426316 1714037085 1842 3768585 objects icecat biz |||

Insert here product QR code SCUAPNPDLYIER S NAME A B C D E F G A CMSOD6E96LTIWDMENBTBI6F-I8E0R B C D E 4X5YZ kWh F 100 G XY9,,Z0 kg X3::Y4Z8 4X6Y L ABA CBDCEDFGEFG X7Y8 dB ABACBDCD 2019/2014 ... lang:sw score:15 filesize: 90.26 K page_count: 1 document date: 2024-04-25