

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [EMKE](#) /
- › [EMKE 90x90 cm Shower Tray Instruction Manual](#)

## EMKE STR900W-DE

# EMKE 90x90 cm Shower Tray Instruction Manual

Model: STR900W-DE | Brand: EMKE

## INTRODUCTION

---

This manual provides essential information for the installation, operation, and maintenance of your EMKE 90x90 cm SMC Shower Tray. This high-quality shower tray features a rapid drainage system, durable SMC composite material, and an anti-slip surface for enhanced safety. Please read these instructions carefully before proceeding with installation or use.



Image: The EMKE 90x90 cm white SMC shower tray, showcasing its sleek design and anti-slip surface.

## SETUP AND INSTALLATION

---

The EMKE shower tray is designed for versatile installation, allowing for direct floor installation or embedding into the bathroom floor. It is crucial to measure your space accurately before beginning the installation process.

- 1. Preparation:** Ensure the installation area is clean, level, and prepared according to standard plumbing practices. Verify that the floor can support the weight of the shower tray and user (up to 1350 kg load capacity).
- 2. Positioning:** Carefully position the shower tray in the desired location. Consider the drainage connection point.
- 3. Drainage Connection:** Connect the shower tray to the waste pipe. The tray features a fast drainage design with a 90 mm diameter opening. Ensure a secure and watertight seal. The removable siphon tube facilitates future cleaning.
- 4. Leveling:** Use a spirit level to ensure the shower tray is perfectly level to allow for proper water drainage. If necessary, adjust the base.
- 5. Sealing:** Apply appropriate waterproof sealant around the edges of the shower tray where it meets the bathroom floor.

or wall to prevent leaks.



## Mehrere Montagemöglichkeiten

Kann direkt in den  
Badezimmerboden installiert werden  
Kann auch eingebettet tun

Image: Depicts various installation methods for the shower tray, including direct floor installation and embedded options.

# SMC-Kanaldeckel schön und geruchsdicht

Gute Druck- und Biegefestigkeit

## Schnelles Zulaufdesign

Schnellerer Zufluss, kein Wasserstau




Image: Close-up of the shower tray's drainage system, highlighting the fast water flow and odor-proof channel cover.

## OPERATING INSTRUCTIONS

---

The EMKE shower tray is designed for straightforward use. Simply step onto the tray to begin your shower. The integrated anti-slip surface provides safety, making it suitable for all users, including children, the elderly, and pregnant women. The efficient drainage system ensures water flows away quickly, preventing accumulation.

## MAINTENANCE

---

Regular cleaning and maintenance will ensure the longevity and hygiene of your EMKE shower tray.

- **Daily Cleaning:** After each use, rinse the shower tray with clean water to remove soap residue and prevent limescale buildup.
- **Weekly Cleaning:** Use a mild, non-abrasive bathroom cleaner and a soft cloth or sponge to clean the surface. Avoid harsh chemicals or abrasive tools that could damage the SMC material or anti-slip coating.
- **Drain Cleaning:** The shower tray features a removable siphon tube for easy cleaning. Periodically remove the drain

cover and siphon to clear any hair or debris that may have accumulated, ensuring optimal drainage performance.

- **Stain Removal:** For stubborn stains, consult the cleaner's instructions for use on acrylic or composite surfaces. Always test on an inconspicuous area first.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Slow Drainage	Clogged siphon or drain pipe.	Remove the drain cover and siphon tube. Clear any debris (hair, soap scum). Reassemble securely.
Water Accumulation	Shower tray not level; improper installation.	Verify the tray's levelness. If necessary, consult a professional for re-installation to ensure proper slope for drainage.
Leaks around the tray base	Improper sealing or damaged sealant.	Inspect sealant around the tray. Reapply waterproof sealant if it is cracked, peeling, or insufficient.

## SPECIFICATIONS

Feature	Detail
Model Number	STR900W-DE
Dimensions	90 x 90 cm (3P x 90I x 90H cm)
Side Height	2.6 cm
Color	White
Material	SMC Composite (Acrylic)
Installation Type	Free-standing / Embedded
Drain Opening Diameter	90 mm
Drainage Speed	30 L/min
Load Capacity	Up to 1350 kg
Certifications	PAHS, TUV, REACH (Europe)
Item Weight	12.06 kg
Assembly Required	Yes (Instructions included)



Einheit: mm

Produktgröße	A	B	C	Blendengröße
800*800	800	800	26	Φ90
900*900	900	900		

Image: Table detailing product dimensions for various models, including 90x90 cm.




Image: Technical drawing showing the top and side views of the shower tray with key measurements.

## WARRANTY INFORMATION

---

Specific warranty details for the EMKE 90x90 cm Shower Tray are not provided in the product information. Please refer to your purchase documentation or contact EMKE customer support for warranty terms and conditions.

## CUSTOMER SUPPORT

---

Should you have any questions regarding the use, installation, or maintenance of your EMKE shower tray, please do not hesitate to contact EMKE customer support.

**Contact Information:** Please refer to the contact details provided with your purchase or visit the official EMKE website for support options.

