

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- > [WolfX](#) /
- > [WolfX 14 Inch Hubcaps \(Model W5084, Black Matte\) Instruction Manual](#)

WolfX W5084

WolfX 14 Inch Hubcaps (Model W5084, Black Matte) Instruction Manual

INTRODUCTION

This manual provides detailed instructions for the installation, maintenance, and general use of your WolfX 14 Inch Hubcaps. These hubcaps are designed to enhance the appearance of your vehicle's wheels while providing protection. Please read this manual thoroughly before installation to ensure proper fitment and longevity.

COMPATIBILITY

These WolfX 14 inch hubcaps are designed to fit most cars with 14-inch iron hubs **Important Note:**

These hubcaps are only compatible with iron hubs and are not suitable for aluminum alloy hubs.

Before purchasing and installing, please verify your vehicle's hub type.

To determine your rim size, locate the digits after the "R" letter on your car tire. For these hubcaps, this digit must be "14".

Exclusions: This style is not suitable for 2014-2024 Mitsubishi Mirage Steel Wheel or 2007-2008 Honda Fit Steel Wheel.



Image: Various hubcap designs and a clear indication that they are only for iron hubs.



Image: How to identify your rim size by checking the tire sidewall for the 'R' number.



Image: Visual guide for compatible iron hubs versus incompatible aluminum alloy hubs.

PACKAGE CONTENTS

Each package includes:

- 4 x WolfX 14 Inch Hubcaps (Model W5084, Black Matte)

SETUP AND INSTALLATION

The WolfX hubcaps feature an A-grade retention ring and an adjustable buckle design to ensure a secure fit. Proper installation is crucial to prevent the hubcaps from detaching during driving.

Installation Steps:

1. **Determine the Fitting Size:** Before installation, confirm that your wheel rim size is 14 inches. This can be found on your tire's sidewall (e.g., R14).
2. **Attach the Retention Ring:** Carefully place the metal retention ring into the groove on the back of the hubcap. Ensure it is seated evenly and securely.
3. **Locate Proper Position:** Align the hubcap with your wheel, ensuring the valve stem on the wheel aligns with the corresponding notch on the hubcap.
4. **Snap into Rim:** Firmly press the hubcap onto the wheel rim until all clips snap securely into place. You may need to apply firm, even pressure around the edges.




Image: Before and after installation of the hubcaps on a vehicle wheel.



Image: Visual steps for installing the hubcaps: determine size, put on retention ring, locate proper position, and snap into rim.

CARE AND USE

Once installed, your WolfX hubcaps require minimal operational care. They are designed to stay securely in place during normal driving conditions. Regularly inspect the hubcaps for any signs of looseness or damage, especially after driving on rough terrain or encountering potholes.

MAINTENANCE

The hubcaps are constructed from high-quality, hard, and durable ABS plastic, which resists cracking, fading, and powdering. To maintain their appearance:

- Clean regularly with mild soap and water.
- Avoid using abrasive cleaners or harsh chemicals, as these can damage the finish.
- Rinse thoroughly and dry with a soft cloth to prevent water spots.

TROUBLESHOOTING

Hubcap Falls Off During Driving:

- Ensure the retention ring is properly seated in the hubcap's groove.
- Verify that all clips on the hubcap are fully engaged with the wheel rim. Re-install the hubcap, applying firm, even pressure around the entire perimeter.
- Confirm that the hubcap size matches your wheel rim size (14 inches).

Difficulty Installing Hubcap:

- Double-check that the hubcap is correctly aligned with the valve stem.
- Ensure the retention ring is not bent or misaligned, which could prevent proper seating.
- Apply pressure evenly around the hubcap. Avoid forcing one side before the others are partially engaged.

If you encounter persistent issues, please refer to the "Support" section for contact information.

SPECIFICATIONS

Brand	WolfX
Model Number	VIN-WJ-5084-BP-14
Size	14 Inch
Color	W5084 (Black Matte)
Material	ABS Plastic
Installation Type	Snap-On
Number of Items	4
Item Weight	6.1 pounds (for the set)

WARRANTY AND SUPPORT

Warranty Information:

WolfX hubcaps come with a **30-day return policy** and a **12-month warranty**. This warranty covers manufacturing defects and issues arising from normal use.

Customer Support:

Should you encounter any problems with the product or have questions regarding installation, please do not hesitate to contact WolfX customer service. Our team is ready to assist you promptly.

For support, please visit the [WolfX Store on Amazon](#) or contact us through the platform where you made your purchase.
