

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Generic](#) /

› [VB603 Video Baby Monitor User Manual](#)

Generic VB603

VB603 Video Baby Monitor User Manual

Model: VB603

Brand: Generic

INTRODUCTION

Thank you for choosing the VB603 Video Baby Monitor. This device is designed to provide reliable and clear monitoring of your baby or pet, ensuring their safety and your peace of mind. It features a high-definition display, two-way audio, night vision, temperature monitoring, and a long transmission range. Please read this manual carefully before using the product to ensure proper operation and maintenance.

WHAT'S IN THE BOX

Upon opening the package, please verify that all components are present and in good condition:

- 1 x Baby Monitor (with battery inside)
- 1 x Camera Unit
- 1 x Power Plug (AU plug)
- 1 x User Manual



1×Baby Monitor

1×Camera



AU plug

Image: The package includes one baby monitor, one camera unit, and one power plug.

SETUP GUIDE

1. Camera Placement

Place the camera unit in a secure location that provides a clear view of your baby or pet. Ensure it is out of reach of children and pets. The camera features a 360° horizontal and 60° vertical adjustable angle for optimal positioning.

2. Powering On

1. Connect the power plug to the camera unit and then to a power outlet.
2. The monitor has a built-in rechargeable battery. Charge the monitor fully before first use by connecting it to the power plug.
3. Slide the ON/OFF switch on both the camera and the monitor to the 'ON' position.

Up To 24 Hours Of Battery Life (in vox mode)

The monitor has a battery inside. It works on battery or power charger .
The camera does not include a battery. It works only on power charger .



The camera section does not contain a battery. Only for chargers.



USB charging, super long life rechargeable battery

Image: The monitor features a rechargeable battery for up to 24 hours of life in VOX mode. The camera requires continuous power via the charger.

3. Initial Connection

The camera and monitor are pre-paired at the factory. Once both units are powered on, they should automatically connect. If the connection is not established, refer to the Troubleshooting section.

OPERATING INSTRUCTIONS

1. Real-time Monitoring

Once connected, the monitor will display the live video feed from the camera. The 3.2-inch LCD screen provides a clear view with 380TVL resolution.



Image: The VB603 baby monitor system, featuring the camera and the monitor displaying a live feed.

2. Two-Way Audio

Both the monitor and camera have built-in microphones and speakers. To speak to your baby or pet, press and hold the microphone button on the monitor. Release the button to listen.

3. Night Vision

The monitor automatically activates night vision in low-light conditions, providing a clear black and white image of the monitored area.

4. Temperature Monitoring

The camera has a built-in temperature sensor. The current room temperature will be displayed on the monitor screen, allowing you to ensure a comfortable environment.



Image: The monitor provides accurate temperature monitoring, displaying the baby's room temperature in real-time.

5. Built-in Lullabies

The monitor includes 8 built-in lullabies. You can play these melodies to soothe your baby. Refer to the monitor's on-screen menu for controls.

Temperature Monitoring

With temperature sensor, supervise baby's room temperature all the day, help to care your baby's health.



Image: The baby monitor features 8 built-in lullabies to help comfort and soothe the baby to sleep.

6. VOX Function

The advanced professional-grade VOX (Voice Operated eXchange) function intelligently detects sound. When activated, the monitor screen will turn on automatically when sound is detected, conserving battery life.

7. Transmission Distance

The monitor offers a signal coverage of up to 160 feet (50 meters) indoors and 850 feet (250 meters) outdoors, allowing for flexible placement within your home or property.

260m Transmission Distance



Image: The system provides a 260m transmission distance, allowing monitoring across various rooms in a home.

MAINTENANCE

- Clean the monitor and camera surfaces with a soft, dry cloth. Do not use abrasive cleaners or solvents.
- Keep the devices away from water and moisture.
- Ensure the camera lens is clean for optimal video quality.
- Store the units in a cool, dry place when not in use for extended periods.

TROUBLESHOOTING

- **No Picture/Sound:** Ensure both the camera and monitor are powered on and within range. Check power connections.
- **Poor Signal:** Move the monitor closer to the camera. Avoid placing units near large metal objects or other 2.4GHz devices that may cause interference.
- **Battery Life:** Ensure the monitor is fully charged. Battery life may vary based on usage (e.g., continuous video vs. VOX mode).
- **No Two-Way Audio:** Check that the microphone button is pressed correctly on the monitor when speaking.

Ensure volume levels are adequate.

SPECIFICATIONS

Model Name	VB603 (Larmcam)
Screen Size	3.2 inches LCD
Video Capture Resolution	380TVL
Connectivity Technology	Wireless (2.4G RF modulation)
Transmission Distance	Up to 160 ft (50m) indoors / 850 ft (250m) outdoors
Power Source	Battery Powered (Monitor), Plug-in (Camera)
Special Features	LCD Display, Two-Way Audio, Night Vision, Temperature Monitoring, VOX Function, Built-in Lullabies
Mounting Type	Tabletop Mount
Product Dimensions	26 x 42 x 26 inches (L x W x H)
Manufacturer	Cutesliving Store

WARRANTY AND SUPPORT

This product comes with a standard manufacturer's warranty. For warranty claims, technical support, or any questions regarding your VB603 Video Baby Monitor, please contact the retailer or manufacturer directly. Please retain your proof of purchase for warranty purposes.


© 2024 Generic. All rights reserved.

Related Documents - VB603

	VB603 Digital Video Baby Monitor User Guide User guide for the VB603 Digital Video Baby Monitor, covering setup, features, safety instructions, and technical specifications for both parent and baby units.
	Attestation of Compliance for Digital Video Baby Monitor VB603 Official attestation confirming the Digital Video Baby Monitor VB603 meets essential requirements for Health and Safety, Electromagnetic Compatibility, and Effective Use of Radio Spectrum as per RED Directive 2014/53/EU.

	Infanti Baby Monitor VB603 User Manual and Technical Specifications User manual for the Infanti VB603 Video Baby Monitor. This guide provides instructions on setup, operation, safety, menu options, and technical features for the Infant Baby Monitor.
	Video Baby Monitor VB603 Test Setup Photographs Detailed photographs and descriptions of the test setup for the VB603 Video Baby Monitor, covering radiated and conducted emission testing procedures.
	BOIFUN VB603 Digital Baby Monitor User Manual User manual for the BOIFUN VB603 Digital Baby Monitor. Learn how to set up, operate, and troubleshoot your baby monitor for peace of mind.

Documents - VB603 – VB603



[\[pdf\]](#) User Manual Instructions

PL Instru kcje bezpieczeŃstwa i ostrzeżenia SE Säkerhets Bed mount up to 25mm frame width suitable for GHB VB603 baby monitor 1 Safety and Warning Instructions Please read this manual carefully before installing 810U09N9LQL ref dp product quick view m media amazon images I |||

DE Sicherheits- und Warnhinweise Seite 2 EN Safety and Warning Instructions Page 3

3 FR Consignes de sécurité et avertissements Page 4

eeenia Strona 9 Deutsch 700089-W Bett Halterung bis 25mm Gestellbreite passend fr Babyphone GHB **VB603** 1.Sicherheits- und Warnhinweise Lesen Sie diese Anleitung vor der Installation und Nutzung de...

lang:de score:51 filesize: 317.25 K page_count: 9 document date: 2024-10-18




[\[pdf\]](#)

ВИДЕОНЯНЯ Быстрый старт 1 Выдержите устройство при комнатной температуре не менее 2 часов если Вы хранили или перевозили его воздуха ниже 0 оС Videonyanya Maman VB603 60539 cdn2 static1 sima land files instruction |||

VB603 1 1. 2 , 0 . 2. , . 3. , / ON 6, . 2 . 3, . 2 , . 4. , . 5, . 1 . 5. / ON 1, . 1 . 6, . 1 , , . 6. , , , . 2 1. 3 2. 4 3. 4 4. 10 5. 11 6. 16 7. ...

lang:i-klngon **score:43** filesize: 701.29 K page_count: 35 document date: 2022-03-01




[\[pdf\]](#) Label

Microsoft Word label Monitor VB603 doc Administrator Label Shenzhen Feelstorm Technology Co Ltd R Digital Video Baby 2AFX2VB603 2AFX2VB603R vb603 r

Label artwork and Location Model: **VB603** Label: Product: Digital Video Baby Monitor Model: **VB603** FCC ID: 2AFX2**VB603**-R This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions 1 this device may not cause harmful interference, and 2 this device must...

lang:i-klngon **score:41** filesize: 55.52 K page_count: 1 document date: 2017-06-15




[\[pdf\]](#) Label

Microsoft Word label Carema VB603 doc Administrator Label Shenzhen Feelstorm Technology Co Ltd T Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603T vb603 t

Label artwork and Location Model: **VB603** Label: Product: Digital Video Baby Monitor Model: **VB603** FCC ID: 2AFX2**VB603**-T Size: L*W=30*10mm Label Location ...


lang:i-klngon **score:40** filesize: 42.28 K page_count: 1 document date: 2017-06-15



[pdf] Label

GJD Manufacturing Limited seco label Shenzhen Feelstorm Technology Co Ltd VB603 C Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603C vb603 c

SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD. Label and Location Digital Video Baby Monitor Model No.: **VB603-C** FCC ID: 2AFX2**VB603-C** Size: L0.5cm*W0.5cm FCC ID: 2AFX2**VB603-C** Label Location Material: Tagboard Glue: adhesive sticker Font color: White Label color: Black This report shall not be rep... lang:i-klinton **score:38** filesize: 361.42 K page_count: 1 document date: 2021-05-18



[pdf] Label

GJD Manufacturing Limited seco label Shenzhen Feelstorm Technology Co Ltd VB603 M Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603M vb603 m

SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD. Label and Location Digital Video Baby Monitor Model No.: **VB603-M** FCC ID: 2AFX2**VB603-M** Size: L0.5cm*W0.5cm FCC ID: 2AFX2**VB603-M** Label Location Material: Tagboard Glue: adhesive sticker Font color: White Label color: Black This report shall not be rep... lang:i-klinton **score:38** filesize: 169.52 K page_count: 1 document date: 2021-05-18



[pdf]

instruciya vidonyanya mamam vb603 static eu insales ru files 1 3229 4213917 original |||

VB603 1 1. 2 , 0 . 2. , . 3. , / ON 6, .2 . 3, .2 , . 4. , . 5, .1 . 5. / ON 1, .1 . 6, .1 , , . 6. , , , . 2 1. 3 2. 4 3. 4 4. 10 5. 11 6. 16 7. ...

lang:i-klinton **score:37** filesize: 715.88 K page_count: 36 document date: 2016-10-05

Shenzhen Feelstorm Technology Co.,Ltd
Agent Authorization

Company: Shenzhen Feelstorm Technology Co.,Ltd
Address: 5F, Block C, HUAWAN Industrial PARK,BaoAn District No. 119, BaoAn District, Shenzhen, China
Product Name: Digital Video Baby Monitor
Trade Mark: N/A
Model Number(s): VB603-C
FCC ID: 2AFX2VB603-C

We authorize MICOM Labs Inc., 575 Boulder Court, Pleasanton, California 94566, USA, to act on our behalf on all matters concerning the certification of above named equipment.

We declare that MICOM Labs Inc. is allowed to forward all information related to the approval and certification of equipment to the regulatory agencies as required and to discuss any issues concerning the approval application. Any and all acts carried out by MICOM Labs on our behalf shall have the same effect as acts of our own.

Signature:  Date: 2021.5.18
Name: Felix Wu
Title: Manager
Company: Shenzhen Feelstorm Technology Co.,Ltd

[pdf] Agent Authorization

PLEASE PRINT ON COMPANY LETTERHEAD MiCOM Labs Inc QMS Agent Authorization Shenzhen

Feelstorm Technology Co Ltd VB603 C Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603C vb603 c

Shenzhen Feelstorm Technology Co.,Ltd Agent Authorization Company: Shenzhen

Feelstorm Technology Co.,Ltd Address: 5F, Block C, HUAWAN Industrial

PARK,BaoAn DaDao No. 119, BaoAn District, Shenzhen China Product Name: Digital

Video Baby Monitor Trade Mark: N/A Model Number s : **VB603**-C FCC ID:

2AFX2VB6...

lang:en score:37 filesize: 63.3 K page_count: 1 document date: 2021-05-18

Shenzhen Feelstorm Technology Co.,Ltd
Agent Authorization

Company: Shenzhen Feelstorm Technology Co.,Ltd
Address: 5F, Block C, HUAWAN Industrial PARK,BaoAn District No. 119, BaoAn District, Shenzhen, China
Product Name: Digital Video Baby Monitor
Trade Mark: N/A
Model Number(s): VB603-M
FCC ID: 2AFX2VB603-M

We authorize MICOM Labs Inc., 575 Boulder Court, Pleasanton, California 94566, USA, to act on our behalf on all matters concerning the certification of above named equipment.

We declare that MICOM Labs Inc. is allowed to forward all information related to the approval and certification of equipment to the regulatory agencies as required and to discuss any issues concerning the approval application. Any and all acts carried out by MICOM Labs on our behalf shall have the same effect as acts of our own.

Signature:  Date: 2021.5.18
Name: Felix Wu
Title: Manager
Company: Shenzhen Feelstorm Technology Co.,Ltd

[pdf] Agent Authorization

PLEASE PRINT ON COMPANY LETTERHEAD MiCOM Labs Inc QMS Agent Authorization Shenzhen

Feelstorm Technology Co Ltd VB603 M Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603M vb603

m

Shenzhen Feelstorm Technology Co.,Ltd Agent Authorization Company: Shenzhen

Feelstorm Technology Co.,Ltd Address: 5F, Block C, HUAWAN Industrial

PARK,BaoAn DaDao No. 119, BaoAn District, Shenzhen China Product Name: Digital

Video Baby Monitor Trade Mark: N/A Model Number s : **VB603**-M FCC ID:

2AFX2VB6...

lang:en score:37 filesize: 63.29 K page_count: 1 document date: 2021-05-18

Shenzhen Feelstorm Technology Co.,Ltd
Letter of Authorization

Company: Shenzhen Feelstorm Technology Co.,Ltd
Address: 5F, Block C, HUAWAN Industrial PARK, BaoAn DaDao No. 119, BaoAn District, Shenzhen, China
Product Name: Digital Video Baby Monitor
Model Number: VB603
FCC Identifier: 2AFX2VB603-T

We authorize MICOM Labs Inc., 575 Boulder Court, Pleasanton, California 94566, USA, to act on our behalf on all matters concerning the above named equipment.

Any individual within MICOM Labs is authorized to act on our behalf and take action on the application.

We declare that MICOM Labs Inc., 575 Boulder Court, Pleasanton, California 94566, USA, is allowed to forward all information related to the approval prior to the Federal Communications Commission and to discuss any issues concerning the approval application. Any and all acts carried out by MICOM Labs on our behalf shall have the same effect as acts of our own.

Name: Felix Wu Date: 2017.05.23
Signature of applicant: 

[pdf]

Microsoft Word 3 Sample Letter of Authorization Rev 2 0 docx Administrator letter Shenzhen Feelstorm

Technology Co Ltd VB603 T Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603T vb603 t

Shenzhen Feelstorm Technology Co.,Ltd Letter of Authorization Company: Shenzhen

Feelstorm Technology Co.,Ltd Address: 5F, Block C, HUAWAN Industrial PARK,

BaoAn DaDao No. 119, BaoAn District, Shenzhen, China Product Name: Digital

Video Baby Monitor Model Number: **VB603** FCC Identifier: 2AFX2VB6...

lang:en score:36 filesize: 14.97 K page_count: 1 document date: 2017-06-16

Shenzhen Feelstorm Technology Co.,Ltd
Letter of Authorization

Company: Shenzhen Feelstorm Technology Co.,Ltd
Address: Room 706,Block 3,YiLiDa Building,NanShan DaDao NanShan District, Shenzhen, China
Product Name: Digital Video Baby Monitor
Model Number: VB603
FCC Identifier: 2AFX2VB603-R

We authorize MCOM Labs Inc. 575 Boulder Court, Pleasanton, California 94566, USA, to act on our behalf on all matters concerning the above named equipment.

Any individual within MCOM Labs is authorized to act on our behalf and take action on the application.
We declare that MCOM Labs Inc. 575 Boulder Court, Pleasanton, California 94566, USA, is allowed to forward all information related to the approval process to the Federal Communication Commission and to discuss any issues concerning the approval application. All and all acts carried out by MCOM Labs on our behalf shall have the same effect as acts of our own.

Name: Felix Hu Date: 2017.05.23

Signature of applicant:



[pdf]

Microsoft Word 3 Sample Letter of Authorization Rev 2 0 docx Administrator letter Shenzhen Feelstorm Technology Co Ltd VB603 R Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603R vb603 r
Shenzhen Feelstorm Technology Co.,Ltd Letter of Authorization Company: Address:
Product Name: Model Number: FCC Identifier: Shenzhen Feelstorm Technology Co.,Ltd Room 706,Block 3,YiLiDa Building,NanShan DaDao NanShan District, Shenzhen, China Digital Video Baby Monitor **VB603 2AFX2VB603-R** We autho...
lang:en score:36 filesize: 14.95 K page_count: 1 document date: 2017-06-16

FCC TEST REPORT

For

Shenzhen Feelstorm Technology Co.,Ltd
Digital Video Baby Monitor
Test Model: VB603-M

Prepared for	Shenzhen Feelstorm Technology Co.,Ltd
Address	5F, Block C, HUAWAN Industrial PARK,BaoAn DaDao No. 119, BaoAn District, Shenzhen China
Prepared by	Shenzhen LCS Compliance Testing Laboratory Ltd.
Address	101, 201 Bldg A & B, 301 Bldg C, Jiji Industrial Park Yuhuanmawest, Shaling Street, Baoan District, Shenzhen, 518000, China
Tel	(+86)755-82581330
Fax	(+86)755-82581332
Web	www.LCS-cert.com
Email	webmaster@LCS-cert.com
Date of receipt of test sample	November 17, 2020
Number of tested samples	2
Sample No.	201103043A-1
Serial number	Prototype
Date of Test	November 17, 2020 - January 27, 2021
Date of Report	January 27, 2021

This report shall not be reproduced except in full without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.
Page 1 of 21

[pdf] Test Report

test report Shenzhen Feelstorm Technology Co Ltd VB603 M Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603M vb603 m
SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD. FCC ID:
2AFX2**VB603**-M Report No.: LCS201103043AEA010 FCC TEST REPORT For
Shenzhen Feelstorm Technology Co.,Ltd Digital Video Baby Monitor Test Model:
VB603-M Prepared for Address : Shenzhen Feelstorm Technology Co.,Ltd : 5F, Block C, HUAWAN Industria...
lang:en score:36 filesize: 1 M page_count: 35 document date: 2021-07-07

FCC TEST REPORT

For

Shenzhen Feelstorm Technology Co.,Ltd
Digital Video Baby Monitor
Test Model: VB603-C

Prepared for	Shenzhen Feelstorm Technology Co.,Ltd
Address	5F, Block C, HUAWAN Industrial PARK,BaoAn DaDao No. 119, BaoAn District, Shenzhen China
Prepared by	Shenzhen LCS Compliance Testing Laboratory Ltd.
Address	101, 201 Bldg A & B, 301 Bldg C, Jiji Industrial Park Yuhuanmawest, Shaling Street, Baoan District, Shenzhen, 518000, China
Tel	(+86)755-82581330
Fax	(+86)755-82581332
Web	www.LCS-cert.com
Email	webmaster@LCS-cert.com
Date of receipt of test sample	November 17, 2020
Number of tested samples	2
Sample No.	201103044A-1
Serial number	Prototype
Date of Test	November 17, 2020 - January 27, 2021
Date of Report	January 27, 2021

This report shall not be reproduced except in full without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.
Page 1 of 21

[pdf] Test Report

test report Shenzhen Feelstorm Technology Co Ltd VB603 C Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603C vb603 c
SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD. FCC ID:
2AFX2**VB603**-C Report No.: LCS201103044AEA010 FCC TEST REPORT For
Shenzhen Feelstorm Technology Co.,Ltd Digital Video Baby Monitor Test Model:
VB603-C Prepared for Address : Shenzhen Feelstorm Technology Co.,Ltd : 5F, Block C, HUAWAN Industria...
lang:en score:36 filesize: 1 M page_count: 35 document date: 2021-07-06

SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD		FCC ID: 2AFX2VB603C
FCC RF Exposure Evaluation		
1. Product Information		
FCC ID:	2AFX2VB603C	
Product name:	Digital Video Baby Monitor	
Model number:	VB603C	
Power supply:	DC 5V From Adapter Adapter Input: AC 100-240V, 50/60Hz, 0.2A Output: DC 5.0V, 1000mA	
Operation frequency:	2402MHz, 2403MHz	
Modulation Type:	GFSK	
Channel Number:	14 channels	
Antenna Type:	Internal Antenna	
Antenna Gain:	2.9 dBi (dBi)	
Hardware version:		
Software version:	/	
Exposure category:	General population/uncontrolled environment	
EUT Type:	Production Unit	
Device Type:	Mobile Device	
2. Evaluation Method		
Systems operating under the provision of FCC 47 CFR section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.		
In accordance with 47 CFR FCC Part 2 Subpart C, section 2.2093 this device has been defined as mobile device whenever a distance of 0.2m normally can be maintained between the user and the device, and below RF Permissible Exposure limit (PEL) comply with.		
In accordance with ICNIRN 1998/2002 for Simultaneous transmission RFPE, the exclusion applies when the sum of the RFPE ratio for all simultaneous transmitting antennas incorporated in a host device, based on the calculated/estimated, numerically modeled or measured field strengths or power density, is < 5.0. The RFPE ratio of each antenna is determined at the maximum test separation distance required by the operating configuration and exposure conditions of the host device, according to the ratio of field strength or power density to MPE limit, at the test frequency. Either the maximum peak or spatially averaged results from measurements or numerical calculations may be used to determine the RFPE ratio. Spatial averaging does not apply when MPE is estimated using simple calculations based on far-field plane-wave exposure conditions. The antenna installation and operating requirements for the host device must meet the maximum test separation distance required by all antennas, in both simultaneous and simultaneous transmission operation, to satisfy compliance.		
This report shall not be reproduced or copied in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.		Page 1 of 4

[pdf] Test Report SAR Rating

RF reposure Shenzhen Feelstorm Technology Co Ltd VB603 C Digital Video Baby Monitor 2AFX2VB603

2AFX2VB603C vb603 c

SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD FCC ID:

2AFX2**VB603**-C 1. Product Information FCC ID: Product name Model number Power

supply Operation frequency Modulation Type Channel Number Antenna Type

Antenna Gain Hardware version Software version Exposure category EUT Type

Device Type FCC RF Ex...

lang:en score:35 filesize: 323.51 K page_count: 4 document date: 2021-07-06

IMPORTANT! KEEP THIS MANUAL FOR FUTURE REFERENCE!

INSTRUCTION MANUAL FOR
DIGITAL BABY MONITOR
POLARIS PLUS



POLARIS + babyphone

This product is manufactured in accordance with the requirements of Directives of the European Parliament and Council (2014/53/EU) relating to the making available on the market of radio equipment, Directive 2011/65/EU on the restriction of use of certain hazardous substances in electrical and electronic equipment (RoHS), 2014/53/EU relating to electromagnetic compatibility and 2001/85/EC on General Product Safety as well as in accordance with National Legislation.

[pdf] User Manual

IMPORTANT! KEEP THIS MANUAL FOR FUTURE REFERENCE!Do not immerse the parent or baby

units in water do wash them with running Clean parts of monitor and adaptors a dry towel IMPORTANT!

REFERENCE!v1v1chipolino data fms Manuals babyphone POLARIS Plus 2022 ENG manualchipolino

manual |||

IMPORTANT KEEP THIS MANUAL FOR FUTURE REFERENCE INSTRUCTION

MANUAL FOR DIGITAL BABY MONITOR POLARI ... lugged in the power source by

the adaptor and that there is electricity in the network. VIBEF241SI/**VB603** 12

DECLARATION OF CONFORMITY , , , , , , , , 1 , , , ...

lang:en score:35 filesize: 1.77 M page_count: 17 document date: 2024-02-19

SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD		FCC ID: 2AFX2VB603M
FCC RF Exposure Evaluation		
1. Product Information		
FCC ID:	2AFX2VB603M	
Product name:	Digital Video Baby Monitor	
Model number:	VB603M	
Power supply:	DC 5.1V 1A Li-Ion battery/USB cable Recharge by DC 5V From Adapter Adapter Input: AC 100-240V, 50/60Hz, 0.2A Output: DC 5.1V, 1000mA	
Operation frequency:	2402MHz, 2403MHz	
Modulation Type:	GFSK	
Channel Number:	14 channels	
Antenna Type:	Internal Antenna	
Antenna Gain:	2.9 dBi (dBi)	
Hardware version:	/	
Software version:	/	
Exposure category:	General population/uncontrolled environment	
EUT Type:	Production Unit	
Device Type:	Mobile Device	
2. Evaluation Method		
Systems operating under the provision of FCC 47 CFR section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.		
In accordance with 47 CFR FCC Part 2 Subpart C, section 2.2093 this device has been defined as mobile device whenever a distance of 0.2m normally can be maintained between the user and the device, and below RF Permissible Exposure limit (PEL) comply with.		
In accordance with ICNIRN 1998/2002 for Simultaneous transmission RFPE, the exclusion applies when the sum of the RFPE ratio for all simultaneous transmitting antennas incorporated in a host device, based on the calculated/estimated, numerically modeled or measured field strengths or power density, is < 5.0. The RFPE ratio of each antenna is determined at the maximum test separation distance required by the operating configuration and exposure conditions of the host device, according to the ratio of field strength or power density to MPE limit, at the test frequency. Either the maximum peak or spatially averaged results from measurements or numerical calculations may be used to determine the RFPE ratio. Spatial averaging does not apply when MPE is estimated using simple calculations based on far-field plane-wave exposure conditions. The antenna installation and operating requirements for the host device must meet the maximum test separation distance required by all antennas, in both simultaneous and simultaneous transmission operation, to satisfy compliance.		
This report shall not be reproduced or copied in full, without the written approval of Shenzhen LCS Compliance Testing Laboratory Ltd.		Page 1 of 4

[pdf] Test Report SAR Rating

Microsoft Word RF Exposure Evaluation Administrator reposure Shenzhen Feelstorm Technology Co Ltd

VB603 M Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603M vb603 m

SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD FCC ID:

2AFX2**VB603**-M 1. Product Information FCC ID: Product name Model number Power

supply Operation frequency Modulation Type Channel Number Antenna Type

Antenna Gain Hardware version Software version Exposure category EUT Type

Device Type FCC RF Ex...

lang:en score:35 filesize: 204.01 K page_count: 4 document date: 2021-07-07




[\[pdf\]](#) User Manual

ВАЖНО! ЗАПАЗЕТЕ ТАЗИ ИНСТРУКЦИЯ ЗА Chipolino Babyphone POLARIS Plus 2022 BG manual
comsed net public |||

2014/53/, , 2011/65/, RoHS , 2014/30/, : , , , , , . VIBEF241SI/**VB603** 12
DECLARATION OF CONFORMITY , , , , , , , , 1, , , , ...

lang:i-klngon **score:35** filesize: 1.72 M page_count: 17 document date: 2024-02-19




[\[pdf\]](#) Product Photos

Pc 20170526kjss G EMC 2017 TCT170515E012 VB603 FCC IDcamera 6 Appendix A
Photographs of Administrator Test setup photos Shenzhen Feelstorm Technology Co Ltd T Digital Video
Baby Monitor 2AFX2VB603 2AFX2VB603T vb603 t

Appendix A: Photographs of Test Setup Product: Digital Video Baby Monitor Model:
VB603 Radiated Emission Page 1 of 2 Conducted Emission Page 2 of 2 ...

lang:i-klngon **score:35** filesize: 97.98 K page_count: 2 document date: 2017-06-16




[\[pdf\]](#) Product Photos

Pc 20170526kjss G EMC 2017 TCT170515E011 VB603 FCC IDmonitor 6 Appendix A
Photographs of Administrator Test setup photos Shenzhen Feelstorm Technology Co Ltd R Digital Video
Baby Monitor 2AFX2VB603 2AFX2VB603R vb603 r

Appendix A: Photographs of Test Setup Product: Digital Video Baby Monitor Model:
VB603 Radiated Emission Page 1 of 2 Conducted Emission Page 2 of 2 ...

lang:i-klngon **score:35** filesize: 102.78 K page_count: 2 document date: 2017-06-16




[\[pdf\]](#) Product Photos Teardown

Pc 20170526kjss G EMC 2017 TCT170515E012 VB603 FCC IDcamera 6 Internal
Photographs of EU Administrator photos Shenzhen Feelstorm Technology Co Ltd T Digital Video Baby
Monitor 2AFX2VB603 2AFX2VB603T vb603 t

Appendix B: Photographs of EUT Product: Digital Video Baby Monitor Model:**VB603**
Internal Photos Page 1 of 3 Antenna Page 2 of 3 Page 3 of 3 ...

lang:i-klngon **score:35** filesize: 377.65 K page_count: 3 document date: 2017-06-16



[\[pdf\]](#) Product Photos

Pc 20170526kjss G EMC 2017 TCT170515E012 VB603 FCC IDcamera 6 External
Photographs of EU Administrator photos Shenzhen Feelstorm Technology Co Ltd T Digital Video Baby
Monitor 2AFX2VB603 2AFX2VB603T vb603 t

Appendix B: Photographs of EUT Product: Digital Video Baby Monitor Model:**VB603**
External Photos Page 1 of 4 Page 2 of 4 Page 3 of 4 Page 4 of 4 ...

lang:i-klngon **score:34** filesize: 421.9 K page_count: 4 document date: 2017-06-16

SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD. FCC ID: 2AFX2VB603-C Report No.: LCS201103044AEA010

Appendix A

RF Test Data for GFSK (Conducted Measurement)

Product Name: Digital Video Baby Monitor
Trade Mark: /
Test Model: VB603-C

Environmental Conditions

Temperature:	25.0 °C
Relative Humidity:	54.1%
Atm Pressure:	100.1 kPa
Test Engineer:	Carl Fc
Supervised by:	Lina Wu

A.1 Maximum Conducted Peak Output Power

Mode	Channel	Maximum Peak Output Power (dBm)	Limit (dBm)	Verdict
GFSK	LCH	13.214	21	PASS
	HCH	13.246	21	PASS
	HCH	13.895	21	PASS

Page 1 of 19

[\[pdf\]](#)

Microsoft Word Appendix A test data for 2 4G Administrator report Shenzhen Feelstorm Technology Co
Ltd VB603 C Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603C vb603 c

SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD. FCC ID:
2AFX2**VB603**-C Report No.: LCS201103044AEA010 Appendix A RF Test Data for
GFSK Conducted Measurement Product Name: Digital Video Baby Monitor Trade
Mark: / Test Model: **VB603**-C Temperature: Relative Humidity: ATM Pressure: Test
Engineer: Superv...

lang:en **score:34** filesize: 1.01 M page_count: 19 document date: 2021-04-07

SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD. FCC ID: 2AFX2VB603-M Report No.: LCS201103043AEA010

Appendix A

RF Test Data for GFSK (Conducted Measurement)
Product Name: Digital Video Baby Monitor
Trade Mark: /
Test Model: VB603-M

Environmental Conditions				
Temperature	24.0 °C			
Relative Humidity	54.5%			
ATM Pressure	101.3 kPa			
Test Engineer	Carl Fu			
Supervised by	L.H.Han			

A.1 Maximum Conducted Peak Output Power

Mode	Channel	Maximum Peak Output Power (dBm)	Limit (dBm)	Verdict
GFSK	LCH	13.385	21	PASS
	MCH	13.385	21	PASS
	HCH	13.385	21	PASS

Page 4 of 19

[pdf]

Microsoft Word Appendix A test data for 2 4G Administrator report Shenzhen Feelstorm Technology Co Ltd VB603 M Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603M vb603 m
SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD. FCC ID: 2AFX2**VB603**-M Report No.: LCS201103043AEA010 Appendix A RF Test Data for GFSK Conducted Measurement Product Name: Digital Video Baby Monitor Trade Mark: / Test Model: **VB603**-M Temperature: Relative Humidity: ATM Pressure: Test Engineer: Superv...
lang:en score:34 filesize: 1.04 M page_count: 19 document date: 2021-04-07

TCT 中国合格评定国家认可委员会

TEST REPORT

FCC ID: 2AFX2**VB603**-T
Product: Digital Video Baby Monitor
Model No.: VB603
Additional Model No.: N/A
Trade Mark: FEELSTORM
Report No.: TCT170515E012
Issued Date: May 23, 2017

Issued for:
Shenzhen Feelstorm Technology Co., Ltd
5F, Block C, HUAWAN Industrial PARK, BaoAn DaDao No. 119,
BaoAn District, Shenzhen, China

Issued By:
Shenzhen Tongze Testing Lab.
1F, Leisuo Watch Building, Fuyong Town, Baoan Dist, Shenzhen, China
TEL: +86-755-27679339
FAX: +86-755-27679332

Note: This report shall not be reproduced except in full, without the written approval of Shenzhen Tongze Testing Lab.
This document may be altered or revised by Shenzhen Tongze Testing Lab. whenever only and shall be listed in the revision section of the document. The test results in this report only apply to the tested sample.

Hotline: 400-6911146 Tel: 86-755-27679338 Fax: 86-755-27679332 http://www.tct-lab.com

[pdf] Test Report

Pc 20170526kjss G EMC 2017 TCT170515E012 VB603 FCC IDcamera 6 ID 15 24
Administrator Test Report Shenzhen Feelstorm Technology Co Ltd T Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603T vb603 t
TEST REPORT FCC ID: 2AFX2**VB603**-T Product: Digital Video Baby Monitor Model No.: **VB603** Additional Model No.: N/A Trade Mark: FEELSTORM Report No.: TCT170515E012 Issued Date: May 23, 2017 Issued for: Shenzhen Feelstorm Technology Co., Ltd 5F, Block C, HUAWAN Industrial PARK, BaoAn DaDao No. 119, BaoAn...
lang:en score:34 filesize: 2.97 M page_count: 47 document date: 2017-06-16



[pdf] User Manual

IMPORTANT! KEEP THIS MANUAL FOR FUTURE REFERENCE!Insert the adaptor jack in baby unit and plug socket The LED indicator is on blue light i e operational PARENT UNIT MONITOR
20230330155916 2d1edf4ac scdn gr ds product guides 13802 20230330155916 2d1edf4a |||
IMPORTANT KEEP THIS MANUAL FOR FUTURE REFERENCE INSTRUCTION MANUAL FOR DIGITAL BABY MONITOR SIRIU ... ed in the power source by the adaptor and that there is electricity in the network. VIBEF5I02201PL /**VB603** 11 1 Goliamokonarsko shosse, Plovdiv, BULGARIA www.chipolino.com ...
lang:en score:34 filesize: 1.44 M page_count: 13 document date: 2022-03-03

[pdf] Dimension Guide

VIDEO BABY MONITOR VB603 Global SourcesFEATURES Two way talk back Temperature monitoring Built in 8 lullabies the camera Automatic night vision VOX Function Multiple languages supportK1212170451pdt static globalsources IMAGES PDT SPEC 451 K1212170451 supportpdt K1212170451pdt supportK1197130003pdt 003 K1197130003pdt ||| ||| VIDEO BABY MONITOR VB603 FEATURES Two way talk back Temperature monitoring Built-in 8 lullabies in the camera Automatic night vision VOX Function Multiple languages support English/French/Spanish/Portuguese/Italian/German/Turkey/Russian Sec VIDEO BABY MONITOR **VB603** FEATURES Two way talk back Temperature monitoring Built-in 8 lullabies in the camera Automatic night vision VOX Function Multiple languages support English/French/Spanish/Portuguese/Italian/German/Turkey/Russian Secure/Interference Free/Long Range GENERAL Trans... lang:tl **score:32** filesize: 210.32 K page_count: 1 document date: 2021-06-03

ВАЖНО! ЗАПАЗЕТЕ ТАЗИ ИНСТРУКЦИЯ ЗА БЪДЕЩИ СПРАВКИ!

ИНСТРУКЦИЯ ЗА ПОЛЗВАНЕ НА ЦИФРОВ АУДИО БЕБЕФОН МОДЕЛ „АСТРО”

ASTRO babyphone



Този продукт марка **chipolino** е произведен в съответствие с изискванията на директивите на Европейския парламент и Съвета 2014/53/EU, относно радиоспировазвение, 2011/65/EU, относно ограничаване употребата на определени опасни вещества в електрическото и електронното оборудване (RoHS), 2009/125/EU, относно изискванията за енергийна ефективност на продуктите, свързани с енергопотреблението, 1907/2006, относно регистрацията, оценката, разрешаването и ограничаването на химикали (REACH) и 2007/19/EC „Обща безопасност на продуктите“ и/или в съответствие с нормативни актове от националното законодателство. Съответствието е удостоверявано с протоколи от изпитване, отразени в декларацията за съответствие на продукта, с които може да се запознате на адрес www.chipolino.com

[pdf] User Manual

comsed net public Chipolino BEFAST02401SI babyphone ASTRO 2022 BG manual Дигитален бебелефон Чиполино Астро 1 8ghz сребърен КОМСЕД ||| ,, 2014/53/, , 2011/65/, RoHS , 2009/125/, ... : 5.01000mA - 1000mAh : 720p CMOS : 3.2 IPS LCD, 320240 20fps. ,, VIBEFP241SI/**VB603**, , , , . Transmission frequency: 2.4 GHz Unobstructed Eff... lang:i-kl Klingon **score:31** filesize: 996.23 K page_count: 10 document date: 2024-04-29

IMPORTANT! KEEP THIS MANUAL FOR FUTURE REFERENCE!

INSTRUCTION MANUAL FOR DIGITAL BABY MONITOR "SIRIUS"


SIRIUS



This **chipolino** product is manufactured in accordance with the requirements of Directives of the European Parliament and Council 2014/53/EU relating to the making available on the market of radio equipment, 2011/65/EU relating to the restriction of the use of certain hazardous substances (RoHS), 2009/125/EU relating to the energy efficiency of energy-related products, 1907/2006, on the registration, evaluation, restriction and restriction of chemicals (REACH) and 2007/19/EC "General Product Safety" as well as in accordance with National Legislation.


[pdf] User Manual

IMPORTANT! KEEP THIS MANUAL FOR FUTURE REFERENCE! CAUTION! ONLY AN ADULT SHOULD USE THE PRODUCT! ♦ DEVICE IS NOT A TOY AND MUST BE ACCESSIBLE TO CHILDREN! babyphone SIRIUS 2022 ENG manual chipolino data fms Manuals ||| IMPORTANT KEEP THIS MANUAL FOR FUTURE REFERENCE INSTRUCTION MANUAL FOR DIGITAL BABY MONITOR SIRIU ... ed in the power source by the adaptor and that there is electricity in the network. VIBEFSI02201PL /**VB603** 11 1 Goliamokonarsko shosse, Plovdiv, BULGARIA www.chipolino.com ... lang:en **score:28** filesize: 1.49 M page_count: 13 document date: 2022-03-03




[\[pdf\]](#) User Manual Installation Guide Instructions Guide

Provided by ManualsAndMore Download User Manual Baby Monitor VB603 manualsandmore ||| GHz 2.4 260M LONG RANGE TALK BACK 26 C TEMPERATURE NIGHT VISION Ver1.4 8 LULLABIES MULTI-LANGUAGE WELCOME... to your new digital Baby Monitor Thank you for purchasing the product. Now you can see and hear your baby sleeping in the other room or you can monitor your older children in their... lang:en score:28 filesize: 2.43 M page_count: 2 document date: 2019-07-24




[\[pdf\]](#) User Manual Installation Guide Instructions Guide

1 Anna User manual Shenzhen Feelstorm Technology Co Ltd VB603 C Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603C vb603 c GHz 2.4 260M LONG RANGE TALK BACK 26 C TEMPERATURE NIGHT VISION Ver1.4 8 LULLABIES MULTI-LANGUAGE WELCOME... to your new digital Baby Monitor Thank you for purchasing the product. Now you can see and hear your baby sleeping in the other room or you can monitor your older children in their... lang:en score:24 filesize: 1.6 M page_count: 3 document date: 2020-12-10




[VB603 Digital Video Baby Monitor User Guide](#)

User guide for the VB603 Digital Video Baby Monitor, covering setup, features, safety instructions, and technical specifications for both parent and baby units. lang:en score:24 filesize: 1.58 M page_count: 3 document date: 2021-07-07



[\[pdf\]](#) User Manual Installation Guide Instructions Guide

1 Anna Users manual Shenzhen Feelstorm Technology Co Ltd VB603 T Digital Video Baby Monitor 2AFX2VB603 2AFX2VB603T vb603 t GHz 2.4 260M LONG RANGE TALK BACK 26 C TEMPERATURE NIGHT VISION Ver1.4 8 LULLABIES MULTI-LANGUAGE WELCOME... to your new digital Baby Monitor Thank you for purchasing the product. Now you can see and hear your baby sleeping in the other room or you can monitor your older children in their... lang:en score:24 filesize: 2.43 M page_count: 2 document date: 2016-09-09



[pdf] User Manual Installation Guide Instructions Guide

1 Anna Users manual Shenzhen Feelstorm Technology Co Ltd VB603 R Digital Video Baby Monitor

2AFX2VB603 2AFX2VB603R vb603 r

GHz 2.4 260M LONG RANGE TALK BACK 26 C TEMPERATURE NIGHT VISION

Ver1.4 8 LULLABIES MULTI-LANGUAGE WELCOME... to your new digital Baby

Monitor Thank you for purchasing the product. Now you can see and hear your baby

sleeping in the other room or you can monitor your older children in their...

lang:en score:24 filesize: 2.43 M page_count: 2 document date: 2016-09-09



[pdf]

dbe965f7aced76c3295b9c01fcc37afa askona ru upload iblock dbe |||

VB603 1 1. 2 , 0 . 2 . , . 3 . , / ON 6 , . 2 . 3 , . 2 , . 4 . , . 5 , . 1 . 5 . / ON 1 , . 1 . 6 , . 1 , , . 6 . , , , .

2 1 . 3 2 . 4 3 . 4 4 . 10 5 . 11 6 . 16 7

lang:i-klngon score:23 filesize: 819.14 K page_count: 40 document date: 2019-03-04

電波法に基づく免許等が必要な無線設備					
品名	型式	電波法に基づく免許等が必要な無線設備	電波法に基づく免許等が必要な無線設備	電波法に基づく免許等が必要な無線設備	電波法に基づく免許等が必要な無線設備
R4-052	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-053	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-054	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-055	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-056	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-057	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-058	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-059	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-060	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-061	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-062	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-063	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-064	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-065	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-066	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-067	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-068	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-069	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-070	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-071	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-072	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-073	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-074	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-075	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-076	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-077	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-078	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-079	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-080	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-081	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-082	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-083	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-084	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-085	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-086	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-087	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-088	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-089	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-090	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-091	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-092	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-093	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-094	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-095	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-096	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-097	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-098	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-099	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機
R4-100	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機	無線電波送信機

[pdf]

r0403 tele soumu go jp resource j monitoring illegal result |||


MHz V/m V/m R4-052 553.703 160324.6 35 R4.8 R4-053 ANS-H119 R4- ... R4-070

R4-071 R4-072 R4-073 R4-074 R4-075 R4-076 A1-GK3 R4-077 R4-078 R4-079

VB603 VB605 R4-080 R4-081 B7322S R4-082 R4-083 R4-084 R4-085 R4-086 V24R

VB603 VB610 VB...

lang:tl score:23 filesize: 925.8 K page_count: 3 document date: 2023-03-13



[pdf] Test Report

CE EMC TEST REPORT Harris DSS P2 Comexa Comercializadora Extranjera S A Suc del Peru BM906
Video Baby Monitor 2A86O 2A86OBM906 bm906

Power NVNT GFSK 2468MHz Report No.: TCT221024E903 Page 33 of 63 Hotline:
400-6611-140 Tel: 86-755- ... Report No.: TCT221024E903 Appendix B: Photographs
of Test Setup Product: Video Baby Monitor Model: **VB603** Radiated Emission Page
55 of 63 Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673333...
lang:en score:23 filesize: 5.35 M page_count: 31 document date: 2022-12-05



[pdf] User Manual

VB603 INFANTI 200804 0121D9VB603 Manual Video monitor Infanti 603 infanti cl media |||
Representante exclusivo en Chile: DOREL JUVENILE CHILE S.A Av. El Retiro 9800
Parque Los Maitenes Sur, Pudahuel Santiago-Chile. Fono: 56 2 23399000
www.infanti.cl - www.dorel.cl Representante exclusivo en Per: COMEXA
COMERCIALIZADORA EXTRANJERA S.A. SUCURSAL DEL PER Los Libertadores
445, San Isidro ...

lang:es score:23 filesize: 1.88 M page_count: 10 document date: 2021-04-14



[pdf] Specifications

PowerPoint Presentation Administrator Certificated as Guangdong Contract Global Sources VB601
FEATURES Wireless portable Simple setup hasslefree operation Twoway communication enabled 2 0
inch color digital LCD display screen D9406415618452 s globalsources IMAGES SPL 452 |||
Certificated as Guangdong Contractobserving and Trustworthy enterprise
2018,2019,2020 Feelstorm se ... n rechargeable battery - Long range - Multi-
languages supported - Adjustable camera viewing angle **VB603** - BABY MONITOR
SPECIFICATION: - Frequency: 2.4 GHz Digital - Modulation Mode: GFSK - Sensor:
0...

lang:en score:22 filesize: 2.27 M page_count: 25 document date: 2022-08-24

電波法に基づく電波電界測定結果報告書

※測定結果は、電波電界測定装置の測定結果に基づき算出された値であり、実際の電波電界とは異なる場合があります。

※測定結果は、電波電界測定装置の測定結果に基づき算出された値であり、実際の電波電界とは異なる場合があります。

測定項目	測定結果	単位	電波電界測定装置の測定結果	電波電界測定装置の測定結果	電波電界測定装置の測定結果	電波電界測定装置の測定結果	電波電界測定装置の測定結果	電波電界測定装置の測定結果	電波電界測定装置の測定結果
R04-001	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-002	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-003	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-004	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-005	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-006	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-007	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-008	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-009	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-010	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-011	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-012	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-013	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-014	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-015	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-016	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7
R04-017	電波電界測定装置の測定結果	dBμV/m	121618.7	433.9062	121618.7	433.9062	121618.7	433.9062	121618.7

[pdf]

r04 tele soumu go jp resource j monitoring illegal result |||

R04-001 N928 MHz hen Nurbenn technology c 433.9062 V/m 121618.7 V/m 3 ... 8

467735.2 R4-076 A1-GK3 2466.882 154881.7 R4-077 2461.294 208929.7 R4-078

R4-079 **VB603** VB605 2402.177 484172.4 2464.530 683911.7 R4-080 2433.941

88104.9 R4-081 B7322...

lang:de score:21 filesize: 1.58 M page_count: 8 document date: 2023-06-22




[pdf] Label

FCC ID User LABEL Comexa Comercializadora Extranjera S A Suc del Peru BM906 Video Baby Monitor

2A86O 2A86OBM906 bm906

Label : Label Artwork and Location Model: **VB603** Size: L*W=32*18mm Location ...

lang:de score:21 filesize: 856.75 K page_count: 1 document date: 2022-11-21




[pdf] Label

FCC ID User Label Comexa Comercializadora Extranjera S A Suc del Peru BM907 Video Baby Monitor

2A86O 2A86OBM907 bm907

Label : Label Artwork and Location Model: **VB603** Size: L*W=32*18mm Location ...


lang:de score:21 filesize: 259.39 K page_count: 1 document date: 2022-11-21



[Video Baby Monitor VB603 Test Setup Photographs](#)

Detailed photographs and descriptions of the test setup for the VB603 Video Baby Monitor, covering radiated and conducted emission testing procedures.

lang:de **score:21** filesize: 173.28 K page_count: 2 document date: 2022-12-01




[\[pdf\]](#)

Sky123 Org Test setup Comexa Comercializadora Extranjera S A Suc del Peru BM907 Video Baby Monitor 2A86O 2A86OBM907 bm907

Appendix B: Photographs of Test Setup Product: Video Baby Monitor Model:**VB603** Radiated Emission Page 1 of 2 Conducted Emission Page 2 of 2 ...

lang:de **score:21** filesize: 280.24 K page_count: 2 document date: 2022-11-22



[\[pdf\]](#) Product Photos Teardown

Appendix B Photographs of EUT Sky123 Org INTERNAL PHOTO Comexa Comercializadora Extranjera S A Suc del Peru BM906 Video Baby Monitor 2A86O 2A86OBM906 bm906

Appendix C: Photographs of EUT Product: Video Baby Monitor Model:**VB603** Internal Photos Page 1 of 3 Antenna Page 2 of 3 Page 3 of 3 ...

lang:de **score:21** filesize: 361.19 K page_count: 3 document date: 2022-12-01

Appendix C: Photographs of EUT
Product: Video Baby Monitor
Model: VB603
External Photos



Page 1 of 4

[\[pdf\]](#) Product Photos

Appendix B Photographs of EUT Sky123 Org EXTERNAL PHOTO Comexa Comercializadora Extranjera S A Suc del Peru BM906 Video Baby Monitor 2A86O 2A86OBM906 bm906

Appendix C: Photographs of EUT Product: Video Baby Monitor Model: **VB603**
External Photos Page 1 of 4 Page 2 of 4 Page 3 of 4 Page 4 of 4 ...

lang:de score:21 filesize: 376.44 K page_count: 4 document date: 2022-12-01

Appendix C: Photographs of EUT
Product: Video Baby Monitor
Model: VB603
External Photos



Page 1 of 4


[\[pdf\]](#) Product Photos

Appendix B Photographs of EUT Sky123 Org External photos Comexa Comercializadora Extranjera S A Suc del Peru BM907 Video Baby Monitor 2A86O 2A86OBM907 bm907

Appendix C: Photographs of EUT Product: Video Baby Monitor Model: **VB603**
External Photos Page 1 of 4 Page 2 of 4 Page 3 of 4 Page 4 of 4 ...

lang:de score:21 filesize: 592.04 K page_count: 4 document date: 2022-11-22

Appendix C: Photographs of EUT
Product: Video Baby Monitor
Model: VB603
Internal Photos




Page 1 of 7

[\[pdf\]](#) Product Photos Teardown

Appendix B Photographs of EUT Sky123 Org Internal photos Comexa Comercializadora Extranjera S A Suc del Peru BM907 Video Baby Monitor 2A86O 2A86OBM907 bm907

Appendix C: Photographs of EUT Product: Video Baby Monitor Model: **VB603** Internal
Photos Page 1 of 5 Page 2 of 5 Antenna Page 3 of 5 Page 4 of 5 Page 5 of 5 ...

lang:de score:21 filesize: 898.61 K page_count: 5 document date: 2022-11-22




[pdf]

078 tele soumu go jp resource j monitoring illegal result r04 |||

1. R04-078 **VB603** 2. MHz 2402.200 MHz 2402.177 dB V/m 105.2 113.7 V/m
181970.1 484172.4 V/m 35.0 35.0 MHz 2402.200 MHz 2402.177 dB V/m 105.2 113.7
V/m 181970.1 484172.4 V/m 35.0 35.0 ...

lang:de score:21 filesize: 561.42 K page_count: 2 document date: 2023-03-03




[pdf]

084 tele soumu go jp resource j monitoring illegal result r04 |||

1. R04-084 **VB603** 2. MHz 2401.700 MHz 2401.706 dB V/m 105.0 113.2 V/m
177828.0 457088.2 V/m 35.0 35.0 MHz 2401.700 MHz 2401.706 dB V/m 105.0 113.2
V/m 177828.0 457088.2 V/m 35.0 35.0 ...

lang:de score:21 filesize: 556.44 K page_count: 2 document date: 2023-03-03



[pdf] Test Report

CE EMC TEST REPORT Harris Test report Comexa Comercializadora Extranjera S A Suc del Peru

BM907 Video Baby Monitor 2A86O 2A86OBM907 bm907

TEST REPORT FCC ID.....: 2A86O-BM907 Test Report No.

.....: TCT: Video Baby Monitor Trade Mark.....: INFANTI

Model/Type reference: **VB603** Adapter Information: MODEL: ZD5C050100USW

Rating s: INPUT: AC 100...

lang:en score:21 filesize: 4.47 M page_count: 65 document date: 2022-11-22