Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

onerbl 5V AC/DC Adapter

onerbl 5V AC/DC Adapter User Manual

For Humblestead PF2152 & PF1506 Digital Picture Frames

1. Introduction

This manual provides essential instructions for the safe and effective use of your onerbl 5V AC/DC Adapter. This power supply is designed to be compatible with Humblestead PF2152 and PF1506 Digital Picture Frames, ensuring reliable power delivery.

2. Safety Information

Please read and understand all safety warnings before using this product. Failure to follow these instructions may result in electric shock, fire, or other hazards.

- Use only with compatible devices as specified (Humblestead PF2152, PF1506 Digital Picture Frames).
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Do not disassemble or modify the adapter.
- Ensure the power outlet voltage matches the adapter's input specifications (AC 100-240V).
- Keep out of reach of children.
- Unplug the adapter from the power outlet when not in use for extended periods.

3. Product Overview

The onerbl 5V AC/DC Adapter is a replacement power supply designed for specific digital picture frames. It features a compact design and built-in safety protections.



Figure 3.1: The onerbl 5V AC/DC Adapter. This image shows the main view of the black AC/DC adapter with its two-prong plug and barrel

connector cable.



Figure 3.2: Front and side view of the onerbl 5V AC/DC Adapter. This image displays the adapter from two angles, highlighting its compact form factor and the label with input specifications.

Key Features:

- **Input:** AC 100-240V 50/60Hz (Worldwide compatible)
- **Output:** 5V DC
- **Protections:** Over Voltage Protection, Over Heat Protection, Short-Circuit Protection, Over-Current Protection.
- **Cable Length:** Approximately 76 inches (6.3 feet).




Figure 3.3: Dimensions of the onerbl 5V AC/DC Adapter and cable length. This image illustrates the physical dimensions of the adapter (1.6 inch x 2.6 inch x 1.2 inch) and the cable length (76 inches).




Figure 3.4: Smart Chip for Multiple Protection. This image highlights the adapter's built-in protections: short-circuit, over-voltage, and over-current protection, ensuring electrical safety.



Figure 3.5: Quality Control and Durable Design. This image illustrates the internal copper wire construction and PVC jacket, emphasizing the adapter's durable design and quality control.

4. Setup and Connection

Follow these steps to properly connect your onerbl 5V AC/DC Adapter to your Humblestead Digital Picture Frame.

1. **Verify Compatibility:** Ensure your digital picture frame is a Humblestead PF2152 or PF1506 model.
2. **Connect to Device:** Insert the barrel connector end of the adapter cable into the DC input port of your digital picture frame.
3. **Connect to Power Outlet:** Plug the two-prong AC plug of the adapter into a standard wall outlet (AC 100-240V).
4. **Power On:** Once connected, your digital picture frame should receive power. Refer to your picture frame's manual for specific power-on procedures.



Figure 4.1: Adapter connected to a power strip. This image shows the compact adapter plugged into a power strip, demonstrating its small footprint and ease of use in various setups.

5. Operation

The onerbl 5V AC/DC Adapter functions as a continuous power source for your compatible digital picture frame. It does not require any user interaction beyond initial connection.

- The adapter provides a stable 5V DC output to power your device.

- It is designed for continuous operation.
- If your device has a battery, the adapter will charge it while providing power.

6. Maintenance

Proper care will extend the life of your adapter.

- Keep the adapter clean and free from dust. Use a dry, soft cloth for cleaning.
- Avoid bending or crimping the cable excessively, especially near the connectors.
- Store in a cool, dry place when not in use.
- Do not attempt to repair the adapter yourself. Contact support if it is damaged.

7. Troubleshooting

If you encounter issues, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Device not powering on.	Adapter not properly connected. Power outlet not functioning. Incompatible device.	Ensure both ends of the adapter are securely plugged in. Test the outlet with another device. Verify your device is a Humblestead PF2152 or PF1506.
Adapter feels hot.	Normal operation (slight warmth). Overload or malfunction (excessive heat).	A slight warmth is normal. If it's excessively hot, unplug immediately and discontinue use. Contact support.
Loose connection.	Worn connector or port.	Ensure the connector is fully inserted. If it remains loose, the port on your device or the adapter connector may be damaged.

8. Specifications

Feature	Detail
Brand	onerbl
Input Voltage	AC 100-240V, 50/60Hz
Output Voltage	DC 5V
Compatibility	Humblestead PF2152, PF1506 Digital Picture Frames
Protections	Over Voltage Protection, Over Heat Protection, Short-Circuit Protection, Over-Current Protection
Cable Length	Approx. 76 inches (6.3 feet)
Manufacturer	Shenzhen Waweis Technology Co., Ltd

9. Warranty and Support

For warranty information or technical support, please contact the seller or manufacturer directly. Refer to your purchase documentation for specific warranty terms and contact details.

Seller: GreatComputerParts

Manufacturer: Shenzhen Waweis Technology Co., Ltd

© 2025 onerbl. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0CTC5G67C

More documents and user manuals: **https://manuals.plus/**